Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	HOTPOINT	
Model	HARG60P	
EEI [%] Energy Efficiency Index - Main cavity 1)	79.50380603	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	99.23045768	
Energy Efficiency Class - Main cavity 2)	A+	
Energy Efficiency Class - Secondary cavity 2)	A	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	1.57	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	1.36	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	5.64	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	4.9	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	2	
Heat source - Main cavity	Gas	
Heat Source - Secondary cavity	Gas	
Usable volume [I] - Main cavity	81	
Usable volume [I] - Secondary cavity	32	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

	Symbol	Value	Unit
Model identification	-	HARG60P	
Type of oven		CONVENTI ONAL	
Mass of the appliance	М	55.4	Kg
Number of cavities		2	
Heat source per cavity (electricity or gas)		Gas	
Volume per cavity - Main cavity	V	81	I
Volume per cavity - Secondary cavity	V	32	I
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.57	kWh/cy cle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	1.36	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	5.64	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	4.90	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy Efficiency Index per cavity - Main cavity	EElcavity	79.5	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	99.2	

²⁾ From A+++ (low consumption) to D (high consumption).

Symbol	Format HARG60P	Unit
oking zones s		
oking zones, s	C	
oking zones s	Gas	
okina zones s	0	
oking zones, s	solid plate)	
_	Semi-Fast	
	Fast	
	Fast	
	Semi-Fast	
ted cooking zo	ne	
Ø	7.5	cm
Ø	0.0	cm
Ø	10.0	cm
Ø	0.0	cm
Ø	0.0	cm
Ø	0.0	cm
Ø	10.0	cm
Ø	0.0	cm
Ø	7.5	cm
area per electi	ric heated	
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
L;W	0.0 ; 0.0	cm
ECelectric cooking	0.0	Wh/Kg
ECelectric	0.0	Wh/Kg
cooking	0.0	Wh/Kg
cooking ECelectric cooking	0.0	_
ECelectric	0.0	Wh/Kg
ECelectric cooking		Wh/Kg
ECelectric cooking	0.0	Wh/Kg
	L; W L; W L; W L; W L; W L; W ECelectric cooking	L; W 0.0; 0.0 C; W 0.0; 0.0 ECelectric cooking 0.0

Center behind	EEgas burner	0.0	
Right behind	EEgas burner	58.6	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	54.4	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	57.9	
Energy efficiency for the gas hob	EEgas hob	56.5	