Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	INDESIT	
Model	I5GG1(S)/UK	
EEI [%] Energy Efficiency Index - Main cavity 1)	95.2	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	0	
Energy Efficiency Class - Main cavity 2)	A	
Energy Efficiency Class - Secondary cavity 2)	-	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	1.62	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	5.83	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	1	
Heat source - Main cavity	Gas	
Heat Source - Secondary cavity		
Usable volume [I] - Main cavity	59	
Usable volume [I] - Secondary cavity	0	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

appliance is used.				
Product Information compliant to commission regulation (EU) No 66/2014				
	Symbol	Value	Unit	
Model identification		I5GG1(S)/U K		
Type of oven		CONVENTI ONAL		
Mass of the appliance	М	39.1	Kg	
Number of cavities		1		
Heat source per cavity (electricity or gas)		Gas		
Volume per cavity - Main cavity	V	59	ı	
Volume per cavity - Secondary cavity	V	0	I	
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	5.83	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	1.62	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle	
Energy Efficiency Index per cavity - Main cavity	EElcavity	95.2		
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	0.0		

²⁾ From A+++ (low consumption) to D (high consumption).

Product Information compliant to commission regulation (EU	J) No 66/2014		
	Symbol	Format	Unit
Model identification		I5GG1(S)/U K	
Type of hob		Gas	
Number of cooking zones and/or areas		0	
Heating technology (induction cooking zones and cooking areas, radiant	cooking zones, s	solid plate)	
Left behind		Semi-Fast HE	
Center behind		ПС	
Right behind		Semi-Fast HE	
Left center		1112	
Center center			
Right center			
Left ahead		Auxiliary HE	
Center ahead		,	
Right ahead		Fast HE	
For circular cooking zones: diameter of useful surface area per electric he	eated cooking zo	ne	
Left behind	Ø	7.5	cm
Center behind	Ø	0.0	cm
Right behind	Ø	7.5	cm
Left center	Ø	0.0	cm
Center center	Ø	0.0	cm
Right center	Ø	0.0	cm
Left ahead	Ø	5.5	cm
Center ahead	Ø	0.0	cm
Right ahead	Ø	10.0	cm
For non-circular cooking zones or areas: length and width of useful surfaceoking zone or area	ce area per elect	ric heated	
Left behind	L;W	0.0 ; 0.0	cm
Center behind	L;W	0.0 ; 0.0	cm
Right behind	L;W	0.0 ; 0.0	cm
Left center	L;W	0.0 ; 0.0	cm
Center center	L;W	0.0 ; 0.0	cm
Right center	L;W	0.0 ; 0.0	cm
Left ahead	L;W	0.0 ; 0.0	cm
Center ahead	L;W	0.0 ; 0.0	cm
Right ahead	L;W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg		0.0 , 0.0	0111
	ECelectric	0.0	1011-117 m
Left behind	cooking ECelectric	0.0	Wh/Kg
Center behind	cooking	0.0	Wh/Kg
Right behind	ECelectric cooking	0.0	Wh/Kg
Left center	ECelectric cooking	0.0	Wh/Kg
Center center	ECelectric cooking	0.0	Wh/Kg
Right center	ECelectric cooking	0.0	Wh/Kg
Left ahead	ECelectric cooking	0.0	Wh/Kg
Center ahead	ECelectric cooking	0.0	Wh/Kg
Right ahead	ECelectric cooking	0.0	Wh/Kg
Energy consumption for the hob calculated per Kg	ECelectric hob	0.0	Wh/Kg
Number of gas fired burners		4	

Energy efficiency per gas burner			
Left behind	EEgas burner	0.0	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	