Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	HOTPOINT	
Model	HAE60P S	
EEI [%] Energy Efficiency Index - Main cavity 1)	131.9	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	131.9	
Energy Efficiency Class - Main cavity 2)	В	
Energy Efficiency Class - Secondary cavity 2)	В	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0.96	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	1.12	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	2	
Heat source - Main cavity	ELECTRICITY	
Heat Source - Secondary cavity	Electric	
Usable volume [I] - Main cavity	71	
Usable volume [I] - Secondary cavity	42	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Value	Unit
Model identification	-	HAE60P S	
Type of oven		FANFORC ED	
Mass of the appliance	M	58.3	Kg
Number of cavities		2	
Heat source per cavity (electricity or gas)		ELECTRICI TY	
Volume per cavity - Main cavity	V	71	I
Volume per cavity - Secondary cavity	V	42	I
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.96	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.12	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle

²⁾ From A+++ (low consumption) to D (high consumption).

Energy Efficiency Index per cavity - Main cavity	EElcavity	131.9	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	131.9	

1) 1kWh/cycle = 3,6 MJ/cycle

Product Information compliant to commission regulation (EU)	duct Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Forma t	Unit	
Model identification		HAE60P S		
Type of hob		ELECTR IC		
Number of cooking zones and/or areas		4		
Heating technology (induction cooking zones and cooking areas, radiant cooking	oking zones, sol	id plate)		
Left behind		Double Ring Highlight		
Center behind				
Right behind		Radiant		
Left center				
Center center				
Right center				
Left ahead		Radiant		
Center ahead				
Right ahead		Radiant		
For circular cooking zones: diameter of useful surface area per electric heat	ed cooking zone			
Left behind	Ø	20.0	cm	
Center behind	Ø	0.0	cm	
Right behind	Ø	16.0	cm	
Left center	Ø	0.0	cm	
Center center	Ø	0.0	cm	
Right center	Ø	0.0	cm	
Left ahead	Ø	16.0	cm	
Center ahead	Ø	0.0	cm	
Right ahead	Ø	20.0	cm	
For non-circular cooking zones or areas: length and width of useful surface cooking zone or area	area per electric	heated		
Left behind	L;W	0.0 ; 0.0	cm	
Center behind	L;W	0.0 ; 0.0	cm	
Right behind	L;W	0.0 ; 0.0	cm	
Left center	L;W	0.0 ; 0.0	cm	
Center center	L;W	0.0 ; 0.0	cm	
Right center	L;W	0.0 ; 0.0	cm	
Left ahead	L;W	0.0; 0.0	cm	
Center ahead	L;W	0.0 ; 0.0	cm	
Right ahead	L;W	0.0 ; 0.0	cm	
Energy consumption per cooking zone or area calculated per Kg				
Left behind	ECelectric cooking	187.0	Wh/Kg	
Center behind	ECelectric cooking	0.0	Wh/Kg	
Right behind	ECelectric cooking	184.0	Wh/Kg	
Left center	ECelectric cooking	0.0	Wh/Kg	
Center center	ECelectric cooking	0.0	Wh/Kg	
Right center	ECelectric cooking	0.0	Wh/Kg	
Left ahead	ECelectric cooking	215.0	Wh/Kg	
Center ahead	ECelectric cooking	0.0	Wh/Kg	

Right ahead	ECelectric cooking	191.0	Wh/Kg
Energy consumption for the hob calculated per Kg	ECelectric hob	194.2	Wh/Kg
Number of gas fired burners		0	
Energy efficiency per gas burner			
Left behind	EEgas burner	0.0	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	