

<b>Product Fiche compliant to commission delegated regulation (EU) No 65/2014</b>	
Brand	HOTPOINT
Model	HUI612 K
EEI [%] Energy Efficiency Index - Main cavity 1)	106.9
EEI [%] Energy Efficiency Index - Secondary cavity 1)	106.9
Energy Efficiency Class - Main cavity 2)	A
Energy Efficiency Class - Secondary cavity 2)	A
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0.76
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0.91
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0
Number of cavities	2
Heat source - Main cavity	ELECTRICITY
Heat Source - Secondary cavity	Electric
Usable volume [l] - Main cavity	71
Usable volume [l] - Secondary cavity	39

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

<b>Product Information compliant to commission regulation (EU) No 66/2014</b>			
	<b>Symbol</b>	<b>Value</b>	<b>Unit</b>
Model identification		HUI612 K	
Type of oven		FANFORCED	
Mass of the appliance	M	62.4	Kg
Number of cavities		2	
Heat source per cavity (electricity or gas)		ELECTRICITY	
Volume per cavity - Main cavity	V	71	l
Volume per cavity - Secondary cavity	V	39	l
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.76	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.91	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle

Energy Efficiency Index per cavity - Main cavity	EElcavity	106.9	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	106.9	

1) 1kWh/cycle = 3,6 MJ/cycle

<b>Product Information compliant to commission regulation (EU) No 66/2014</b>			
	<b>Symbol</b>	<b>Format</b>	<b>Unit</b>
Model identification		HUI612 K	
Type of hob		ELECTR IC	
Number of cooking zones and/or areas		4	
<b>Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)</b>			
Left behind		Induction With Booster	
Center behind			
Right behind		Induction With Booster	
Left center			
Center center			
Right center			
Left ahead		Induction With Booster	
Center ahead			
Right ahead		Induction With Booster	
<b>For circular cooking zones: diameter of useful surface area per electric heated cooking zone</b>			
Left behind	∅	15.0	cm
Center behind	∅	0.0	cm
Right behind	∅	21.5	cm
Left center	∅	0.0	cm
Center center	∅	0.0	cm
Right center	∅	0.0	cm
Left ahead	∅	21.5	cm
Center ahead	∅	0.0	cm
Right ahead	∅	15.0	cm
<b>For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area</b>			
Left behind	L ; W	0.0 ; 0.0	cm
Center behind	L ; W	0.0 ; 0.0	cm
Right behind	L ; W	0.0 ; 0.0	cm
Left center	L ; W	0.0 ; 0.0	cm
Center center	L ; W	0.0 ; 0.0	cm
Right center	L ; W	0.0 ; 0.0	cm
Left ahead	L ; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L ; W	0.0 ; 0.0	cm
<b>Energy consumption per cooking zone or area calculated per Kg</b>			
Left behind	E <sub>Electric cooking</sub>	214.0	Wh/Kg
Center behind	E <sub>Electric cooking</sub>	0.0	Wh/Kg
Right behind	E <sub>Electric cooking</sub>	178.0	Wh/Kg
Left center	E <sub>Electric cooking</sub>	0.0	Wh/Kg
Center center	E <sub>Electric cooking</sub>	0.0	Wh/Kg
Right center	E <sub>Electric</sub>	0.0	Wh/Kg

	cooking		
Left ahead	EElectric cooking	178.0	Wh/Kg
Center ahead	EElectric cooking	0.0	Wh/Kg
Right ahead	EElectric cooking	214.0	Wh/Kg
Energy consumption for the hob calculated per Kg	EElectric hob	196.0	Wh/Kg
Number of gas fired burners		0	
<b>Energy efficiency per gas burner</b>			
Left behind	EEgas burner	0.0	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	