| Product Fiche compliant to commission delegated regulation (EU) No 65/2014 | | | |
|--|------------|--|--|
| Brand | INDESIT | | |
| Model | I5GG(W)/UK | | |
| EEI [%] Energy Efficiency Index - Main cavity 1) | 95.2 | | |
| EEI [%] Energy Efficiency Index - Secondary cavity 1) | 0 | | |
| Energy Efficiency Class - Main cavity 2) | A | | |
| Energy Efficiency Class - Secondary cavity 2) | - | | |
| Energy consumption in conventional mode [kWh/cycle] - Main cavity 3) | 1.62 | | |
| Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3) | 0 | | |
| Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3) | 0 | | |
| Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3) | 0 | | |
| Energy consumption in conventional mode [MJ/cycle] - Main cavity 3) | 5.83 | | |
| Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3) | 0 | | |
| Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3) | 0 | | |
| Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3) | 0 | | |
| Number of cavities | 1 | | |
| Heat source - Main cavity | Gas | | |
| Heat Source - Secondary cavity | | | |
| Usable volume [I] - Main cavity | 59 | | |
| Usable volume [I] - Secondary cavity | 0 | | |

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

| Product Information compliant to commission regulation (EU) No 66/2014 | | | |
|--|-------------------|------------------|---------------|
| | Symbol | Value | Unit |
| Model identification | | I5GG(W)/UK | |
| Type of oven | | CONVENTIO NAL | |
| Mass of the appliance | M | 39.1 | Kg |
| Number of cavities | | 1 | |
| Heat source per cavity (electricity or gas) | | Gas | |
| Volume per cavity - Main cavity | V | 59 | I |
| Volume per cavity - Secondary cavity | V | 0 | I |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity | ECelectric cavity | 1.62 | kWh/cy cle |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity | ECelectric cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1) | ECgas cavity | 5.83 | MJ/cycl e |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity | ECgas cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1) | ECgas cavity | 0.00 | MJ/cycl e |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity | ECgas cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1) | ECgas cavity | 0.00 | MJ/cycl e |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity | ECgas cavity | 0.00 | kWh/cy cle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1) | ECgas cavity | 0.00 | MJ/cycl e |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an | ECgas cavity | 0.00 | kWh/cy |

²⁾ From A+++ (low consumption) to D (high consumption).

| oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity | | | cle |
|---|-----------|------|-----|
| Energy Efficiency Index per cavity - Main cavity | EElcavity | 95.2 | |
| Energy Efficiency Index per cavity - Secondary cavity | EElcavity | 0.0 | |

1) 1kWh/cycle = 3,6 MJ/cycle

| Product Information compliant to commission regulation (EU) No 66/2014 | | | |
|--|--------------------|-----------------|-------|
| | Symbol | Format | Unit |
| Model identification | | I5GG(W)/ UK | |
| Type of hob | | Gas | |
| Number of cooking zones and/or areas | | 0 | |
| Heating technology (induction cooking zones and cooking areas, radiant co | ooking zones, so | lid plate) | |
| Left behind | | Semi-Fast HE | |
| Center behind | | | |
| Right behind | | Semi-Fast HE | |
| Left center | | | |
| Center center | | | |
| Right center | | | |
| Left ahead | | Auxiliary HE | |
| Center ahead | | | |
| Right ahead | | Fast HE | |
| For circular cooking zones: diameter of useful surface area per electric hea | ted cooking zon | е | |
| Left behind | Ø | 7.5 | cm |
| Center behind | Ø | 0.0 | cm |
| Right behind | Ø | 7.5 | cm |
| Left center | Ø | 0.0 | cm |
| Center center | Ø | 0.0 | cm |
| Right center | Ø | 0.0 | cm |
| Left ahead | Ø | 5.5 | cm |
| Center ahead | Ø | 0.0 | cm |
| Right ahead | Ø | 10.0 | cm |
| For non-circular cooking zones or areas: length and width of useful surface cooking zone or area | area per electri | c heated | |
| Left behind | L;W | 0.0 ; 0.0 | cm |
| Center behind | L;W | 0.0 ; 0.0 | cm |
| Right behind | L;W | 0.0; 0.0 | cm |
| Left center | L;W | 0.0 ; 0.0 | cm |
| Center center | L;W | 0.0 ; 0.0 | cm |
| Right center | L;W | 0.0 ; 0.0 | cm |
| Left ahead | L;W | 0.0 ; 0.0 | cm |
| Center ahead | L;W | 0.0 ; 0.0 | cm |
| Right ahead | L;W | 0.0 ; 0.0 | cm |
| Energy consumption per cooking zone or area calculated per Kg | | | |
| Left behind | ECelectric cooking | 0.0 | Wh/Kg |
| Center behind | ECelectric cooking | 0.0 | Wh/Kg |
| Right behind | ECelectric cooking | 0.0 | Wh/Kg |
| Left center | ECelectric cooking | 0.0 | Wh/Kg |
| Center center | ECelectric cooking | 0.0 | Wh/Kg |
| Right center | ECelectric cooking | 0.0 | Wh/Kg |
| Left ahead | ECelectric cooking | 0.0 | Wh/Kg |
| Center ahead | ECelectric cooking | 0.0 | Wh/Kg |
| | | | |

| Right ahead | ECelectric cooking | 0.0 | Wh/Kg |
|--|--------------------|------|-------|
| Energy consumption for the hob calculated per Kg | ECelectric hob | 0.0 | Wh/Kg |
| Number of gas fired burners | | 4 | |
| Energy efficiency per gas burner | | | |
| Left behind | EEgas burner | 59.6 | |
| Center behind | EEgas burner | 0.0 | |
| Right behind | EEgas burner | 59.5 | |
| Left center | EEgas burner | 0.0 | |
| Center center | EEgas burner | 0.0 | |
| Right center | EEgas burner | 0.0 | |
| Left ahead | EEgas burner | 0.0 | |
| Center ahead | EEgas burner | 0.0 | |
| Right ahead | EEgas burner | 62.9 | |
| Energy efficiency for the gas hob | EEgas hob | 0.0 | |