

Type	Technical Code
Cookers	AFOYJENAXE.KB
General Information	
Stato	UnderReview
Product family	COOKERS 110X60 CM TRIPLE
Brand	BERTAZZONI
Make or Buy Flag	Make
Type of installation	FREE STANDING
Technical code	AFOYJENAXE.KB
Commercial description	MAS115I3EXC - Master FS Cookers - Induction - Inox
Short Description IT	MAS115I3EXC - Master FS Cookers - Induction - Inox
Short Description EN	MAS115I3EXC - Master FS Cookers - Induction - Inox
EAN Required	YES
Commercial code	MAS115I3EXC
Market	GREAT BRITAIN;IRELAND
Years of warranty	2
20" Containerization	0
LeadTime	0
Combined Naming	85166010
Changes notes	
Energy Label	
Energy Label Required	YES
Energy class OD	A
Natural convention energy consumption (kWh)	0.86
Main oven net capacity l	58
Required cooking time for normal load (min)	
Secondary oven energy class OD	A
Natural convention energy consumption secondary oven(kWh)	0.66
Secondary oven net capacity l	46
Required cooking time for normal load secondary oven(min)	
Heat Source	ELECTRIC
Energy consumption in conventional mode (electric final energy)	0.86
Energy consumption in conventional mode(gas final energy)	0.0
Energy consumption in conventional mode (gas final energy)	0.86
Heat source secondary oven	ELECTRIC
Energy consumption in conventional mode secondary oven	0.66
Energy consumption in conventional mode secondary oven	0.0
Energy consumption in conventional mode secondary oven	0.66
Heat source third oven	
Energy consumption in conventional mode third oven (electric final energy)	0.0
Energy consumption in conventional mode third oven (gas final energy)	0.0
Energy consumption in conventional mode third oven (gas final energy)	0.0
Convention oven consumption	FES.PCX
Convention secondary oven consumption	FES.PCX
Main oven grilling tray surface	1190
Hob energy efficiency	
Energy Label Country	UE + UK
Technical Data	
Supply voltage [V]/Supply frequency [Hz]	220-240V~/380-415V3N~ 50/60Hz collaudo monofase
(Alternative) Supply voltage [V]/Supply frequency [Hz]	NO
Absorbed current [A]	63A
Plug type	NO
Minimum Cable length (m)	2
Gas type	ELECTRIC PRODUCT
Alternative gas	NO
Gas connectors	NO
Main oven max power [W]	2500.0
Main grill max power [W]	2400.0
Dimensions & Weights	
Height PF (mm)	900-915
Width PF (mm)	1100
Depth PF (mm)	600
Depth with handle (mm)	658
Depth with open door (mm)	1030
Built-in hole height (mm)	
Built-in hole width (mm)	
Built-in hole depth (mm)	
Package type	FORK PALLET
Package height (mm)	1130
Package width (mm)	1206
Package depth (mm)	720
Net weight (Kg)	125.5
Gross weight (Kg)	152.5
User Interface	


Type of regulation	KNOB
Function indicator	RING
Hob characteristics	
Type of hob	110X60 TRP O. PREMIUM INDUCTION
Info of hob	SQUARED 5 INDUCTION ZONES DOUBLE BRIDGE
Special hob features	BOOSTER;BRIDGE;CHILD LOCK
Burner and burner cap	NO
Hob accessories	NO
Aesthetics	
Fascia type	EMBOSSED STAINLESS STEEL
Oven door glass colour	O SHAPE MAS/AMER ROUNDED CORNERS
Hinge	SOFT MOTION
Type of lid	RAISER
Handle type	MASTER 2020
Gas Tank Compartment	NO
Legs	NO
Hob layout	
No. of total cooking areas	5
No. electric plates	0
No. induction areas	5
No. Hood area	
Bridge left area - power (W)	
Rear Side	
Left\$Centre\$Right	
Circular cooking zone or area-diameter surface [mm] zone left	
Circular cooking zone or area-diameter surface [in] zone left	
Non-circular cooking zone or area-length [mm] zone left-behind	200
Non-circular cooking zone or area-length [in] zone left-behind	0.0
Non-circular cooking zone or area-width [mm] zone left-behind	210
Non-circular cooking zone or area-width [in] zone left-behind	0.0
Rear left area - type	INDUCTION
Left rear area - dimensions	200x210
Rear left area - power (W)	2100
Energy consumption [Wh/Kg] zone left-behind	
Energy efficiency per gas burners [%] zone left-behind	
Electricity consumption left-behind	175
Rear left area - power booster [W]	3000
Rear left area - double power booster [W]	
Front Side	
Left\$Centre\$Right	
Circular cooking zone or area-diameter surface [mm] zone left	
Circular cooking zone or area-diameter surface [in] zone left	
Non-circular cooking zone or area-length [mm] zone left-ahead	200
Non-circular cooking zone or area-length [in] zone left-ahead	0.0
Non-circular cooking zone or area-width [mm] zone left-ahead	210
Non-circular cooking zone or area-width [in] zone left-ahead	0.0
Left front area - type	INDUCTION
Left front area - dimensions	200x210
Front left area - power (W)	1600
Energy consumption [Wh/Kg] zone left-ahead	
Energy efficiency per gas burners [%] zone left-ahead	
Electricity consumption left-ahead	175
Total electricity consumption	175
Front left area - power booster [W]	1850
Front left area - double power booster [W]	
Main Oven	
Oven cavity	110X60 TRP O. PREMIUM WELDED
Cooking modes 1	BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVEC
Cleaning	NO
Light turning on	1
Type of main oven guides	LATERALS GRIDS
Gross volume oven	71.0
Net oven volume	51.0
Oven grids	2 PREMIUM
Oven grill tray	1 DEEP ENAMELED + 1 GRID TRAY
Secondary Oven	
Secondary oven type/Secondary grill	STATIC ELECTRIC OVEN
Cooking modes 2	BAKE;BOTTOM BAKE;GRILL;PROOFING;UPPER BAKE
Secondary oven cleaning	NO
Secondary oven turnspit	NO
Matériau de la cavité du four secondaire	BLACK ENAMELED
Gross volume secondary oven	55.0
Net volume secondary oven	43.0

Grids of the secondary oven	1 PREMIUM)
Oven gasket 2	4 SIDES
Third Oven	
Third oven type/Third Grill	GRILL COMPARTMENT
Type of third oven guides	LATERAL GRIDS
Gross volume third oven	25.0
Net volume third oven	17.0
Third oven accessories	1 TELESCOPIC GUIDE
Safety devices	
Hob ignition	NO
Cooling fan	YES
No. residual heat indicators	YES
Documentation	
Booklet languages	ENGLISH
Annual energy consumption - AEChood (kWh/annum)	
Fluid dynamic efficiency class	
Power consumption off mode - Po (W)	
Grease filtering efficiency - GFEhood (%)	
Odor reduction Factor of (%)	
Maximum air flow in normal use (Intensive / Boost exclude	
Average illumination of the lighting system on the cooking s	
Max air flow (m ² /h)	
Output air extraction (m ³ /h)	
Sound power level at Intensive/Boost Setting - (dB(A) re 1Pv	
Fan power [W]	
Type of hood	
Filter type	
Special features hoods	

Commercial Code	Code
MAS115I3EXC	F004690
Life Cycle	Y2 - On Management
Aesthetical line	MASTER
Private Label	BERTAZZONI
Type of production	CBU
Factory	Guastalla
Predecessor Code	AF0JJEAAANE.KB
Short Description FR	MAS115I3EXC - Master FS Cookers - Induction - Inox
Short Description US	
Ean code	8059304881404
Second commercial code	
Customer	GENERICO
Approvals	CE;UKCA
40" Containerization	0
MOQ of purchase	0
Notes	
Number of cavities	2
Oven program used to determine energy class	FEV.PCX
Forced convection energy consumption (kWh)	0.74
Oven typology energy label	MEDIUM(35< = VOLUME < 65L)
Oven program used to determine energy class of secondary oven	FES.PCX
Forced convection energy consumption secondary oven(kWh)	
Oven typology energy label secondary oven	MEDIUM(35< = VOLUME < 65L)
EEl [%]Energy efficiency index	93.7
Energy consumption in fan forced mode(electric final energy) [KWh/Cycle]	0.74
Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]	0.0
Energy consumption in fan forced mode (gas final energy)[KWh/Cycle]	0.74
EEl [%]energy efficiency index secondary oven	88.7
Energy consumption in fan forced mode secondary oven (electric final energy)[KWh/Cycle]	0.0
Energy consumption in fan forced mode secondary oven (gas final energy)[MJ/Cycle]	0.0
Energy consumption in fan forced mode secondary oven (gas final energy)[KWh/Cycle]	0.0
EEl [%]Energy efficiency index third oven	0.0
Energy consumption in fan forced mode third oven (electric final energy)[KWh/Cycle]	0.0
Energy consumption in fan forced mode third oven (gas final energy)[MJ/Cycle]	0.0
Energy consumption in fan forced mode third oven (gas final energy)[KWh/Cycle]	0.0
Fan-assisted oven consumption	FEV.PCX
Fan-assisted secondary oven consumption	
Secondary oven grilling tray surface	884
Heating technology	induction
Absorbed power [W]	14100
(Alternative) Absorbed power [W]	N.A.
Gas power [kW]	0.0
Minimum Cable length (in)	79"
Alternative gas	NO
Secondary oven max power [W]	1200.0
Secondary grill max power [W]	1100.0
Height PF (in)	
Width PF (in)	
Depth PF (in)	
Depth with handle (in)	
Depth with open door (in)	
Built-in hole height (in)	
Built-in hole width (in)	
Built-in hole depth (in)	
Package height (in)	44 1/2
Package width (in)	47 1/2
Package depth (in)	28 1/8
Net weight (Lb)	0.0
Gross weight (Lb)	0.0

Type of regulation	THERMOMETER
Cooking control functions	CHECK PREHEATING
MC_05-PowerLimitation	
Cooking Zone	ELECTRIC
Hob material	STAINLESS STEEL
Pan support type	NO
Inner door	
Side panel colour	SQUARED 3 GLASSES
Knob type	STAINLESS STEEL
Dish warmer	MASTER METAL WITH RING 2020
Plinth	DRAWER STAINLESS STEEL
	NO
No. gas burners	0
No. of radiant areas	0
No. dishwarmer areas	0
No. of bridge induction areas	
Bridge right area - power (W)	
Circular cooking zone or area-diameter surface [mm] zone center-behind	
Circular cooking zone or area-diameter surface [in] zone center-behind	
Non-circula cooking zone or area-length [mm] zone center-behind	
Non-circula cooking zone or area-length [in] zone center-behind	0.0
Non-circula cooking zone or area-width [mm] zone center-behind	
Non-circula cooking zone or area-width [in] zone center-behind	0.0
Rear middle area - type	
Middle rear area - dimensions	
Rear middle area - power (W)	
Energy consumption [Wh/Kg] zone center-behind	
Energy efficiency per gas burners [%] zone center-behind	
Electricity consumption center-behind	
Rear middle area - power booster [W]	
Rear middle area - double power booster [W]	
Circular cooking zone or area-diameter surface [mm] zone center-ahead	
Circular cooking zone or area-diameter surface [in] zone center-ahead	265
Non-circula cooking zone or area-length [mm] zone center-ahead	
Non-circula cooking zone or area-length [in] zone center-ahead	0.0
Non-circula cooking zone or area-width [mm] zone center-ahead	
Non-circula cooking zone or area-width [in] zone center-ahead	0.0
Middle front area - type	INDUCTION
Middle front area - dimensions	265
Middle front area - power (W)	2300
Energy consumption [Wh/Kg] zone center-ahead	
Energy efficiency per gas burners [%] zone center-ahead	
Electricity consumption center-ahead	175
Front middle area - power booster [W]	3000
Front middle area - double power booster [W]	
Main oven type/main grill	CONVECTION ELECTRIC OVEN MULTI 9/MULTI11
Cleaning functions 1	
Turnspit/Fans	1 FAN
Main cavity material	BLACK ENAMELED
Gross volume oven [cu.ft]	
Net volume oven [cu.ft]	
Main oven accessories	1 EXTRACTION HANDLE
Oven gasket	4 SIDES
Cleaning functions 2	
Secondary oven light turning on	1
Type of secondary oven guides	LATERALS GRIDS
Gross volume secondary oven [cu.ft]	
Net volume secondary oven [cu.ft]	

Secondary oven accessories	NO
Oven grill tray 2	1 DEEP ENAMELED + 1 GRID TRAY
Cooking modes 3	GRILL
Grids of the third oven	NO
Gross volume third oven [cu.ft]	
Net volume third oven [cu.ft]	
Oven grill tray 3	1 DEEP ENAMELED + 1 GRID TRAY
Hob flame failure device	NO
Anti-tilt	YES + CHAIN
Knob deflector	NO
Warranty certificate	NO
Energy efficiency class	
Lighting efficiency class	
Power consumption in standby mode - Ps (W)	
Light efficiency - LEhood (Lux/Watt)	
Fluid dynamic efficiency - FDEhood (%)	
Minimum air flow in normal use (m ³ /h)	
Energy efficiency index - EEIhood (%)	
IEC extraction (m ³ /h)	
Measured electric power input at best efficiency point - Wbep (W)	
Sound power level at minimum speed available in normal use (dB(A) re 1Pw)	
Measured air pressure at best efficiency point - Pbep (Pa)	
Hood control	
Hood accessories	
Child lock	



Colour leading code

STAINLESS STEEL

Technical code of derivation

Approval code

40" Containerization - High cube

0

MOQ of selling

0



No. of total electric cooking areas	5
No. halogen areas	0
MC_05-NbruciatoriWok	

Circular cooking zone or area-diameter surface [mm] zone right-behind	
Circular cooking zone or area-diameter surface [in] zone right-behind	
Non-circula cooking zone or area-length [mm] zone right-behind	200
Non-circula cooking zone or area-length [in] zone right-behind	0.0
Non-circula cooking zone or area-width [mm] zone right-behind	210
Non-circula cooking zone or area-width [in] zone right-behind	0.0
Rear right area - type	INDUCTION
Right rear area - dimensions	200x210
Right rear area - power (W)	2100
Energy consumption [Wh/Kg] zone right-behind	
Energy efficiency per gas burners [%] zone right-behind	
Electricity consumption right-behind	175
Rear right area - power booster [W]	3000
Rear right area - double power booster [W]	

Circular cooking zone or area-diameter surface [mm] zone right-ahead	
Circular cooking zone or area-diameter surface [in] zone right-ahead	
Non-circula cooking zone or area-length [mm] zone right-ahead	200
Non-circula cooking zone or area-length [in] zone right-ahead	0.0
Non-circula cooking zone or area-width [mm] zone right-ahead	210
Non-circula cooking zone or area-width [in] zone right-ahead	0.0
Front right area - type	INDUCTION
Right front area - dimensions	200x210
Front right area - power (W)	1600
Energy consumption [Wh/Kg] zone right-ahead	
Energy efficiency per gas burners [%] zone right-ahead	
Electricity consumption right-ahead	175
Front right area - power booster [W]	1850
Front right area - double power booster [W]	

[Redacted]

[Redacted]

[Redacted]

Grease filtering efficiency class

Air flow at intensive/Boost setting - (m³/h)

Increase factor

Measured air flow rate at best efficiency point - Q_{bep} (m³/h)

Nominal power consumption of the lighting system - W_I (W)

Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)

Sound level maximum speed (dB(A))

Speed