
2023/5/24 14:19 Product Fiche



| Product Information Delegated Regulation Delegated Regulation Delegated Regulation Product Information Pro | ATION (EU) : | | 2014 | | | |
|--|------------------------------|----------|---|-------------------|------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| General product parameters: | | | ı | | | |
| Parameter | Value | 1 | Parameter | Value |) | |
| Rated capacity (kg) | Rated capacity | 6,0 | Dimensions in cm | Height | 85 | |
| | Rated washing | 10,5 | | Width | 60 | |
| | capacity | | | Depth | 59 | |
| Energy Efficiency Index | | 47,7 | Energy efficiency class | | Α | |
| | | 66,4 | | | D | |
| Washing efficiency index | | 1,031 | tantila) | - | 5,00 | |
| | | 1,050 | | | 4,5 | |
| Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer–dryer, using the eco 40–60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used | | 0,52 | Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used | | 3,05 | |
| Water consumption in litre per cycle, for the eco 40–60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water | | 41 | Water consumption in litre per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water | | 89 | |
| Maximum temperature inside the treated textile (°C) | Rated washing capacity | 27 | Weighted remaining moisture content (%) 5: | | | |
| | Half | 23 | | 52,5 | | |
| | Quarter | 0 | | | | |
| Spin speed (rpm) | Rated washing capacity | 1400 | Spin druing officionay class | | | |
| | Half | 1400 | Spin–drying efficiency class | В | | |
| | Quarter | 1400 | | | | |
| Eco 40–60 programme duration (h:min) | Rated washing capacity | 3:59 | wash and dry cycle duration (h:min) | Rated capacity | 7:59 | |
| | Half | 3:00 | | Half | 5:09 | |
| | Quarter | 2:40 | | Hall | 5.08 | |
| Airborne acoustical noise emissions during the spinning phase for the eco 40–60 washing cycle at rated washing capacity (dB(A) re 1 pW) | 72 | | Airborne acoustical noise emission class for the spinning phase for the eco 40–60 programme at rated washing capacity | А | | |
| Туре | Free-standing | | | | | |
| Off-mode (W) | 0,49 | | Standby mode (W) | _ | | |
| Delay start (W) | 3,95 | | Networked standby (W) | | 1,95 | |
| This product has been designed to | release silv | er ions | s during the washing cycle | No | | |
| Additional information: | . Cicase silv | J. 10116 | s asiming cycle | 140 | | |

<u>+</u>