Product fiche (Technical information)

Model identification, Symbol	Units	EVP62	EVP92	EVP102
Annual Energy Consumption, AEC hood	kWh/yr	54.3	54.3 54.9	
Energy Efficiency Class		А		
Energy Efficiency Index, EEI hood		54.3	54.3 52.5	
Fluid Dynamic Efficiency Class		А		
Fluid Dynamic Efficiency, FDE hood		30.4	29.4	
Lighting Efficiency Class		Α		
Lighting Efficiency, LE hood	Lux/W	31.5	28.8	
Airflow rate, min	m³/h	378	376	
Airflow rate, max	m³/h	592	585	
Airflow rate at boost / turbo, Q max	m³/h	667	658	
Grease Filter Efficiency Class		С		
Grease Filter Efficiency, GFE hood	%	84.5	80.3	
Power consumption in standby, Ps	W	0.71	0.7	
Power consumption off mode, Po	W	0.41	0.4	
Noise level at min / max (L wa) speeds	dBA	57 / 67		
Noise level at boost / turbo	dBA	68		
Time increase factor, f		0.9		
Airflow rate at the best efficiency point (Q BEP)	m³/h	370.6	374.3	
Air pressure at the best efficiency point (P BEP)	Pa	461	448	
Power consumption at the best efficiency	w	156.3	158.2	
point (W BEP)	**		150	_
Nominal power of the lighting system (W L)	W	4		
Average illumination of the lighting system on	Lux	126	115	
the cooking surface (E MIDDLE)				