PRODUCT FICHE

sheet prepared in accordance with the Commission Delegated Regulation (EU) No 65/2014

Amica

SPECIFICATION

INFORMATION ON DOMESTIC RANGE HOODS

Supplier's model identifier

OKP9321G UK

1160884 . .

onki / www.amic¿	nica-international.	Product sheet
ē	Ĕ	Supplier name
cza 52 / 64-510 M	scheberg / www.a	Supplier's mod
Mickiew	59387 /	Annual energy / year]
A. / ul. P	tr. 52 / (Energy efficier
nica S.,	usen S	Fluid dynamic
A	üdingha	Fluid dynamic
	mbH / L	Lighting efficie
	onal Gr	Lighting efficie
	nternati	Grease filtering
	Amica I	Grease filtering
		Air flow rate (a
		Air flow rate (a [m³/h]
		Noise level at I

de de

Model	OKP9321G UK		
Туре	OKP9321G UK		
Index	1160884		
Annual energy consumption (AEC _{hood}) [KWh year]			
Energy efficiency class			
Fluid dynamic efficiency (FDE _{hood})			
Pluid dynamic efficiency class			
Lighting efficiency (LE _{hood}) [lux/W]			
Lighting efficiency class			
Grease filtering efficiency (GFE _{hood})			
Grease filtering efficiency class			
Air flow rate (at min / max speed) [m³/h]			
Air flow rate (at high speed/turbo mode) [m³/h]			
Noise level at min / max speed [dB]			
Noise level at min / max speed (at high speed/turbo mode) [dB]			
Power consumption in the off-mode P_0 [W]			
Power consumption in standby mode P_s [W]			
	Type Index Chood) [KWh 0		

Time increase factor (f)	1,8
Energy Efficiency Index (EEI _{hood})	103,4
The air flow rate measured at the best efficiency point (Q_{BEP}) [m ³ /h]	202,3
Air pressure measured at the best efficiency point ($\mathrm{P}_{_{\text{BEP}}})$ [Pa]	134
The maximum air flow rate $(\ensuremath{Q_{\text{max}}})[\ensuremath{m^{3}}/\ensuremath{h}]$	402
Power consumption measured at the best efficiency point $(W_{\mbox{\tiny BEP}})[W]$	120,5
Nominal power of the lighting system $\left[W_{L}\right]\left[W\right]$	40
Average illumination of the lighting system on the cooking surface (E _{middle}) [lux]	257
Sound power level (L _{WA}) [dB]	66
Minimum distance between cooker hood and the hob's surface [mm]	650
Voltage [V/Hz]	230 V / 50Hz
Incandescent / halogen / LED light	Halogen

Total power consumption [W] 180 Protection class 1 Eco-Boost [min] 0 900 x 500 x 590 Width [mm] x Depth [mm] x Height [mm] 970 Outlet [mm] 150 Appliance weight [kg] 15.8

Information relevant to users in order to reduce the overall impact of the cooking process on the environment

- In order to reduce the overall impact of cooking process on the environment:
- when cooking in pots and pans always cover them with lids, remember to turn off the hood at the end of cooking (or use
- countdown timer available on some models),
- remember to turn off hood lighting at the end of cooking,
 use appropriate cooking zone and adjust the flame to the size of the pot.
- only use the highest hood fan speed at high fume concentration in the kitchen
- regularly clean/replace filters (clean filters improve the hood efficiency).

To determine the results, and in accordance with the requirements in relation to the labelling of energy-related products and with regard to ecodesign requirements, the following calculation and measurement methods were applied:

- Directive of the European Parliament and of the Council 2010/30/EU; REGULATION NO 65/2014, Directive of the European Parliament and of the Council 2009/125/EC; REGULATION NO 66/2014, EN 50564 Electrical and electronic household and office
- equipment. Measurement of low power consumption
- ces. Test code for the determination of airborne acoustical noise. Particular requirements for range hoods
 - EN 61591 Household range hoods and other cooking fume extractors - Methods for measuring performance

EN 60704-2-13 - Household and similar electrical applian-