

**7652853953**  
**(DFN04210W)**

Basic Definitions	Marketing Code	DFN04210W
Basic Definitions	Product Size	Full Size
Basic Definitions	Type (DW)	Freestanding
Basic Definitions	Brand	Beko
		Belgium; Croatia; Luxembourg; Netherlands
Basic Definitions	Country	
Basic Definitions	Tub	Stainless Steel Tub
Basic Definitions	Pool Name	European
Basic Definitions	SAP Code	7652853953
Basic Definitions	Production Plant	TR, ANK, DW Plant
Basic Definitions	NPI Project Definition (DW)	BEKO 2015
Basic Definitions	Platform (DW)	Angora
Basic Definitions	EAN Category	HE
Basic Definitions	EAN Code	8690842126864
Basic Definitions	Product Segment	Good
Basic Definitions	Product Status	T1
		Dishwashers > Freestanding > Full Size
Basic Definitions	Product Group	
Basic Definitions	Replaced Product SAP Code	
Basic Definitions	Voltage (v)	220-240
Basic Definitions	Frequency (Hz)	50
Basic Definitions	Plug Type	European
Basic Definitions	Manufacturer Production Code	93704
Basic Definitions	Old Material Number	7663753853
Basic Definitions	Customer Code	
Basic Definitions	Transfer Price Request ID	
Basic Definitions	PM User Name	AR901907
Basic Definitions	Created By	Asli Hamutcu
Basic Definitions	Create Date	12/12/2016 13:32:31
Basic Definitions	Other Explanations	
Basic Definitions	Inactivation Status	
Programs	Number of Programs (DW)	4
Programs	Card Group	A4-AC
Programs	Declaration Program Duration	190
Programs	Program Temperatures	35-50-65-70
Programs	P0-Plant	No
Programs	P0	No
Programs	Program 1-Plant	Eco 50
Programs	Program 1	Eco 50
Programs	Program 2-Plant	Intensive 70
Programs	Program 2	Intensive 70
Programs	Program 3-Plant	Daily 65
Programs	Program 3	Clean&Shine
Programs	Program 4-Plant	Mini 30
Programs	Program 4	Mini 30

Programs	Program 5-Plant	No
Programs	Program 5	No
Programs	Program 6-Plant	No
Programs	Program 6	No
Programs	Program 7-Plant	No
Programs	Program 7	No
Programs	Program 8-Plant	No
Programs	Program 8	No
Programs	Program 9-Plant	No
Programs	Program 9	No
Programs	Program 10-Plant	No
Programs	Program 10	No
Programs	Control Card (DW)	A431402
Programs	Reference Program	E122B010S
Performance	Number of Place Settings	12
Performance	Energy Performance	A+
Performance	Energy Performance - Sales	A+
Performance	Water Performance	-
Performance	Water Consumption (liters-gallon)	12
Performance	Water Consumption - Sales (liters-gallon)	12
Performance	Noise Level - dB(A)	49.0 dBA
Performance	Noise Level - Sales dB(A)	49
Performance	Drying Performance	A
Performance	Energy Consumption (kWh/cycle)	1.02 kilowatt-hours
Performance	Annual Energy Consumption (kWh/year)	290
Performance	Annual Water Consumption (liter-gallon)	3360
Performance	Power Consumption in 'left-on mode' (Pl) (W)	0.42
Performance	Power Consumption in 'off-mode' (Po) (W)	0.08
Performance	Duration of the Left-on Mode (TI) (min)	-
Performance	Annual Energy Consumption (kWh/month)	-
Baskets & Accessories	Cutlery Tray	No
Baskets & Accessories	Ball Headed Tines	No
Baskets & Accessories	Upper Basket Type	EU1
Baskets & Accessories	Upper Basket Adjustment Type	Unloaded adjustable
Baskets & Accessories	Mug Shelf	Adjustable
Baskets & Accessories	Number of Mug Shelves	4
Baskets & Accessories	Upper Basket - Number of Folding Tines	No
Baskets & Accessories	Upper Basket Decorative Handle	No
Baskets & Accessories	Upper Basket Smooth Roller	No

Baskets & Accessories	Upper basket cutlery drawer	No
Baskets & Accessories	Glass Holder	No
Baskets & Accessories	Lower Basket Type	EU2 - 2
Baskets & Accessories	Lower Basket - Number of Folding Tines	4
Baskets & Accessories	Lower Basket - Soft Touch Folding Mechanism	No
Baskets & Accessories	Lower Basket Decorative Handle	No
Baskets & Accessories	Lower Basket Wheel Type	Symphony
Baskets & Accessories	Long Tool Shelf	No
Baskets & Accessories	Cutlery Basket	Sliding Symphony PH
Baskets & Accessories	Water Softener Cap	Symphony Design
Baskets & Accessories	Basket Color	Grey - RAL 7037
Baskets & Accessories	Folding Tine Color	Dark Grey - RAL 7016
Baskets & Accessories	Accessory Color	Blue Purple - Pantone 5265C
Baskets & Accessories	Movable Plastic Color	Dark Grey - RAL 7016
Baskets & Accessories	Basket Handle Color	No
Baskets & Accessories	Cutlery Tray Color	No
Baskets & Accessories	Cutlery basket color	Grey - RAL 7037
Baskets & Accessories	Accessories (DW)	No
Baskets & Accessories	Cutlery Tray Smooth Roller	No
Baskets & Accessories	Lower Basket Smooth Roller	No
Functions & Features	Function 1	NA
Functions & Features	Function 1 - Plant	No
Functions & Features	Function 2	NA
Functions & Features	Function 2 - Plant	No
Functions & Features	Function 3	NA
Functions & Features	Function 3 - Plant	No
Functions & Features	Function 4	NA
Functions & Features	Function 4 - Plant	No
Functions & Features	Program Control	Knob
Functions & Features	Screen Type	LED
Functions & Features	Key Lock	No
Functions & Features	Half Load	Yes
Functions & Features	Auto Half Load	No
Functions & Features	ALLin1 Tablet	No
Functions & Features	Delay Timer	No
Functions & Features	Self Cleaning Filter	No
Functions & Features	Regeneration Type	Manual
Functions & Features	Glass Care System	No
Functions & Features	Express/Fast Function	No
Functions & Features	Steam/Extra Drying Function	No
Functions & Features	Steam Function	No
Functions & Features	Extra Rinse Function	No
Functions & Features	Sanitize function	No
Functions & Features	Intensive Lower Rack Washing Function	No
Functions & Features	Odour Removal Function	No

Functions & Features	Extra Quiet Function	No
Functions & Features	Automatic Door Opening	No
Functions & Features	Smartblue	No
Functions & Features	Circulation Motor Type	Standard
Functions & Features	Discharge Motor Type	Standard
Functions & Features	Water Safety System	Overflow Safety
Functions & Features	Dirt Sensor	No
Functions & Features	Cap Filter	Yes
Functions & Features	Wi-Fi Compatibility	No
Functions & Features	Liquid Detergent Dosing	No
Characteristic	Filter	Partial Metal
Characteristic	Number of Spray Levels	3
Characteristic	Top Spray Type	Nozzle
Characteristic	Load Sensor (DW)	No
Characteristic	Antibacterial Seal	No
Characteristic	Inner Illumination	No
Characteristic	Drying System	Hot Air Drying
Characteristic	Isolation Type	Regular
Characteristic	Heat Exchanger	No
Characteristic	Water Softener	Yes
Characteristic	Water Softening Capacity	50 dH
Characteristic	Detergent Dispenser Type	Standard
Characteristic	Furniture Door Weight for BI (kg)	N/A
Characteristic	BI Furniture Door Mechanism	N/A
Characteristic	Door Balance/Hinge Adjustment for BI	NA
Characteristic	Adjustable Rear Feet from Front for BI	No
Characteristic	Special Top Cover for BI	No
Characteristic	Column Mount Siphon Safety	No
Characteristic	Niche height	85 cm
Characteristic	Spray Arm Design	Standard
Indicators	Rinse Aid Indicator	Yes
Indicators	Salt Indicator	Yes
Indicators	Water Leakage Indicator	No
Indicators	Filter clogged Indicator	No
Indicators	LED Follower for Full Door	No
Indicators	Light Indicator on floor for FBI	No
Indicators	Watertap Indicator	No
Design & Color specifications	Product Main Color	White
Design & Color specifications	Panel Type	60BK14
Design & Color specifications	Panel Color	White - ARC 1
Design & Color specifications	Inlay Type / Color	Without Inlay
Design & Color specifications	Handle Type (DW)	NT18
Design & Color specifications	Handle Color	White - ARC 1
Design & Color specifications	Handle Connection Part Color (DW)	N/A
Design & Color specifications	Soft Touch Panel Handle	No
Design & Color specifications	Hot Stamp	No

Design & Color specifications	Chromium Plating	No
Design & Color specifications	Lego Color	No Lego
Design & Color specifications	Knob Type	OK32
Design & Color specifications	Knob Color	White - ARC 1
Design & Color specifications	Button Type	Aesthetics compliant
Design & Color specifications	Buttons Color (Side/Bottom)	White - ARC 1
Design & Color specifications	Mechanical On/Off Switch Type	No
Design & Color specifications	Door Color	White - ARC 1
Design & Color specifications	Worktop Color	White - ARC 1
Design & Color specifications	Side Panels Color	White - ARC 1
Design & Color specifications	Decor Frame	No
Design & Color specifications	Panel Printing (DW)	Symbol
Design & Color specifications	Panel Printing Language	N/A
Design & Color specifications	Panel Top Printing	No
Promotion Options	Detergent Sample	No
Promotion Options	Salt Funnel	Yes
Marketing Data	Product Form	
Marketing Data	Accessory Link	
Marketing Data	Marketing Slogan	
Marketing Data	Award 1	
Marketing Data	Award 1 Description	
Marketing Data	Award 2	
Marketing Data	Award 2 Description	
Marketing Data	Award 3	
Marketing Data	Award 3 Description	
Marketing Data	Award 1 Link	
Marketing Data	Award 2 Link	
Marketing Data	Award 3 Link	
Marketing Data	Marketing Image 1	
Marketing Data	Marketing Image 2	
Marketing Data	Marketing Image 3	
Marketing Data	Marketing Image 1 Link	
Marketing Data	Marketing Image 2 Link	
Marketing Data	Marketing Image 3 Link	
Marketing Data	Product Video Link	
Marketing Data	Warranty Badge	
Marketing Data	Highlighted	
Marketing Data	Product Description	
Marketing Data	Marketing Materials	-
Marketing Data	Marketing materials (Inner)	N/A
Marketing Data	Marketing Description-Catalogue	
Marketing Data	Review Badge	
Marketing Data	Marketing Materials (Outer)	N/A
Marketing Data	Marketing materials (Top)	N/A
Technical Details	E-Card Product Type	FS
Technical Details	Connected Value (W) (DW)	1800-2100
Technical Details	Maximum Current Intensity (A)(DW)	10
Technical Details	Heating Element (W)	1800 W

Technical Details	Water Connection Inlet Type	Standard Inlet
Technical Details	Insulation Code	F-(AG6-AK3)-(Aİ137)
Technical Details	ART No	ART10
Technical Details	Motor Type (DW)	90
Technical Details	Brand/OEM-PL	Beko
Approval & Certificate Information	Requested Standards	CE; VDE; TUV
Approval & Certificate Information	Additional Standards	
Approval & Certificate Information	Declraration of Conformity	
Approval & Certificate Information	Country Specific Standards	
Production Information	SAP Hierarchy	Standard 60cm-LED, U0100050002000001
Production Information	Product Category	Export
Production Information	Product Type	Derivative
Production Information	TeamCenter Projects	
Production Information	Material Type	Inhouse
Production Information	Production Format	CBU
Production Information	Annual Quantity	1000
Production Information	Requested Effectivity	First Production
Production Information	First Production Quantity	100
Production Information	Requested Production Date	01/01/2017
Production Information	Project Completion Date	
Production Information	Earliest Serial Production Date	
Production Information	Lead Time Required for SOP Update for First Production	0.0 weeks
Production Information	Planned Phase-Out Date	
Production Information	Industrial Design Approval Required	No
Production Information	Technical Availability Date	
Production Information	Updated Technical Availability Date	
Production Information	Estimated Earliest Serial Production Date	
Production Information	Request Creation Date of Last Mass Production by PM	
Production Information	Proposed Date for Last Mass Production by PM	
Production Information	Date for Last Mass Production by PP	
Printed Documents	Energy Label Type	2013 EU
Printed Documents	Energy Label Placement (DW)	In the IB polybag
Printed Documents	Rating Label	No
Printed Documents	Made in TR on Rating Label	Made in TR
Printed Documents	Packaging Label	EU Standard + Made in Turkey
Printed Documents	Packaging Label Pls. Specify	-
Printed Documents	Made in TR on Packaging Label	Made in TR

Printed Documents	Extended motor / Compressor Warranty (Web)	No
Printed Documents	Warranty Information - File	
Printed Documents	User Manual Preparation	Arçelik
Printed Documents	User Manual Languages (Hardcopy)	English; Croatian; Dutch; French; German
Printed Documents	User Manual Languages (Softcopy)	
Printed Documents	User Manual - File	
Printed Documents	User Manual - File (Short)	
Printed Documents	Warranty Information	No
Printed Documents	Warranty Information - Language	No
Printed Documents	Rating Label if special Pls. Specify	
Printed Documents	Installation-Diagram	
Printed Documents	Quick Guide	
Printed Documents	Service Address List	No
Printed Documents	Service Address List File	
Printed Documents	Importer Label	0600 : Benelux
Printed Documents	ENERGY LABEL 1	
Printed Documents	ENERGY LABEL 2	
Printed Documents	ENERGY LABEL 3	
Printed Documents	ENERGY LABEL 4	
Printed Documents	BARCODE LABEL 1	
Printed Documents	RATING LABEL 1	
Printed Documents	PRODUCT FICHE 1	
Printed Documents	PRODUCT FICHE 2	
Printed Documents	PRODUCT FICHE 3	
Printed Documents	PRODUCT FICHE 4	
Printed Documents	BACK WALL 1	
Printed Documents	Audio Manual Link	
Product Photos	High 1	R64634
Product Photos	High 2	R64633
Product Photos	High 3	
Product Photos	High 4	
Product Photos	Low 1	R64635
Product Photos	Low 2	R64636
Product Photos	Low 3	
Product Photos	Low 4	
Product Photos	Low 5	
Product Photos	Low 6	
Product Photos	Low 7	
Product Photos	Low 8	
Product Photos	Product Video	
Product Photos	Photo Production Method	Retouch - Dilan Akay
Product Photos	Low 1 Draft	
Product Photos	Low 2 Draft	
Product Photos	Low 3 Draft	

Product Photos	Low 4 Draft	
Product Photos	Low 5 Draft	
Product Photos	High 1 Draft	
Product Photos	High 2 Draft	
Product Photos	High 3 Draft	
Product Photos	High 4 Draft	
Product Photos	Low 6 Draft	
Logistics Data	Loading Info	
Logistics Data	Container Unloading Info	
Logistics Data	Loading Qty - GABS Wagon	0
Logistics Data	Loading Qty - 2 Axle Wagon	0
Logistics Data	Loading Qty - Camion+Romork	0
Logistics Data	Loading Qty - Swap Body	0
Logistics Data	Loading Qty - Semi Truck	0
Logistics Data	Loading Qty - Optima Truck	0
Logistics Data	Loading Qty - 20'	0
Logistics Data	Loading Qty - 45' HC	0
Logistics Data	Loading Qty - 40' HC	0
Logistics Data	Loading Qty - 40'	0
Packaging & Dimensions	Depth, With Door Opened	115.0 centimeters
Packaging & Dimensions	Packaging Type	Standard
Packaging & Dimensions	Depth - Packed (cm)(z)	66.1 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	64.4 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	88.9 centimeters
Packaging & Dimensions	Weight - Packed (kg)	45.100 kilograms
Packaging & Dimensions	Depth - Unpacked (cm)(z)	60.0 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	59.8 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	85.0 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	42.100 kilograms
Packaging & Dimensions	Depth - Packed (in.)(z)	26.023623
Packaging & Dimensions	Width - Packed (in.)(x)	25.35433
Packaging & Dimensions	Height - Packed (in.)(y)	35.0
Packaging & Dimensions	Weight - Packed (lb.)	99.42848
Packaging & Dimensions	Depth - Unpacked (in.)(z)	23.622047
Packaging & Dimensions	Width - Unpacked (in.)(x)	23.543306
Packaging & Dimensions	Height - Unpacked (in.)(y)	33.464565
Packaging & Dimensions	Weight - Unpacked (lb.)	92.81461
Packaging & Dimensions	Weight of Packaging Material - Metal	11.000 grams
Packaging & Dimensions	Weight of Packaging Material - Straphor	530.100 grams
Packaging & Dimensions	Weight of Packaging Material - Plastic	218.400 grams
Packaging & Dimensions	Weight of Packaging Material - Wooden	480.000 grams
Packaging & Dimensions	Weight of Packaging Material - Carton	996.300 grams
Packaging & Dimensions	Depth - Unpacked (in fractional.)(z)	

Packaging & Dimensions

Width - Unpacked (in fractional.)(x)

Packaging & Dimensions

Height - Unpacked (in fractional.)(y)

Packaging & Dimensions

Depth - Packed (in fractional.)(z)