## 7502720022 (FSA13020)

Basic Definitions	Marketing Code	FSA13020
Basic Definitions	Cabinet code	RO_F 5130-HC
Basic Definitions	Product Class	Freezers
Basic Definitions	Brand	Beko
		BELGIUM; BULGARIA; CROATIA; ESTONIA; HUNGARY; ITALY; LITHUANIA; MALTA; UKRAINE; SLOVENIA; LUXEMBOURG;
Basic Definitions	Country	NETHERLANDS
Basic Definitions	Freezer Position	Upright Freezer
Basic Definitions	Electronic Display	NO
Basic Definitions	SAP Code	7502720022
Basic Definitions	Production Plant	RO, Cooling Plant
Basic Definitions	Door Opening Direction	Right
Basic Definitions	Construction type of product (RF)	Freestanding
Basic Definitions	EAN Code	5944008913045
Basic Definitions	Product Status	T2
Basic Definitions	Built In	NO
Basic Definitions	Product Group	Freezers > Freestanding > Single door - upright freezer
Basic Definitions Basic Definitions	Product Group Hinge Type in Built In Products	> Single door - upright freezer
Basic Definitions  Basic Definitions	Hinge Type in Built In Products  Control System (RF)	> Single door - upright
Basic Definitions  Basic Definitions  Basic Definitions	Hinge Type in Built In Products  Control System (RF)  Replaced Product SAP Code	> Single door - upright freezer Not Applicable Mechanic with Sensor
Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions	Hinge Type in Built In Products  Control System (RF)  Replaced Product SAP Code  Controller	> Single door - upright freezer Not Applicable Mechanic with Sensor Rotational
Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v)	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240
Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions  Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type	> Single door - upright freezer Not Applicable Mechanic with Sensor Rotational 220-240 Static
Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz)	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50
Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European
Basic Definitions	Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF)	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2
Basic Definitions	Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European
Basic Definitions	Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible Manufacturer Production Code	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2 Adrian Jungheatu
Basic Definitions	Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible Manufacturer Production Code Old Material Number	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2 Adrian Jungheatu  7502720013
Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible Manufacturer Production Code Old Material Number Category	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2 Adrian Jungheatu  7502720013
Basic Definitions  Basic Definitions	Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible Manufacturer Production Code Old Material Number Category Cable Length	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2 Adrian Jungheatu  7502720013
Basic Definitions	Hinge Type in Built In Products  Control System (RF) Replaced Product SAP Code Controller Voltage (v) Cooling System Type Frequency (Hz) Plug Type Pool Name (RF) Model Responsible Manufacturer Production Code Old Material Number Category	> Single door - upright freezer Not Applicable  Mechanic with Sensor  Rotational 220-240 Static 50 European EU2 Adrian Jungheatu  7502720013

	Other Descriptions / Revision	Barkod,tip ve KK yapılacak değişiklikler maille gönderilmiştir.Russian ve Ukrainian Teknik Fiş,Ukrayna Enerji etiketi matbuat grubuna eklenmelidir (Avrupa tipi enerji etiketine ek olarak)/Russian and Ukranian product fische,Ukraine type energy label inside documentation pack (along with European type energy label).Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.Please add Greek user manual and
	Other Descriptions / Nevision	Greek user manuaranu
Basic Definitions	Reason	waran
Basic Definitions  Basic Definitions	Other Explanations	Slovenian user manual
Basic Definitions	Other Explanations Estimated Revision Effectivity Date	Slovenian user manual October 2013
Basic Definitions  Basic Definitions	Other Explanations Estimated Revision Effectivity Date & Plant Comment	Slovenian user manual October 2013 production
Basic Definitions  Basic Definitions Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle	Slovenian user manual October 2013 production NO
Basic Definitions  Basic Definitions  Functions & Features  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer	Slovenian user manual October 2013 production NO
Basic Definitions  Basic Definitions  Functions & Features  Functions & Features  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket	Slovenian user manual October 2013 production NO NO Yes
Basic Definitions  Basic Definitions Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter	Slovenian user manual October 2013 production NO NO Yes NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light	Slovenian user manual October 2013 production NO NO Ves NO Not Applicable
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO NO NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function	Slovenian user manual October 2013 production NO NO NO Yes NO Not Applicable NO NO NO NO NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO NO NO NO NO NO NO NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm Error Status Indicator	Slovenian user manual October 2013 production NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm Error Status Indicator Filter Change Warning Alarm	Slovenian user manual October 2013 production NO NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm Error Status Indicator Filter Change Warning Alarm Filter Count Activation Function	Slovenian user manual October 2013 production NO NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm Error Status Indicator Filter Change Warning Alarm Filter Count Activation Function High Temperature Alarm	Slovenian user manual October 2013 production NO NO NO Yes NO Not Applicable NO
Basic Definitions  Basic Definitions  Functions & Features	Other Explanations Estimated Revision Effectivity Date & Plant Comment Antibacterial Door Handle Ionizer Antibacterial Gasket Antibacterial odour filter Blue Light Product Off Function Display Key Lock Display Off Function Distributor Mode Eco Fuzzy Function Eco Mode Door Open Alarm Error Status Indicator Filter Change Warning Alarm Filter Count Activation Function	Slovenian user manual October 2013 production NO NO NO Yes NO Not Applicable NO

Functions & Features	Front Feet	
Functions & Features	Ice Off Function	NO
Functions & Features	Fast Freeze	Yes
Functions & Features	Fast Cool	NO
Functions & Features	Ice type selection function	Not Applicable
Functions & Features	Ionizer Indicator	NO
Functions & Features	Rice Mode	NO
Functions & Features	Sabbath Mode	NO
Functions & Features	Door Lock	Not Applicable
Functions & Features	Door in door	NO
Functions & Features	Automatic Ice Machine	Not Applicable
Functions & Features	Ice Cream Machine	NO
Functions & Features	Ice Dispenser	NO
Functions & Features	Multizone Compartment	Not Applicable
Functions & Features	2nd Layer Compartment	Not Applicable
Functions & Features	Illumination Type	NO
	Multizone Compartment	
Functions & Features	Illumination	NO
Functions & Features	Phase change material (PCM)	NO
Functions & Features	Reversible Door	Yes
Functions & Features	Set Values / Freezer (Celcius)	Stepped
Functions & Features	Set Values / Freezer (Fahrenheit)	No Set Values
Functions & Features	Set Values / Fresh Food (Celcius)	No Set Values
Functions & Features	Set Values / Fresh Food (Fahrenheit)	No Set Values
Functions & Features	Set Values / Multizone (Celcius)	No Set Values
Functions & Features	Set Values / Multizone (Fahrenheit)	No Set Values
Functions & Features	Smart Grid	NO
Functions & Features	Tap Water Connection	NO
Functions & Features	Technical Service Mode	NO
Functions & Features	Real Temperature Indicator	
Functions & Features	Water Dispenser	NO
Functions & Features	Water Filter	Not Applicable
Functions & Features	Water Ice Selection Function	NO
Functions & Features	Water Valve Type	NA
Functions & Features	Linking Kit	N/A
Design & Color specifications	Cabinet Color	White - ARC P1
Design & Color specifications	Product Door Type	Single Door
Design & Color specifications	Display Position	On the Body Top Trim
	Display Outlook (if requested	
Design & Color specifications	different than brand of the product)	
Design & Color specifications	Display Text Color (RF)	Not Applicable
Design & Color specifications	Display Type (RF)	3 Light
Design & Color specifications	Water Dispenser Color	Not Applicable

		Diffusion Blue
Design & Color specifications	Transparent Parts Colour	(Pant.T.215-1-5)
		Diffusion Blue
Design & Color specifications	Door Accessory Color	(Pant.T.215-1-5)
Design & Color specifications	Logo Type	
Design & Color specifications	Logo Artwork	Available
Design & Color specifications	Logo position	Standard
Design & Color specifications	Logo Position - Customised	
Design & Color specifications	Minibar Compartment Type	Not Applicable
Design & Color specifications	Top Cover	Standard
Design & Color specifications	Type Of Door Rack	Not Applicable
Design & Color specifications	Cabinet shelf type	
Design & Color specifications	Door Color (RF)	White - ARC P1
Design & Color specifications	Lens on Door	Not Applicable
Design & Color specifications	Door Material	Metal
Design & Color specifications	Door Rack Print Type	Not Applicable
Design & Color specifications	Electronic Display Appearance	Not Applicable
Design & Color specifications	External Handle	Disassembled
Design & Color specifications	Front Top Trim	
Design & Color specifications	Front Top Trim Print	
Design & Color specifications	Handle Color (RF)	White - ARC P1 (MB)
Design & Color specifications	Handle material	Plastic
Design & Color specifications	Handle Mold / Picture	
Design & Color specifications	Handle Type (RF)	Diffusion Flush Handle
Design & Color specifications	Easy Open Handle	
	Accessories for icon print type	
Design & Color specifications	application	
Design & Color specifications	Accessories Print Type	
Design & Color specifications	Accessories printing method	
	Special 0°C Compartment Print	
Design & Color specifications	Descr	
Design & Color specifications	Special Crisper Print Descr	
Design & Color specifications	Special Dairy Cover Print Desc	Not Applicable
	Special Print on Door Racks (except	
Design & Color specifications	for bottle rack)	Not Applicable
Design & Color specifications	Special Bottle Rack Print Desc	
Design & Color specifications	Special Freezer Drawer Print Desc	
	Special Fast Freeze Compartment	
Design & Color specifications	Print Desc	
	Special Frozen Food Compartment	2111
Design & Color specifications	Flap print desc	Diffusion print type
Design & Color specifications	Door outlook	
Design & Color specifications	Color of Glass Shelf Front Profile	
Design & Color specifications	Fridge Fan Cover Print	
Design & Color specifications	Moving Adjustable Door Rack	
Design & Color specifications	Freezer Fan Cover Print	
Design & Color specifications	Ice Cream Machine Print Descr	

Marketing Data	Product Form	
Marketing Data Marketing Data		
_	Accessory Link	
Marketing Data	Marketing Slogan	
Marketing Data	Award 1	
Marketing Data	Award 1 Description	
Marketing Data	Award 2	
Marketing Data	Award 2 Description	
Marketing Data	Award 3	
Marketing Data	Award 3 Description	
Marketing Data	Award 1 Link	
Marketing Data	Award 2 Link	
Marketing Data	Award 3 Link	
Marketing Data	Marketing Image 1	
Marketing Data	Marketing Image 2	
Marketing Data	Marketing Image 3	
Marketing Data	Marketing Image 1 Link	
Marketing Data	Marketing Image 2 Link	
Marketing Data	Marketing Image 3 Link	
Marketing Data	Product Video Link	
Marketing Data	Badge	
Marketing Data	Highligted	
Marketing Data	Product Description	
Marketing Data	Active Dual Cooling	No
		Scandinavia(Gram)+Exp
Technical Details	Declaration-Region	ort
Technical Details	Declaration Note	N/A
Technical Details	Energy Class (RF)	A+
Technical Details	Climate Class	SN-T
Technical Details	Refrigerant (RF)	R600a
Technical Details	Number of stars	4
Table Cod Day 1	Author/Description	
Technical Details	Active/Passive Condition	Active
Technical Details Technical Details	•	Active NO
Technical Details	Fan (RF)	NO
	Fan (RF) All weather fridge (AWF)	
Technical Details Technical Details Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr)	NO NO 38
Technical Details Technical Details Technical Details Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg)	NO NO 38 0.038
Technical Details Technical Details Technical Details Technical Details Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor	NO NO 38 0.038 TG 1112 Y
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type	NO NO 38 0.038 TG 1112 Y
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter	NO NO 38 0.038 TG 1112 Y Open NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference	NO NO 38 0.038 TG 1112 Y
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature	NO NO 38 0.038 TG 1112 Y Open NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer Compartment	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer Compartment Frost Free Cellar Compartment	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer Compartment Frost Free Cellar Compartment Frost Free Chill Compartment	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer Compartment Frost Free Cellar Compartment Frost Free Chill Compartment Frost Free Freshfood Storage	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A NO NO NO
Technical Details	Fan (RF) All weather fridge (AWF) Charge (gr) Charge (kg) Compressor Condenser Type Disturbance Filter Energy Difference Energy Label Declaration Temperature Frost Free 2 Star Freezer Compartment Frost Free 4 Star Freezer Compartment Frost Free Cellar Compartment Frost Free Chill Compartment	NO NO 38 0.038 TG 1112 Y Open NO Not Applicable 25°C N/A NO

	5 . 5 . M.C. C.	
Tankaisal Dataila	Frost Free Wine Storage	N1 / A
Technical Details	Compartment	N/A
Technical Details	Horizontal Transportation Side (back View)	Left
Technical Details	,	0
Technical Details	Maximum Pressure (PSI)	U
Technical Details	Freezing Capacity(lb/24h)  Multizone Compartment Net	
Technical Details	Volume	Not Applicable
Technical Details	FreshFood Net Volume(cu.ft)	Not Applicable
Technical Details	Freezer Net Volume(cu.ft)	
Technical Details	Total Gross Volume (calculated)	0.0 liters
Technical Details	Total Net Volume (It)	0.0 liters
recinical Details	Fresh food compartment net	0.0 11.013
Technical Details	volume (lt)	0
Technical Details	Cabinet Total Gross Volume	127.0 liters
recimical Details	Rating Plate Fresh Food	127.0 11013
Technical Details	Compartment Net Volume(It)	0
Technical Details	0°C Compartment Net Volume	0
recimical Details	Freezer Compartment Net Volume 2	
Technical Details	(lt)	0
realinear Betans	Freezer Compartment Net Volume	
Technical Details	(It)	117
75060. 2 5505	Total Gross Volume (Requested by	
Technical Details	Customer)	125
Technical Details	Cabinet Height	101.7 centimeters
Technical Details	Cabinet Width	54.0 centimeters
Technical Details	Dec_ID	0.0
- Common Details		
Technical Details	EKST_ID	1.0
	EKST_ID Iran Iraq S.Africa Greece MEA and	1.0
	_	1.0 NO
Technical Details	Iran Iraq S.Africa Greece MEA and	
Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability	NO
Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No	NO NA
Technical Details  Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability	NO NA Yes
Technical Details  Technical Details  Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award	NO NA Yes NO
Technical Details  Technical Details  Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component	NO NA Yes NO
Technical Details  Technical Details  Technical Details  Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at	NO NA Yes NO With 8x0,8 Al Pipe
Technical Details  Technical Details  Technical Details  Technical Details  Technical Details  Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year)	NO NA Yes NO With 8x0,8 Al Pipe
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at	NO NA Yes NO With 8x0,8 Al Pipe
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year)	NO NA Yes NO With 8x0,8 Al Pipe 210
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c)	NO NA Yes NO With 8x0,8 Al Pipe 210
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft)	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer)	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5 -15
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at 25°C(kwh/24h)	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at 25°C(kwh/24h) Daily Energy Consumption at	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5 -15
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at 25°C(kwh/24h) Daily Energy Consumption at 32°C(kwh/24h)	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5 -15  0.575
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at 25°C(kwh/24h) Daily Energy Consumption at 32°C(kwh/24h) Daily Freezing Capacity (kg)	NO NA Yes NO With 8x0,8 Al Pipe  210  0 0.5 -15  0.575  0
Technical Details	Iran Iraq S.Africa Greece MEA and EU3 Market salability Performance Report No EU Markets Availability EU Eco Label Award Cooling Component Annual Energy Consumption at 25°C(kwh/year) Annual Energy Consumption at 32°C(kwh/year) Maximum Current Intensity(a) Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c) Total Gross Volume (cu.ft) (Requested By Customer) Daily Energy Consumption at 25°C(kwh/24h) Daily Energy Consumption at 32°C(kwh/24h)	NO NA Yes NO With 8x0,8 Al Pipe  210 0 0.5 -15  0.575

Technical Details	Minimum Pressure (PSI)	0
Technical Details	Noise Level (dbA)	42
Technical Details	Connected Value(w)	100
Technical Details	Temperature Rise Time (Hour)	18
Technical Details	PCM Accessory	
	,	
Freezer Section Features	Freezer compartment illumination	NO
Freezer Section Features	Number Of Flaps	Not Applicable
Freezer Section Features	Number of freezer drawer	3
Freezer Section Features	Freezer Baskets	
Freezer Section Features	Drawer Cover Print	Pant. cool gray 1C
Freezer Section Features	Flap	Yes
Freezer Section Features	Identity Part on Flap Handle	Not Applicable
Freezer Section Features	Flap Print Type	Pant. cool gray 1C
Freezer Section Features	Fast freeze compartment	Yes
Freezer Section Features	Fast freeze compartment flap	With Serigraphy
Freezer Section Features	Shock Freeze Compartment	Not Applicable
Freezer Section Features	Ice Bank	Yes
Freezer Section Features	Ice Maker Type	D type
Freezer Section Features	Icebox Number	
Freezer Section Features	Door Interior Pocket	Not Applicable
	Number of Door Racks in Freezer	
Freezer Section Features	Compartment	Not Applicable
Freezer Section Features	Identity Part on Drawer Handle	Not Applicable
Cooler Section Features	0°C Compartment	NO
Cooler Section Features	0°C Compartment Type	
Cooler Section Features	Crisper Cover	Not Applicable
Cooler Section Features	Special Crisper	NO
Cooler Section Features	Number of Crisper	Not Applicable
Cooler Section Features	Seperator in crisper	Not Applicable
Cooler Section Features	Crisper Type	
Cooler Section Features	Number of Full-Width Door Racks	Not Applicable
Cooler Section Features	Bottle Quantity	
Cooler Section Features	Wire Support on Door Rack	Not Applicable
	N 1 50 150 15 15 15 15 15 15 15 15 15 15 15 15 15	
Cooler Section Features	Number of Half-Width Door Racks	
Cooley Cootion Footunes	Number of Half-Depth Cabinet Shelves	
Cooler Section Features		
Cooler Section Features	Print Type of 2nd Layer	
Cooler Section Features Cooler Section Features	Compartment Print of 2nd Layer Compartment	
Cooler Section Features	Print on Crisper	Not Applicable
Cooler Section Features	Print on Glass Shelf	Not Applicable Not Applicable
Cooler Section Features	Bottle Holder	Not Applicable
Cooler Section Features	Half-Depth Cabinet Shelves	Not Applicable
Cooler Section reatures	Number of Full-Depth Cabinet	140t Applicable
Cooler Section Features	Shelves	
Cooler Section Features	Shelf Front Logo	Not Applicable
Cooler Section Features	Shelf Front Logo Print	Not Applicable

Cooler Section Features	Storage Box under Door Rack	Not Applicable
Cooler Section Features	Dairy Cover	Not Applicable
Cooler Section Features	Dairy Cover Print Type	Not Applicable
Cooler Section Features	Wine Rack Type	Not Applicable
Cooler Section Features	Number of Egg Tray	Not Applicable
Cooler Section Features	Type of Egg Tray	Not Applicable
Cooler Section Features	Egg Tray Color	Not Applicable
	-88, 30	71001 pp.11001010
Approval & Certificate Information	Extra Symbols	
Approval & Certificate Information	Requested Standards	TUV; GS; CE
Approval & Certificate Information	Additional Standards	
Approval & Certificate Information	Declaration of Conformity	
	,	
Approval & Certificate Information	Country Specific Standards	
, ,	,	Upright Freezer,
Production Information	SAP Hierarchy	U01000300010000001
Production Information	Product Category	Export
Production Information	Product Type	Derivative
Production Information	TeamCenter Projects	Demante
Production Information	Material Type	Inhouse
Production Information	Production Format	CBU
Production Information	Annual Quantity	1200
Production Information	Requested Effectivity	First Production
Production Information	· ·	100
	First Production Quantity	100
Production Information	Requested Production Date	
Production Information	Project Completion Date	
Production Information	Earliest Serial Production Date	
	Lead Time Required for SOP Update	
Production Information	for First Production	0.0 weeks
Production Information	Planned Phase-Out Date	
Production Information	Industrial Design Approval Required	No
Printed Documents	Article No	
	Printing language - Except User	English (gb);English
Printed Documents	Manual	(us);Ukrainian
Printed Documents	Energy Label Type (RF)	EU + Specific to country
Printed Documents	Artwork for packaging	Beko
Printed Documents	Artwork for packaging (if special)	NO
		Ukraine localization to
		be applied including
		revisions on barcode
		label, rating label and
	Definition of Packaging Label (if	user manual according
Printed Documents	special)	to the informati

51.15		
Printed Documents	Made in" info on rating label	Made in EU
Printed Documents	Made in" info on barcode label	Made in EU
Printed Documents	Made In info positioning	On rating label Inside User Manual
Printed Documents	Desitioning of anargy label	Plastic Bag
Printed Documents  Printed Documents	Positioning of energy label	Plastic Bag
Printed Documents	Marketing Stickers	
Printed Documents	Additional Documents Pls. Specify	
Printed Documents	Otto No	
Printed Documents	Customer Special Label No	
Timeed Documents	Extended motor / Compressor	
Printed Documents	Warranty	
Printed Documents	Warranty Information - File	
Printed Documents	User Manual Preparation	Arçelik
		,
		Bulgarian; Estonian;
		Flemish; French; Greek;
		Hungarian; Latvian;
		Lithuanian; Russian;
		Ukrainian; Slovenian;
Printed Documents	User Manual Languages	Dutch; English; German
		-
		\\ARAHM438\MdmBina
		ryObjects\products\R40
		94\User Manual -
		T:In\ 201412041T464T0
		File\201412041546459
		_User Manual -
Printed Documents	User Manual - File	
Printed Documents Printed Documents	User Manual - File Warranty Information	_User Manual -
Printed Documents	Warranty Information	_User Manual - FileengUSA.pdf Warranty Card
		_User Manual - FileengUSA.pdf Warranty Card Russian; Ukrainian
Printed Documents	Warranty Information	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina
Printed Documents	Warranty Information	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40
Printed Documents	Warranty Information	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979
Printed Documents	Warranty Information	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent
Printed Documents  Printed Documents	Warranty Information  Warranty Information - Language	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.  \\ARAHM438\MdmBina
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.  \\ARAHM438\MdmBina ryObjects\products\R40
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.  \\ARAHM438\MdmBina ryObjects\products\R40 94\Packaging
Printed Documents  Printed Documents  Printed Documents	Warranty Information - Language  Rating Label	_User Manual - FileengUSA.pdf Warranty Card  Russian; Ukrainian \\ARAHM438\MdmBina ryObjects\products\R40 94\Rating Label\20141204154979 2Rating Label.bmp  Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.  \\ARAHM438\MdmBina ryObjects\products\R40

		\\ARAHM438\MdmBina ryObjects\products\R40 94\Product Fiche\20141204154977
Printed Documents	Product Fiche	1Product Fiche.pdf \\ARAHM438\MdmBina ryObjects\products\R40 94\Energy Label\20141204155055
Printed Documents	Energy Label	8Energy Label.jpg
Printed Documents	Installation diagram	
Printed Documents	Quick Guide	
Printed Documents	Service Address List	No
Printed Documents	Service Address List - File	
Printed Documents	Importer Label	
Printed Documents	ENERGY LABEL 1	
Printed Documents	ENERGY LABEL 2	
Printed Documents	ENERGY LABEL 3	
Printed Documents	ENERGY LABEL 4	
Printed Documents	BARCODE LABEL 1	
Printed Documents	RATING LABEL 1	
Printed Documents	PRODUCT FICHE 1	
Printed Documents	PRODUCT FICHE 2	
Printed Documents	PRODUCT FICHE 3	
Printed Documents	PRODUCT FICHE 4	
Printed Documents	BACK WALL 1	
Product Photos	High 1	R25477
Product Photos	High 2	
Product Photos	High 3	
Product Photos	Low 1	R17179
Product Photos	Low 2	R25471
Product Photos	Low 3	
Product Photos	Low 4	
Product Photos	Low 5	
Product Photos	Low 6	
Product Photos	Product Video	
Product Photos	Photo Production Method	Photo shoot
Product Photos	Low 1 Draft	
Product Photos	Low 2 Draft	
Product Photos	Low 3 Draft	
Product Photos	Low 4 Draft	
Product Photos	Low 5 Draft	
Product Photos	Low 6 Draft	
Product Photos	High 1 Draft	
Product Photos	High 2 Draft	
Product Photos	High 3 Draft	
Logistics Data	Loading Info	
Logistics Data	Container Unloading Info	
Logistics Data	Loading Qty - GABS Wagon	0
Logistics Data	Loading Qty - 2 Axle Wagon	0

Logistics Data	Loading Qty - Camion+Romork	0
Logistics Data	Loading Qty - Swap Body	0
Logistics Data	Loading Qty - Semi Truck	0
Logistics Data	Loading Qty - Optima Truck	0
Logistics Data	Loading Qty - 20'	72
Logistics Data	Loading Qty - 45' HC	0
Logistics Data	Loading Qty - 40' HC	0
Logistics Data	Loading Qty - 40'	152
Logistics Data	Stacking Quantity	5
Packaging & Dimensions	Packaging Type	Carton Packaging
Packaging & Dimensions	Depth - Packed (cm)(z)	62.00 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	57.50 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	105.10 centimeters
Packaging & Dimensions	Weight - Packed (kg)	39.000 kilograms
Packaging & Dimensions	Depth - Unpacked (cm)(z)	60.00 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	54.00 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	101.70 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	36.000 kilograms
Packaging & Dimensions	Depth - Packed (in.)(z)	24.409449
Packaging & Dimensions	Width - Packed (in.)(x)	22.637794
Packaging & Dimensions	Height - Packed (in.)(y)	41.377953
Packaging & Dimensions	Weight - Packed (lb.)	85.980286
Packaging & Dimensions	Depth - Unpacked (in.)(z)	23.622047
Packaging & Dimensions	Width - Unpacked (in.)(x)	21.259842
Packaging & Dimensions	Height - Unpacked (in.)(y)	40.03937
Packaging & Dimensions	Weight - Unpacked (lb.)	79.36642
	Weight of Packaging Material -	
Packaging & Dimensions	Metal	0.000 grams
	Weight of Packaging Material -	
Packaging & Dimensions	Straphor	559.000 grams
	Weight of Packaging Material -	
Packaging & Dimensions	Plastic	100.000 grams
	Weight of Packaging Material -	
Packaging & Dimensions	Wooden	0.000 grams
	Weight of Packaging Material -	
Packaging & Dimensions	Carton	2202.000 grams