

7293442781
(GNE60530X)

Basic Definitions	Marketing Code	GNE60530X
Basic Definitions	Cabinet code	G84605NE
Basic Definitions	Product Class	Cooler
Basic Definitions	Brand	Beko
Basic Definitions	Country	FRANCE; DENMARK; FINLAND; NORWAY; SWEDEN
Basic Definitions	Freezer Position	Freezer Bottom
Basic Definitions	Electronic Display	Yes
Basic Definitions	SAP Code	7293442781
Basic Definitions	Production Plant	TR, ESK, Cooling Plant
Basic Definitions	Door Opening Direction	Not Applicable
Basic Definitions	Construction type of product (RF)	Freestanding
Basic Definitions	EAN Code	8690842016424
Basic Definitions	Product Status	T2
Basic Definitions	Built In	NO
Basic Definitions	Product Group	Coolers > Freestanding > Double Door- Double drawer -freezer bottom
Basic Definitions	Hinge Type in Built In Products	Not Applicable
Basic Definitions	Control System (RF)	Electronic
Basic Definitions	Replaced Product SAP Code	
Basic Definitions	Controller	Touch
Basic Definitions	Voltage (v)	220-240
Basic Definitions	Cooling System Type	No Frost
Basic Definitions	Frequency (Hz)	50
Basic Definitions	Plug Type	European
Basic Definitions	Pool Name (RF)	EU2
Basic Definitions	Model Responsible	Deniz Gündoğan
Basic Definitions	Manufacturer Production Code	
Basic Definitions	Old Material Number	7243547683
Basic Definitions	Category	7
Basic Definitions	Cable Length	2.40
Basic Definitions	Customer Code	
Basic Definitions	Transfer Price Request ID	
Basic Definitions	NPI Project Definition (CL)	
Basic Definitions	Other Descriptions / Revision	G84605NE A++ şebeke beslemesiz
Basic Definitions	Reason	
Basic Definitions	Other Explanations	
Basic Definitions	Estimated Revision Effectivity Date & Plant Comment	
Functions & Features	Antibacterial Door Handle	Yes
Functions & Features	Ionizer	Yes

Functions & Features	Antibacterial Gasket	Yes
Functions & Features	Antibacterial odour filter	Yes
Functions & Features	Blue Light	Yes
Functions & Features	Product Off Function	NO
Functions & Features	Display Key Lock	Yes
Functions & Features	Display Off Function	NO
Functions & Features	Distributor Mode	Yes
Functions & Features	Eco Fuzzy Function	Yes
Functions & Features	Eco Mode	Yes
Functions & Features	Door Open Alarm	Yes
Functions & Features	Error Status Indicator	Yes
Functions & Features	Filter Change Warning Alarm	NO
Functions & Features	Filter Count Activation Function	NO
Functions & Features	High Temperature Alarm	NO
Functions & Features	Holiday Mode	Yes
Functions & Features	Humidity Indicator	Yes
Functions & Features	Back Feet	
Functions & Features	Front Feet	
Functions & Features	Ice Off Function	NO
Functions & Features	Fast Freeze	Yes
Functions & Features	Fast Cool	Yes
Functions & Features	Ice type selection function	
Functions & Features	Ionizer Indicator	Yes
Functions & Features	Rice Mode	NO
Functions & Features	Sabbath Mode	NO
Functions & Features	Door Lock	NO
Functions & Features	Door in door	Not Applicable
Functions & Features	Automatic Ice Machine	NO
Functions & Features	Ice Cream Machine	NO
Functions & Features	Ice Dispenser	NO
Functions & Features	Multizone Compartment	Not Applicable
Functions & Features	2nd Layer Compartment	Yes
Functions & Features	Illumination Type	LED on Side Walls
Functions & Features	Multizone Compartment Illumination	NO
Functions & Features	Phase change material (PCM)	NO
Functions & Features	Reversible Door	NO
Functions & Features	Set Values / Freezer (Celcius)	-18, -20, -22, -24
Functions & Features	Set Values / Freezer (Fahrenheit)	No Set Values
Functions & Features	Set Values / Fresh Food (Celcius)	8, 6, 4, 2
Functions & Features	Set Values / Fresh Food (Fahrenheit)	No Set Values
Functions & Features	Set Values / Multizone (Celcius)	No Set Values
Functions & Features	Set Values / Multizone (Fahrenheit)	No Set Values
Functions & Features	Smart Grid	NO
Functions & Features	Tap Water Connection	NO
Functions & Features	Technical Service Mode	Yes

Functions & Features	Real Temperature Indicator	NO
Functions & Features	Water Dispenser	NO
Functions & Features	Water Filter	NO
Functions & Features	Water Ice Selection Function	NO
Functions & Features	Water Valve Type	NA
Functions & Features	Linking Kit	N/A
Design & Color specifications	Cabinet Color	Silver – ARC 744
Design & Color specifications	Product Door Type	Double Door - Double Drawer
Design & Color specifications	Display Position	On Door
Design & Color specifications	Display Outlook (if requested different than brand of the product)	
Design & Color specifications	Display Text Color (RF)	Amber
Design & Color specifications	Display Type (RF)	7 Segment
Design & Color specifications	Water Dispenser Color	Not Applicable
Design & Color specifications	Transparent Parts Colour	Beko New Outlook (Pant.T 605-1-3)
Design & Color specifications	Door Accessory Color	Beko New Outlook (Pant.T 605-1-3)
Design & Color specifications	Logo Type	Logo (Metal)
Design & Color specifications	Logo Artwork	Available
Design & Color specifications	Logo position	Standard
Design & Color specifications	Logo Position - Customised	
Design & Color specifications	Minibar Compartment Type	Not Applicable
Design & Color specifications	Top Cover	Standard
Design & Color specifications	Type Of Door Rack	Radius
Design & Color specifications	Cabinet shelf type	Glass-All standard
Design & Color specifications	Door Color (RF)	Antifinger Inox - INOX430
Design & Color specifications	Lens on Door	Not Applicable
Design & Color specifications	Door Material	Metal
Design & Color specifications	Door Rack Print Type	NO
Design & Color specifications	Electronic Display Appearance	Beko
Design & Color specifications	External Handle	Assembled
Design & Color specifications	Front Top Trim	
Design & Color specifications	Front Top Trim Print	
Design & Color specifications	Handle Color (RF)	Grey - ARC 552
Design & Color specifications	Handle material	Metal
Design & Color specifications	Handle Mold / Picture	420954
Design & Color specifications	Handle Type (RF)	Beko D74 Handle
Design & Color specifications	Easy Open Handle	NO
Design & Color specifications	Accessories for icon print type application	
Design & Color specifications	Accessories Print Type	Beko type
Design & Color specifications	Accessories printing method	Hotstamping
Design & Color specifications	Special 0°C Compartment Print Descr	
Design & Color specifications	Special Crisper Print Descr	
Design & Color specifications	Special Dairy Cover Print Desc	

Design & Color specifications	Special Print on Door Racks (except for bottle rack)	
Design & Color specifications	Special Bottle Rack Print Desc	
Design & Color specifications	Special Freezer Drawer Print Desc	
Design & Color specifications	Special Fast Freeze Compartment Print Desc	
Design & Color specifications	Special Frozen Food Compartment Flap print desc	
Design & Color specifications	Door outlook	(D) 84cm
Design & Color specifications	Color of Glass Shelf Front Profile	
Design & Color specifications	Fridge Fan Cover Print	Neo Frost
Design & Color specifications	Moving Adjustable Door Rack	NA
Design & Color specifications	Freezer Fan Cover Print	
Design & Color specifications	Ice Cream Machine Print Descr	
Marketing Data	Product Form	
Marketing Data	Accessory Link	
Marketing Data	Marketing Slogan	
Marketing Data	Award 1	
Marketing Data	Award 1 Description	
Marketing Data	Award 2	
Marketing Data	Award 2 Description	
Marketing Data	Award 3	
Marketing Data	Award 3 Description	
Marketing Data	Award 1 Link	
Marketing Data	Award 2 Link	
Marketing Data	Award 3 Link	
Marketing Data	Marketing Image 1	
Marketing Data	Marketing Image 2	
Marketing Data	Marketing Image 3	
Marketing Data	Marketing Image 1 Link	
Marketing Data	Marketing Image 2 Link	
Marketing Data	Marketing Image 3 Link	
Marketing Data	Product Video Link	
Marketing Data	Badge	
Marketing Data	Highlighted	
Marketing Data	Product Description	
Marketing Data	Active Dual Cooling	Yes
Technical Details	Declaration-Region	Export & TR
Technical Details	Declaration Note	N/A
Technical Details	Energy Class (RF)	A++
Technical Details	Climate Class	SN-T
Technical Details	Refrigerant (RF)	R600a
Technical Details	Number of stars	4
Technical Details	Active/Passive Condition	Active
Technical Details	Fan (RF)	Yes
Technical Details	All weather fridge (AWF)	NO
Technical Details	Charge (gr)	61
Technical Details	Charge (kg)	0.061

Technical Details	Compressor	VEGZ 11C
Technical Details	Condenser Type	Coil
Technical Details	Disturbance Filter	Yes
Technical Details	Energy Difference	Not Applicable
Technical Details	Energy Label Declaration	
Technical Details	Temperature	25°C
Technical Details	Frost Free 2 Star Freezer	
Technical Details	Compartment	N/A
Technical Details	Frost Free 4 Star Freezer	
Technical Details	Compartment	Yes
Technical Details	Frost Free Cellar Compartment	N/A
Technical Details	Frost Free Chill Compartment	Yes
Technical Details	Frost Free Freshfood Storage	
Technical Details	Compartment	Yes
Technical Details	Frost Free Other Compartment	N/A
Technical Details	Frost Free Wine Storage	
Technical Details	Compartment	N/A
Technical Details	Horizontal Transportation Side (back	
Technical Details	View)	Left
Technical Details	Maximum Pressure (PSI)	0
Technical Details	Freezing Capacity(lb/24h)	
Technical Details	Multizone Compartment Net	
Technical Details	Volume	
Technical Details	FreshFood Net Volume(cu.ft)	
Technical Details	Freezer Net Volume(cu.ft)	
Technical Details	Total Gross Volume (calculated)	0.0 liters
Technical Details	Total Net Volume (lt)	0.0 liters
Technical Details	Fresh food compartment net	
Technical Details	volume (lt)	397
Technical Details	Cabinet Total Gross Volume	605.0 liters
Technical Details	Rating Plate Fresh Food	
Technical Details	Compartment Net Volume(lt)	366
Technical Details	0°C Compartment Net Volume	31
Technical Details	Freezer Compartment Net Volume 2	
Technical Details	(lt)	0
Technical Details	Freezer Compartment Net Volume	
Technical Details	(lt)	152
Technical Details	Total Gross Volume (Requested by	
Technical Details	Customer)	605
Technical Details	Cabinet Height	182.5 centimeters
Technical Details	Cabinet Width	84.0 centimeters
Technical Details	Dec_ID	3888.0
Technical Details	EKST_ID	0.0
Technical Details	Iran Iraq S.Africa Greece MEA and	
Technical Details	EU3 Market salability	Yes
Technical Details	Performance Report No	AR*333009
Technical Details	EU Markets Availability	Yes
Technical Details	EU Eco Label Award	NO
Technical Details	Cooling Component	Not Applicable

Technical Details	Annual Energy Consumption at 25°C(kwh/year)	361
Technical Details	Annual Energy Consumption at 32°C(kwh/year)	0
Technical Details	Maximum Current Intensity(a)	0.9
Technical Details	Min. Ambient Tempertaure Req-d For Satisfactory Operation(°c)	-5
Technical Details	Total Gross Volume (cu.ft) (Requested By Customer)	
Technical Details	Daily Energy Consumption at 25°C(kwh/24h)	0.989
Technical Details	Daily Energy Consumption at 32°C(kwh/24h)	0
Technical Details	Daily Freezing Capacity (kg)	10
Technical Details	Daily Ice Making Capacity (kg)	2
Technical Details	Defrost power (w)	220
Technical Details	Minimum Pressure (PSI)	0
Technical Details	Noise Level (dbA)	42
Technical Details	Connected Value(w)	160
Technical Details	Temperature Rise Time (Hour)	22
Technical Details	PCM Accessory	
Freezer Section Features	Freezer compartment illumination	NO
Freezer Section Features	Number Of Flaps	Not Applicable
Freezer Section Features	Number of freezer drawer	2
Freezer Section Features	Freezer Baskets	
Freezer Section Features	Drawer Cover Print	NO
Freezer Section Features	Flap	Not Applicable
Freezer Section Features	Identity Part on Flap Handle	Not Applicable
Freezer Section Features	Flap Print Type	Not Applicable
Freezer Section Features	Fast freeze compartment	NO
Freezer Section Features	Fast freeze compartment flap	Not Applicable
Freezer Section Features	Shock Freeze Compartment	Not Applicable
Freezer Section Features	Ice Bank	Not Applicable
Freezer Section Features	Ice Maker Type	Icebox
Freezer Section Features	Icebox Number	2
Freezer Section Features	Door Interior Pocket	Not Applicable
Freezer Section Features	Number of Door Racks in Freezer Compartment	Not Applicable
Freezer Section Features	Identity Part on Drawer Handle	Not Applicable
Cooler Section Features	0°C Compartment	Yes
Cooler Section Features	0°C Compartment Type	Standard
Cooler Section Features	Crisper Cover	Glass-with Profile
Cooler Section Features	Special Crisper	NO
Cooler Section Features	Number of Crisper	2
Cooler Section Features	Seperator in crisper	Not Applicable
Cooler Section Features	Crisper Type	Standard
Cooler Section Features	Number of Full-Width Door Racks	6
Cooler Section Features	Bottle Quantity	

Cooler Section Features	Wire Support on Door Rack	Yes
Cooler Section Features	Number of Half-Width Door Racks	Not Applicable
Cooler Section Features	Number of Half-Depth Cabinet Shelves	Not Applicable
Cooler Section Features	Print Type of 2nd Layer Compartment	Breakfast Compartment, Hot stamping
Cooler Section Features	Print of 2nd Layer Compartment	Yes
Cooler Section Features	Print on Crisper	Yes
Cooler Section Features	Print on Glass Shelf	Safety Glass
Cooler Section Features	Bottle Holder	NO
Cooler Section Features	Half-Depth Cabinet Shelves	Not Applicable
Cooler Section Features	Number of Full-Depth Cabinet Shelves	2
Cooler Section Features	Shelf Front Logo	Not Applicable
Cooler Section Features	Shelf Front Logo Print	Not Applicable
Cooler Section Features	Storage Box under Door Rack	Not Applicable
Cooler Section Features	Dairy Cover	Standard
Cooler Section Features	Dairy Cover Print Type	NO
Cooler Section Features	Wine Rack Type	Not Applicable
Cooler Section Features	Number of Egg Tray	2
Cooler Section Features	Type of Egg Tray	10 Eggs Capacity
Cooler Section Features	Egg Tray Color	BYG New Outlook Color (T 605-1-3)
Approval & Certificate Information	Extra Symbols	
Approval & Certificate Information	Requested Standards	CE
Approval & Certificate Information	Additional Standards	
Approval & Certificate Information	Declaration of Conformity	
Approval & Certificate Information	Country Specific Standards	
Production Information	SAP Hierarchy	3 doors and more, U01000300020000006
Production Information	Product Category	Export
Production Information	Product Type	Derivative
Production Information	TeamCenter Projects	
Production Information	Material Type	Inhouse
Production Information	Production Format	CBU
Production Information	Annual Quantity	1000
Production Information	Requested Effectivity	First Production
Production Information	First Production Quantity	100
Production Information	Requested Production Date	
Production Information	Project Completion Date	
Production Information	Earliest Serial Production Date	10/31/2014
Production Information	Lead Time Required for SOP Update for First Production	8.0 weeks

Production Information	Planned Phase-Out Date	
Production Information	Industrial Design Approval Required	Yes
Printed Documents	Article No	
Printed Documents	Printing language - Except User Manual	
Printed Documents	Manual	English (gb)
Printed Documents	Energy Label Type (RF)	EU
Printed Documents	Artwork for packaging	Beko
Printed Documents	Artwork for packaging (if special)	
Printed Documents	Definition of Packaging Label (if special)	
Printed Documents	Made in" info on rating label	Made in TR
Printed Documents	Made in" info on barcode label	Made in TR
Printed Documents	Made In info positioning	On the packacing label;On rating label
Printed Documents	Positioning of energy label	Inside User Manual
Printed Documents	Marketing Stickers	Plastic Bag
Printed Documents	Additional Documents Pls. Specify	
Printed Documents	Otto No	
Printed Documents	Customer Special Label No	
Printed Documents	Extended motor / Compressor Warranty	
Printed Documents	Warranty Information - File	
Printed Documents	User Manual Preparation	Arçelik
Printed Documents	User Manual Languages	French; Danish; Finnish; Norwegian; Swedish
Printed Documents	User Manual - File	
Printed Documents	Warranty Information	Warranty Card
Printed Documents	Warranty Information - Language	Danish; Finnish; Norwegian; Swedish
Printed Documents	Rating Label	
Printed Documents	Rating Label if special Pls. Specify	Ukraine localization to be applied including revisions on barcode label, rating label and user manual according to the information sent via email.
Printed Documents	Packaging Label	
Printed Documents	Product Fiche	
Printed Documents	Energy Label	
Printed Documents	Installation diagram	
Printed Documents	Quick Guide	
Printed Documents	Service Address List	No
Printed Documents	Service Address List - File	

Printed Documents	Importer Label	
		/irj/go/km/docs/mdm/etiketfrompi/ENERGYLABEL1_7293442781.jpg
Printed Documents	ENERGY LABEL 1	
Printed Documents	ENERGY LABEL 2	
Printed Documents	ENERGY LABEL 3	
Printed Documents	ENERGY LABEL 4	
		/irj/go/km/docs/mdm/etiketfrompi/BARCODELABEL1_7293442781.jpg
Printed Documents	BARCODE LABEL 1	
		/irj/go/km/docs/mdm/etiketfrompi/RATINGLABEL1_7293442781.jpg
Printed Documents	RATING LABEL 1	
		/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFICHE1_7293442781_en_US.jpg
Printed Documents	PRODUCT FICHE 1	
Printed Documents	PRODUCT FICHE 2	
Printed Documents	PRODUCT FICHE 3	
Printed Documents	PRODUCT FICHE 4	
Printed Documents	BACK WALL 1	
Product Photos	High 1	
Product Photos	High 2	
Product Photos	High 3	
Product Photos	Low 1	
Product Photos	Low 2	
Product Photos	Low 3	
Product Photos	Low 4	
Product Photos	Low 5	
Product Photos	Low 6	
Product Photos	Product Video	
Product Photos	Photo Production Method	
Product Photos	Low 1 Draft	
Product Photos	Low 2 Draft	
Product Photos	Low 3 Draft	
Product Photos	Low 4 Draft	
Product Photos	Low 5 Draft	
Product Photos	Low 6 Draft	
Product Photos	High 1 Draft	
Product Photos	High 2 Draft	
Product Photos	High 3 Draft	
Logistics Data	Loading Info	
Logistics Data	Container Unloading Info	
Logistics Data	Loading Qty - GABS Wagon	51
Logistics Data	Loading Qty - 2 Axle Wagon	41
Logistics Data	Loading Qty - Camion+Romork	0
Logistics Data	Loading Qty - Swap Body	41

Logistics Data	Loading Qty - Semi Truck	41
Logistics Data	Loading Qty - Optima Truck	41
Logistics Data	Loading Qty - 20'	18
Logistics Data	Loading Qty - 45' HC	41
Logistics Data	Loading Qty - 40' HC	36
Logistics Data	Loading Qty - 40'	36
Logistics Data	Stacking Quantity	3
Packaging & Dimensions	Packaging Type	Carton Packaging
Packaging & Dimensions	Depth - Packed (cm)(z)	81.70 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	90.70 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	190.90 centimeters
Packaging & Dimensions	Weight - Packed (kg)	135.000 kilograms
Packaging & Dimensions	Depth - Unpacked (cm)(z)	74.50 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	84.00 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	182.50 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	124.000 kilograms
Packaging & Dimensions	Depth - Packed (in.)(z)	32.165356
Packaging & Dimensions	Width - Packed (in.)(x)	35.70866
Packaging & Dimensions	Height - Packed (in.)(y)	75.15748
Packaging & Dimensions	Weight - Packed (lb.)	297.62405
Packaging & Dimensions	Depth - Unpacked (in.)(z)	29.33071
Packaging & Dimensions	Width - Unpacked (in.)(x)	33.070866
Packaging & Dimensions	Height - Unpacked (in.)(y)	71.850395
Packaging & Dimensions	Weight - Unpacked (lb.)	273.3732
Packaging & Dimensions	Weight of Packaging Material - Metal	4.000 grams
Packaging & Dimensions	Weight of Packaging Material - Straphor	3363.000 grams
Packaging & Dimensions	Weight of Packaging Material - Plastic	352.000 grams
Packaging & Dimensions	Weight of Packaging Material - Wooden	0.000 grams
Packaging & Dimensions	Weight of Packaging Material - Carton	6651.000 grams