

PRODUCT FICHE

gorenje



Electric cooker 739094 ECS6350WPA

USP :

SilverMatte

Enamel quality and type are exceptionally important for the cooker and its operation. SilverMatte is a highly resistant and strong material that can stand extreme heats. Free from micro pores, it coats oven cavity surfaces and baking trays, making them resistant to the highest temperatures. The coating of the interior supports heat reflection and provides additional insulation. Therefore, the oven interior always stays sterile and safe.

| | |
|--------------------------|---|
| Door type | Double glazed oven door with one heat deflector (CompactDoor) |
| GentleClose door hinge | Only a soft touch is needed to close the cooker door smoothly, without any noise. |
| Oven type | Multisystem oven BigSpace - 71 l SuperSize baking area |
| Maximum oven temperature | 275 °C |
| HomeMade Plus shape | The oven, now even more spacious, features an oval shape that successfully mimics the traditional wood-fired ovens. This allows optimum circulation of air that completely embraces the food to make it tender and juicy on the inside and amazingly crunchy on the outside. The air is even better distributed throughout the 71-litre cavity with recessed sides, which decreases the occurrence of cool spots that preclude even browning. Special air circulation dynamics affords excellent conditions for professional cooking on a single rack or on several racks simultaneously. |
| ExtraSteam | The ExtraSteam programme creates the perfectly steamed environment that ensures your bread will have a high rise and crunchy crust. All you have to do is pour some water into a shallow tray, select the ExtraSteam programme and let the oven do the rest. |
| FastPreheat | With fast preheating the oven reaches the target temperature much quicker. |
| WarmPlate | Warmed plates prevent the loss of flavour and ensure that food tastes every bit as good as it should: from soups to pastas and steamed vegetables. WarmPlate will keep your crockery at precisely the right temperature at 60°C. Enjoy professional service in the privacy of your home. |
| Large infra heater | ✓ |
| Interior light | Illumination |
| PerfectGrill | The best baking results are achieved with a combination of larger and smaller heaters, where the latter is positioned inside the larger one. The smart positioning of the heaters allows optimal heat distribution and provides the ultimate baking results every time, so food is crispy on the outside and soft on the inside. A variable heater combination can use either the inner or outer heater, or both at once. |
| Residual heat indicator | ✓ |
| Product group | Cooker |
| Knob shape | Sinkable knobs |
| Guiding of drawer | Classic |
| AquaClean function | Due to special high-quality enamel, AquaClean function brings even more efficient and user-friendly way of cleaning the oven cavity. All it takes is to pour half a litre of water into a baking tray and turn AquaClean on after each baking. In just 30 minutes, the results are visible on the entire surface and the baking trays. Stains and grease are softened and can be wiped away easily with a soft cloth. |

Basic information :

| | |
|---|--|
| Microwave function | No |
| Product group | Electric cooker |
| Brand | GORENJE |
| Commercial code | ECS6350WPA |
| Internal article number | 739094 |
| EAN code | 3838782534683 |
| Main colour of the product | BK070; White |
| Color / Material front | BK070; White N/A Painted |
| Construction type | Free-standing |
| Installation type | Free-standing |
| Type of control | Mechanical |
| Oven controls | K44A-ES - Multifunction oven with variable grill Entry steam |
| Cooking method | N/A |
| Total number of positions that can be used at the same time | 4 |
| Number of gas burners | 0 |
| Number of electric cooking zones | 4 |
| Number of electric plates | 0 |
| Number of radiant plates | 4 |
| Number of halogenous plates | 0 |
| Number of induction plates | 0 |
| Number of electric warming zones | 6 |
| Location of control panel | Cooker front |
| Which kind of hobs can be controlled | Electric |
| Energy input | Electricity |
| Gas connection rating | 0 W |
| Electric connection rating | 10300 W |
| Current | N/A |
| Voltage | 220-240 V |
| Frequency | 50/60 Hz |
| Marks of conformity | CE,EAC |
| Length of power supply cord | 0 cm |
| Plug type | Without plug and supply cord |
| Adjustable feet | Yes - all |
| Height of the product | 850 mm |
| Width of the product | 600 mm |
| Depth of the product | 600 mm |
| Height of the packed product | 960 mm |
| Width of the packed product | 676 mm |
| Depth of the packed product | 719 mm |
| Min height of installation niche | 0 mm |
| Max height of installation niche | 0 mm |
| Min width of installation niche | 0 mm |
| Max width of installation niche | 0 mm |
| Depth of installation niche | 0 mm |
| Net weight | 45,9 Kg |
| Gross weight | 50,9 Kg |
| Material of external sides | Steel |

Features :

| | |
|----------------------------------|--------------------------------|
| Electronic timer | Yes |
| Short description of the product | 739094 - ECS6350WPA - ADVANCE |
| Control panel material | Painted |
| Oven guides | Two level level pull-out 2D |
| Grids | 1 |
| Temperature control | N/A |
| Time control | Electronic |
| Time-setting options | Start and stop |
| Oven pans | 2 |
| Automatic programmes | N/A |
| Integrated cleaning system | Easy to clean enamel |
| Location of 1st heating element | Front left |
| Type of 1st heating element | Double hi-light radiant heater |
| Dimension of 1st heating element | 210/120 mm |
| Power of 1st heating element | 2200/0,0/0,0 W |
| Location of 2nd heating element | Rear left |
| Type of 2nd heating element | Radiant heater - Hi-light |
| Dimension of 2nd heating element | 145 mm |
| Power of 2nd heating element | 1200/0,0/0,0 W |
| Location of 3rd heating element | Rear right |
| Type of 3rd heating element | Oval hi-light radiant heater |
| Dimension of 3rd heating element | 265X170 mm |
| Power of 3rd heating element | 2400/0,0/0,0 W |
| Location of 4th heating element | Front right |
| Type of 4th heating element | Radiant heater - Hi-light |
| Dimension of 4th heating element | 145 mm |

| | |
|---------------------------------|--|
| Power of 4th heating element | 1200/0,0/0,0 W |
| Plate ON indicator | / |
| Type of lid | None |
| Residual heat indicator | Four parts |
| Main on/off switch | No |
| Safety device | Thermo electric oven protection |
| Timer | Electronic programing timer with sensor control IconLed |
| Control panel information | Icon led display |
| Cavity material | N/A |
| Oven lighting | Yes |
| Position of interior lights | Rear |
| Grill motor with rotisserie set | No |
| Meat probe | N/A |
| Storage compartment | Pull-out drawer |
| Additional equipment included | Deep baking pan - 1 Baking tray EM - 1 Oven grid - 1 |

Energy label information / Performance :

| | |
|---|-----------------|
| Energy efficiency class - NEW (2010/30/EC) | A |
| The power consumption in off-mode | 1,0 W |
| Energy consumption per cycle conventional (2010/30/ES) | 0,94 |
| Energy consumption gas oven per cycle conventional (2010/30/ES) | 0,0 |
| Energy consumption per cycle forced air convection (2010/30/ES) | 0,81 |
| Usable volume of cavity (2010/30/ES) | 71 |
| Number of cavities - NEW (2010/30/EC) | 1 |
| Energy consumption forced air convection | 0,0 |
| Energy efficiency index (2010/30/EC) | 95,3 |
| Energy consumption conventional (kWh) | 0,94 kWh |
| Energy consumption forced air convection (kWh) | 0,81 kWh |
| Noise | 46 db(A) re 1pW |
| Product size | Large |