

## PRODUCT FICHE

Model name	DK63CLI
Annual Energy Consumption - $AEC_{hood}$	119,5 kWh/a
Energy efficiency class	D
Fluid Dynamic Efficiency - FDE	13,9 %
Fluid Dynamic Efficiency class	D
Light Efficiency - $LE_{hood}$	8,6 lux/W
Lighting Efficiency Class	E
Grease Filtering Efficiency - $GFE_{hood}$	57,0 %
Grease Filtering Efficiency class	E
A-weighted Sound Power Emission at minimum speed	355 m <sup>3</sup> /h
Maximum Air Flow in normal use	545 m <sup>3</sup> /h
Air Flow at intensive/boost setting	-
A-weighted Sound Power Emission at minimum speed	54 dB(A) re 1pW
A-weighted Sound Power Emission at maximum speed	64 dB(A) re 1pW
A-weighted Sound Power Emission at intensive or boost speed	-
Power consumption off mode - $P_o$	-
Power consumption in standby mode - $P_s$	-
Time increase factor	1,5
Energy Efficiency Index -EEI	93,3
Measured air flow rate at best efficiency point - $Q_{bep}$	290,0 m <sup>3</sup> /h
Measured air pressure at best efficiency point - $P_{bep}$	285,0 Pa
Maximum air flow - $Q_{max}$	545 m <sup>3</sup> /h
Measured electric power input at best efficiency point - $W_{bep}$	165,0 W
Nominal power of the lighting system - $W_L$	40,0 W
Average illumination of the lighting system on the cooking surface - $E_{average}$	342,0 lux