Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	HOTPOINT	
Model	CH10456GF S	
EEI [%] Energy Efficiency Index - Main cavity 1)	131.9	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	0	
Energy Efficiency Class - Main cavity 2)	В	
Energy Efficiency Class - Secondary cavity 2)		
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	1.06	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	1	
Heat source - Main cavity	ELECTRICITY	
Heat Source - Secondary cavity	Electric	
Usable volume [I] - Main cavity	61	
Usable volume [I] - Secondary cavity	63	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Value	Unit
Model identification		CH10456G F S	
Type of oven		FANFORCE D	
Mass of the appliance	M	0.0	Kg
Number of cavities		1	
Heat source per cavity (electricity or gas)		ELECTRICI TY	
Volume per cavity - Main cavity	V	61	- 1
Volume per cavity - Secondary cavity	V	63	ı
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.06	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy Efficiency Index per cavity - Main cavity	EElcavity	131.9	

²⁾ From A+++ (low consumption) to D (high consumption).

Energy Efficiency Index per cavity - Secondary cavity	EElcavity	0.0	

1) 1kWh/cycle = 3,6 MJ/cycle

Product Information compliant to commission regulation (EU) No 66/2014		
1 rouge morniage compliant to commission regulation (20	Symbol	Format	Unit
	Cymbol	CH10456G	Oilit
Model identification		FS	
Type of hob		Gas	
Number of cooking zones and/or areas		0	
Heating technology (induction cooking zones and cooking areas, radiant of	ooking zones, s	solid plate)	
Left behind		Fast	
Center behind		Auxiliary	
Right behind		Double Face - Multifunctio n	
Left center			
Center center			
Right center			
Left ahead		Semi-Fast	
Center ahead		Double Ring Double Regulation	
Right ahead		Double Face - Multifunctio n	
For circular cooking zones: diameter of useful surface area per electric he	ated cooking zo	ne	
Left behind	Ø	0.0	cm
Center behind	Ø	0.0	cm
Right behind	Ø	0.0	cm
Left center	Ø	0.0	cm
Center center	Ø	0.0	cm
Right center	Ø	0.0	cm
Left ahead	Ø	0.0	cm
Center ahead	ø	0.0	cm
Right ahead	Ø	0.0	cm
For non-circular cooking zones or areas: length and width of useful surfact cooking zone or area	e area per elect	ric heated	
Left behind	L;W	0.0 ; 0.0	cm
Center behind	L;W	0.0 ; 0.0	cm
Right behind	L;W	0.0 ; 0.0	cm
Left center	L;W	0.0 ; 0.0	cm
Center center	L;W	0.0 ; 0.0	cm
Right center	L;W	0.0 ; 0.0	cm
Left ahead	L;W	0.0 ; 0.0	cm
Center ahead	L;W	0.0 ; 0.0	cm
Right ahead	L;W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg			
Left behind	ECelectric cooking	0.0	Wh/Kg
Center behind	ECelectric cooking	0.0	Wh/Kg
Right behind	ECelectric cooking	0.0	Wh/Kg
Left center	ECelectric cooking	0.0	Wh/Kg
Center center	ECelectric cooking	0.0	Wh/Kg
Right center	ECelectric cooking	0.0	Wh/Kg
Left ahead	ECelectric cooking	0.0	Wh/Kg

Center ahead	ECelectric cooking	0.0	Wh/Kg
Right ahead	ECelectric cooking	0.0	Wh/Kg
Energy consumption for the hob calculated per Kg	ECelectric hob	0.0	Wh/Kg
Number of gas fired burners		7	
Energy efficiency per gas burner			
Left behind	EEgas burner	54.2	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	59.1	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	57.7	
Center ahead	EEgas burner	56.2	
Right ahead	EEgas burner	59.1	
Energy efficiency for the gas hob	EEgas hob	0.0	