Data sheet for household cooker hoods
In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Miele				
Model name / identifier		DA 6698 W		
Annual Energy Consumption (AEC)				
(AEC <sub>Haube</sub> )	kWh/year	24,6		
Energy efficiency class		A++		
Energy efficiency index (EEI)				
(EEI <sub>Haube</sub> )		34,8		
Fluid Dynamic Efficiency (FDE) (FDE <sub>Haube</sub> )		40,6		
Fluid Dynamic Efficiency class		,.		
A (most efficient) to G (least efficient)		Α		
Lighting Efficiency (LE) (LE <sub>Haube</sub> )	lx/W	74,4		
Lighting Efficiency class		, -		
A (most efficient) to G (least efficient)		Α		
Grease Filtering Efficiency	%	95,1		
Grease Filtering Efficiency class		,		
A (most efficient) to G (least efficient)		Α		
Airflow at best efficiency point	m³/h	365,1		
Air flow (min. speed)	m³/h	200		
Air flow (max. speed)	m³/h	400		
Air flow (intensive or boost setting)	m³/h	640		
Max. air flow (Q) (Q <sub>max</sub> )	m³/h	640		
Air pressure at best efficiency point	Pa	369		
Airborne acoustical A-weighted sound power emissi	ons			
(min. speed)	dB	36		
Airborne acoustical A-weighted sound power emissi	ons			
(max. speed)	dB	52		
Airborne acoustical A-weighted sound power emissi	ons			
(intensive or boost setting)	dB	63		
Electrical power input at best efficiency point	W	92,0		
Power consumption in off mode (P <sub>o</sub> )	W			
Power consumption in standby mode (P <sub>s</sub> )	W	0,35		
Nominal power of lighting system	W	9,0		
Average illumination of the lighting system on the co				
surface	lx	670		
Time increase factor		0,5		