

Data sheet for household cooker hoods

In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Miele			
Model name / identifier		PUR 98 W	
Annual Energy Consumption (AEC) (AEC _{Haube})	kWh/year	49,7	
Energy efficiency class		A	
Energy efficiency index (EEI) (EEI _{Haube})		50,2	
Fluid Dynamic Efficiency (FDE) (FDE _{Haube})		32,6	
Fluid Dynamic Efficiency class A (most efficient) to G (least efficient)		A	
Lighting Efficiency (LE) (LE _{Haube})	lx/W	50,0	
Lighting Efficiency class A (most efficient) to G (least efficient)		A	
Grease Filtering Efficiency	%	95,1	
Grease Filtering Efficiency class A (most efficient) to G (least efficient)		A	
Airflow at best efficiency point	m ³ /h	380,1	
Air flow (min. speed)	m ³ /h	265	
Air flow (max. speed)	m ³ /h	395	
Air flow (intensive or boost setting)	m ³ /h	650	
Max. air flow (Q) (Q _{max})	m ³ /h	650	
Air pressure at best efficiency point	Pa	443	
Airborne acoustical A-weighted sound power emissions (min. speed)	dB	47	
Airborne acoustical A-weighted sound power emissions (max. speed)	dB	56	
Airborne acoustical A-weighted sound power emissions (intensive or boost setting)	dB	67	
Electrical power input at best efficiency point	W	143,3	
Power consumption in off mode (P _o)	W		
Power consumption in standby mode (P _s)	W	0,20	
Nominal power of lighting system	W	9,0	
Average illumination of the lighting system on the cooking surface	lx	450	
Time increase factor		0,8	