

Energy Efficiency Information

Attribute	Symbol	Value		Units
Model Identification		EVP61	EVP91/101 /121	
Annual Energy Consumption	AEC _{Hood}	78 (A)	77.3 (A)	kWh
Time increase factor	f	1.4	1.4	
Fluid Dynamic Efficiency	FDE _{Hood}	16.1 (D)	17.6 (D)	
Energy Efficiency Index	EEl _{Hood}	80.1 (C)	79.8 (C)	
Measured airflow at Best Efficiency Point	Q _{BEP}	347.6	454.1	m ³ /h
Measured Pressure at Best Efficiency Point	P _{BEP}	243.5	261	Pa
Maximum airflow	Q _{MAX}	503	650	m ³ /h
Measured electric power at Best Efficiency Point	W _{BEP}	146.3	146.3	W
Nominal lighting power	WL	2	2	W
Average illumination of the lighting system on the cooking surface	E _{Middle}	116	80	Lux
Measured power consumption in standby	P _S	0.49	0.49	W
Measured power consumption off mode	P _O	NA	NA	W
Sound power level	L _{WA}	62	69	dBA
Grease Filter Efficiency	GFE _{Hood}	73 (D)	74 (D)	%
Lamp efficiency	LE _{Hood}	38.7 (A)	40 (A)	%

E & O E. All instructions, dimensions and illustrations are provided for guidance only. CDA reserve the right to change specifications without prior notice.