

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS60240WUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	13	Dimensions in cm	Height	84
			Width	59
			Depth	60
EEL	55,9	Energy efficiency class	E	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,936	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:57	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS60240XUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	13	Dimensions in cm	Height	84
			Width	59
			Depth	60
EEl	55,9	Energy efficiency class	E	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,936	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:57	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS60240BUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	13	Dimensions in cm	Height	84
			Width	59
			Depth	60
EEL	55,9	Energy efficiency class	E	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,936	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:57	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV671C60UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	16	Dimensions in cm	Height	81
			Width	59
			Depth	55
EEl	43,4	Energy efficiency class	C	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,760	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,6	
Programme duration (h:min)	3:25	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	44	Airborne acoustical noise emission class	B	
Off-mode (W)	-	Standby mode (W)	-	
Delay start (W)	-	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV661D60UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	16	Dimensions in cm	Height	81
			Width	59
			Depth	55
EEL	48,6	Energy efficiency class	D	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,850	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:25	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	45	Airborne acoustical noise emission class	C	
Off-mode (W)	-	Standby mode (W)	-	
Delay start (W)	-	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS661C60WUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	16	Dimensions in cm	Height	84
			Width	60
			Depth	59
EEl	43,4	Energy efficiency class	C	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,760	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,6	
Programme duration (h:min)	3:25	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	42	Airborne acoustical noise emission class	B	
Off-mode (W)	-	Standby mode (W)	0,49	
Delay start (W)	3,95	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV520E40UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	11	Dimensions in cm	Height	81
			Width	44
			Depth	60
EEL	55,8	Energy efficiency class	E	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,804	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,0	
Programme duration (h:min)	3:58	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS520E40WUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	11	Dimensions in cm	Height	84
			Width	44
			Depth	60
EEL	55,8	Energy efficiency class	E	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,803	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,0	
Programme duration (h:min)	3:58	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV603D40UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	14	Dimensions in cm	Height	81
			Width	59
			Depth	55
EEL	49,9	Energy efficiency class	D	
Cleaning performance index	1,13	Drying performance index	1,09	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,848	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	10,0	
Programme duration (h:min)	3:59	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	47	Airborne acoustical noise emission class	D	
Off-mode (W)	0,49	Standby mode (W)	0,60	
Delay start (W)	1,00	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV651D60UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	13	Dimensions in cm	Height	81
			Width	59
			Depth	55
EEL	46,0	Energy efficiency class	D	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,770	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,9	
Programme duration (h:min)	3:25	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	45	Airborne acoustical noise emission class	C	
Off-mode (W)	-	Standby mode (W)	0,49	
Delay start (W)	3,95	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HV672C60UK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	16	Dimensions in cm	Height	81
			Width	59
			Depth	57
EEl	43,4	Energy efficiency class	C	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,760	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,6	
Programme duration (h:min)	3:25	Type	Built-in	
Airborne acoustical noise emissions (dB(A) re 1 pW)	39	Airborne acoustical noise emission class	B	
Off-mode (W)	-	Standby mode (W)	0,49	
Delay start (W)	3,95	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS661C60XUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	16	Dimensions in cm	Height	84
			Width	60
			Depth	59
EEl	43,4	Energy efficiency class	C	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,760	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	9,6	
Programme duration (h:min)	3:25	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	42	Airborne acoustical noise emission class	B	
Off-mode (W)	-	Standby mode (W)	0,49	
Delay start (W)	3,95	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS520E40XUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	0	Dimensions in cm	Height	0
			Width	0
			Depth	0
EEl	0,0	Energy efficiency class		
Cleaning performance index	0,00	Drying performance index	0,00	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,000	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	0,0	
Programme duration (h:min)	-	Type		
Airborne acoustical noise emissions (dB(A) re 1 pW)	0	Airborne acoustical noise emission class		
Off-mode (W)	-	Standby mode (W)	-	
Delay start (W)	-	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS620D10WUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	14	Dimensions in cm	Height	59
			Width	84
			Depth	60
EEL	49,9	Energy efficiency class	D	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,849	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:18	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	45	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	-	
Delay start (W)	-	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2017

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska 12, 3320 Velenje, SI

Model identifier: HS620D10XUK

General product parameters:

Parameter	Value	Parameter	Value	
Rated capacity (kg)	14	Dimensions in cm	Height	59
			Width	84
			Depth	60
EEl	49,9	Energy efficiency class	D	
Cleaning performance index	1,13	Drying performance index	1,07	
Energy consumption in kWh [per cycle], based on the eco programme using cold water fill. Actual energy consumption will depend on how the appliance is used.	0,849	Water consumption in litres [per cycle], based on the eco programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	11,0	
Programme duration (h:min)	3:18	Type	Free-standing	
Airborne acoustical noise emissions (dB(A) re 1 pW)	45	Airborne acoustical noise emission class	C	
Off-mode (W)	0,49	Standby mode (W)	-	
Delay start (W)	-	Networked standby (W)	-	

Minimum duration of the guarantee offered by the manufacturer : 24 months

Additional information:

<http://global.hisense.com/>