

# Technical data

| Product Fiche (according EU 1061/2010)  |                               |             |             |              |
|---|-------------------------------|-------------|-------------|--------------|
| Trade mark  | Haier                         | Haier       | Haier       | Haier        |
| Model No.   | HW70-B12636                   | HW80-B12636 | HW80-B14636 | HW100-B14636 |
| Rated capacity(kg)  | 7                             | 8           | 8           | 10           |
| Energy efficiency class   | A+++                          | A+++        | A+++        | A+++         |
| Energy consumption per year (kWh) <sup>1)</sup>   | 106                           | 97          | 97          | 120          |
| Energy consumption of cotton 60°C, full load (kWh/cycle)  | 0.5                           | 0.42        | 0.42        | 0.53         |
| Energy consumption of cotton 60°C, partial load (kWh/cycle)   | 0.47                          | 0.431       | 0.431       | 0.6          |
| Energy consumption of cotton 40°C, partial load (kWh/cycle)   | 0.45                          | 0.41        | 0.41        | 0.5          |
| Weighted power consumption of the off-mode (W).   | 0.5                           | 0.5         | 0.5         | 0.5          |
| Weighted power consumption of the left-on mode(W).  | 0.57                          | 0.56        | 0.56        | 0.58         |
| Water consumption per year (L) <sup>2)</sup>  | 9000                          | 11500       | 11500       | 12000        |
| Spin-drying efficiency class <sup>3)</sup>  | B                             | B           | B           | B            |
| Max.spin speed (rpm) <sup>4)</sup>  | 1200                          | 1200        | 1400        | 1400         |
| Remaining moisture content (%) <sup>4)</sup>  | 53                            | 53          | 53          | 53           |
| standard 60°C cotton program <sup>5)</sup>  | Cotton+60°C+Intense+Max speed |             |             |              |
| standard 40°C cotton program <sup>5)</sup>  | Cotton+40°C+Intense+Max speed |             |             |              |
| Program time of cotton 60°C, full load (min)  | 270                           | 206         | 208         | 228          |
| Program time of cotton 60°C, partial load(min)  | 270                           | 206         | 208         | 228          |
| Program time of cotton 40°C, partial load (min)   | 267                           | 203         | 205         | 225          |
| Duration of the left-on mode (min) <sup>6)</sup>  | -                             | -           | -           | -            |
| Airborne acoustical noise (washing/spinning)(dB(A)) <sup>7)</sup>   | 53/67                         | 53/67       | 53/67       | 53/67        |
| Type  | freestanding                  |             |             |              |
| 1) Based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load, and the consumption of the low-power modes. Actual energy consumption will depend on how the appliance is used.  |                               |             |             |              |
| 2) Based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.   |                               |             |             |              |
| 3) Class G is the least efficient and Class A is the most efficient.  |                               |             |             |              |
| 4) Based on the standard 60°C cotton program at full load and the standard 40°C cotton program at partial load  |                               |             |             |              |
| 5) "standard 60°C cotton program" and "standard 40°C cotton program" are the standard washing programmes to which the information in the label and fiche relates. These programmes are suitable to clean normally soiled cotton laundry and they are the most efficient programmes in terms of combined energy and water consumption. |                               |             |             |              |
| 6) In case there is a power management system   |                               |             |             |              |
| 7) Based on the standard 60°C cotton program at full load   |                               |             |             |              |

Basic technical information regarding the appliance.

|                          | HW70-B12636       | HW80-B12636      | HW80-B14636      | HW100-B14636     |
|--------------------------|-------------------|------------------|------------------|------------------|
| Power source             | 220V- 240V~/50 Hz | 220V-240V~/50 Hz | 220V-240V~/50 Hz | 220V-240V~/50 Hz |
| Max. working current (A) | 10                | 10               | 10               | 10               |
| Water pressure (MPa)     | 0.03≤P ≤1         | 0.03≤P ≤1        | 0.03≤P ≤1        | 0.03≤P ≤1        |
| Washing programs         | 16                | 16               | 16               | 16               |
| Max power (W)            | 2000              | 2000             | 2000             | 2000             |
| Dimensions (HxDxW mm)    | 850 x 460 x 595   | 850 x 550 x 595  | 850 x 550 x 595  | 850 x 600 x 595  |
| Net weight (kg)          | 64                | 72               | 72               | 74               |