

Product Fiche compliant to commission delegated regulation (EU) No 65/2014	
Brand	INDESIT
Model	IT50E(W) S
EEI [%] Energy Efficiency Index - Main cavity 1)	131.9
EEI [%] Energy Efficiency Index - Secondary cavity 1)	0
Energy Efficiency Class - Main cavity 2)	B
Energy Efficiency Class - Secondary cavity 2)	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	1.07
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0
Number of cavities	2
Heat source - Main cavity	ELECTRICITY
Heat Source - Secondary cavity	Electric
Usable volume [l] - Main cavity	62
Usable volume [l] - Secondary cavity	0

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014		Symbol	Value	Unit
Model identification			IT50E(W) S	
Type of oven			CONVENTIONAL	
Mass of the appliance		M	45.9	Kg
Number of cavities			2	
Heat source per cavity (electricity or gas)			ELECTRICITY	
Volume per cavity - Main cavity		V	62	l
Volume per cavity - Secondary cavity		V	0	l
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity		ECelectric cavity	1.07	kWh/cycle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity		ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity		ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity		ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)		ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity		ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)		ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity		ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)		ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity		ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)		ECgas cavity	0.00	MJ/cycle

Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy Efficiency Index per cavity - Main cavity	EElcavity	131.9	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	0.0	

1) 1kWh/cycle = 3,6 MJ/cycle

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Forma t	Unit
Model identification		IT50E(W) S	
Type of hob		ELECTR IC	
Number of cooking zones and/or areas		4	
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)			
Left behind		Fast Electric Plate	
Center behind			
Right behind		Fast Electric Plate	
Left center			
Center center			
Right center			
Left ahead		Fast Electric Plate	
Center ahead			
Right ahead		Fast Electric Plate	
For circular cooking zones: diameter of useful surface area per electric heated cooking zone			
Left behind	∅	18.5	cm
Center behind	∅	0.0	cm
Right behind	∅	15.5	cm
Left center	∅	0.0	cm
Center center	∅	0.0	cm
Right center	∅	0.0	cm
Left ahead	∅	15.5	cm
Center ahead	∅	0.0	cm
Right ahead	∅	18.5	cm
For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area			
Left behind	L ; W	0.0 ; 0.0	cm
Center behind	L ; W	0.0 ; 0.0	cm
Right behind	L ; W	0.0 ; 0.0	cm
Left center	L ; W	0.0 ; 0.0	cm
Center center	L ; W	0.0 ; 0.0	cm
Right center	L ; W	0.0 ; 0.0	cm
Left ahead	L ; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L ; W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg			
Left behind	EElectric cooking	224.0	Wh/Kg
Center behind	EElectric cooking	0.0	Wh/Kg
Right behind	EElectric cooking	226.0	Wh/Kg
Left center	EElectric cooking	0.0	Wh/Kg
Center center	EElectric	0.0	Wh/Kg

	cooking		
Right center	ECElectric cooking	0.0	Wh/Kg
Left ahead	ECElectric cooking	226.0	Wh/Kg
Center ahead	ECElectric cooking	0.0	Wh/Kg
Right ahead	ECElectric cooking	205.0	Wh/Kg
Energy consumption for the hob calculated per Kg	ECElectric hob	220.2	Wh/Kg
Number of gas fired burners		0	
Energy efficiency per gas burner			
Left behind	EEgas burner	0.0	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	