

**Serie | 4, Free-standing fridge, 176 x 60 cm, Inox-look
KSV33VLEPG**



A ↑
G E



Included accessories

3 x egg tray

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- LED lights bring a completely new lighting concept to fridges
- FreshSense sensors constantly monitor and control the ambient, fridge and freezer temperature
- **EasyAccess Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **SuperCooling:** cools new food placed inside faster, thus protecting already cooled food.

Technical Data

Energy Efficiency Class: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 113 kWh/annum
 Sum of volume of frozen compartments: 0 l
 Sum of volume of chill compartments: 324 l
 Airborne acoustical noise emissions : 39 dB(A) re 1 pW
 Airborne acoustical noise emission class: C
 Construction type: Free-standing
 Door panel options: Not possible
 Height: 1760 mm
 Width of the appliance: 600 mm
 Depth of the product: 650 mm
 Net weight: 59.500 kg
 Fuse protection: 10 A
 Door hinge: Left reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Approval certificates: CE, Morocco, VDE
 Length of electrical supply cord: 230 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: Yes
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment (Stck): 5
 Shelves for Bottles: Yes
 EAN code: 4242005320974
 Brand: Bosch
 Product name / Commercial code: KSV33VLEPG
 Product category: Refrigerator
 Frost free system: No
 Installation type: N/A



4 242005 320974

**Serie | 4, Free-standing fridge, 176 x 60 cm,
Inox-look
KSV33VLEPG**

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Key features - Freezer section

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features

- Cambered door, High-door design Stainless steel look
- Upright fridge

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 324 l
- Net Fridge Volume : 324 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 113 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C

Design features

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Vertical door handle

Functions

- LED electronic control
- Automatic defrost fridge
- Bright interior LED fridge light
- Super Cooling: automatic deactivation
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- Left hinged, door reversible
- Metal bottle rack
- 5 door bins

Key features - Fridge section

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- Interior ventilator
- 7 removable safety glass shelves of which 5 are easy pull out
- 3 x egg tray

Dimension and installation



- 220 - 240 V
- Height adjustable front feet
- Dimensions: 176 cm H x 60 cm W x 65 cm D

**Serie | 4, Free-standing fridge, 176 x 60 cm,
Inox-look
KSV33VLEPG**

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a Height
 b Width
 c Depth with closed door w/o handle and w/o distance part
 d Depth of cabinet w/o distance part
 e Width with open door w/o handle
 f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm