

## Type

Cookers

## General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

20" Containerization

LeadTime

Combined Naming

Changes notes

## Energy Label

Energy Label Required

Energy class OD

Natural convention energy consumption (kWh)

Main oven net capacity l

Required cooking time for normal load (min)

Secondary oven energy class OD

Natural convention energy consumption secondary oven(kWh)

Secondary oven net capacity l

Required cooking time for normal load secondary oven(min)

Heat Source

Energy consumption in conventional mode (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode(gas final energy) [MJ/Cycle]

Energy consumption in conventional mode (gas final energy)[KWh/Cycle]

Heat source secondary oven

Energy consumption in conventional mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[KWh/Cycle]

Heat source third oven

Energy consumption in conventional mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[KWh/Cycle]

Convention oven consumption

Convention secondary oven consumption

Main oven grilling tray surface

Hob energy efficiency

Energy Label Country

#### Technical Data

Supply voltage [V]/Supply frequency [Hz]

(Alternative) Supply voltage [V]/Supply frequency [Hz]

Absorbed current [A]

Plug type

Minimum Cable length (m)

Gas type

Alternative gas

Gas connectors

Main oven max power [W]

Main grill max power [W]

#### Dimensions & Weights

Height PF (mm)

Width PF (mm)

Depth PF (mm)

Depth with handle (mm)

Depth with open door (mm)

Built-in hole height (mm)

Built-in hole width (mm)

Built-in hole depth (mm)

Package type

Package height (mm)

Package width (mm)

Package depth (mm)

Net weight (Kg)

Gross weight (Kg)

#### User Interface

Type of regulation

Function indicator

#### Hob characteristics

Type of hob

Info of hob

Special hob features

Burner and burner cap

Hob accessories

#### Aesthetics

Fascia type

Oven door glass colour

Hinge

Type of lid

Handle type

Gas Tank Compartment

Legs

#### Hob layout

No. of total cooking areas

No. electric plates

No. induction areas

No. Hood area

Bridge left area - power (W)

Rear Side

Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-behind

Circular cooking zone or area-diameter surface [in] zone left-behind

Non-circular cooking zone or area-length [mm] zone left-behind

Non-circular cooking zone or area-length [in] zone left-behind

Non-circular cooking zone or area-width [mm] zone left-behind

Non-circular cooking zone or area-width [in] zone left-behind

Rear left area - type

Left rear area - dimensions

Rear left area - power (W)

Energy consumption [Wh/Kg] zone left-behind

Energy efficiency per gas burners [%] zone left-behind

Electricity consumption left-behind

Rear left area - power booster [W]

Rear left area - double power booster [W]

Front Side

Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-ahead

Circular cooking zone or area-diameter surface [in] zone left-ahead

Non-circular cooking zone or area-length [mm] zone left-ahead

Non-circular cooking zone or area-length [in] zone left-ahead

Non-circular cooking zone or area-width [mm] zone left-ahead

Non-circular cooking zone or area-width [in] zone left-ahead

Left front area - type

Left front area - dimensions

Front left area - power (W)

Energy consumption [Wh/Kg] zone left-ahead

Energy efficiency per gas burners [%] zone left-ahead

Electricity consumption left-ahead

Total electricity consumption

Front left area - power booster [W]

Front left area - double power booster [W]

Main Oven

Oven cavity

Cooking modes 1

Cleaning

Light turning on

Type of main oven guides

Gross volume oven

Net oven volume

Oven grids

Oven grill tray

## **Secondary Oven**

Secondary oven type/Secondary grill

Cooking modes 2

Secondary oven cleaning

Secondary oven turnspit

Matériau de la cavité du four secondaire

Gross volume secondary oven

Net volume secondary oven

Grids of the secondary oven

Oven gasket 2

## **Third Oven**

Third oven type/Third Grill

Type of third oven guides

Gross volume third oven

Net volume third oven

Third oven accessories

## **Safety devices**

Hob ignition

Cooling fan

No. residual heat indicators

## **Documentation**

Booklet languages

Annual energy consumption - AEChood (kWh/annum)

Fluid dynamic efficiency class

Power consumption off mode - Po (W)

Grease filtering efficiency - GFEhood (%)

Odor reduction Factor of (%)

Maximum air flow in normal use (Intensive / Boost excluded) (m<sup>3</sup>/h)

Average illumination of the lighting system on the cooking surface - Emiddle (Lux)

Max air flow (m<sup>3</sup>/h)

Output air extraction (m<sup>3</sup>/h)

Sound power level at Intensive/Boost Setting - (dB(A) re 1Pw)

Fan power [W]

Type of hood

Filter type

Special features hoods

Technical Code

AH0QJENAXE.KB

UnderReview

COOKERS 60X60 CM - PREMIUM

BERTAZZONI

Make

FREE STANDING

AH0QJENAXE.KB

MAS64I1EXC - Master FS Cookers - Induction - Black

YES

MAS64I1EXC

GREAT BRITAIN

0

0

85166010

YES

A

0.86

58

0

ELECTRIC

0.86

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FES.PCX

1190

UE + UK

220-240V~/380-415V3N~ 50/60Hz collaudo trifase

NO

NO

1,8

ELECTRIC PRODUCT

NO

NO

2500.0

0.0

893-913

600

600

658

1030

0

0

0

FORK PALLET

1080

706

720

60.0

85.0

KNOBS

RING

60X60 PREMIUM INDUCTION

SQUARED 4 INDUCTION ZONES G5

BOOSTER;BRIDGE;CHILD LOCK

NO

NO

EMBOSSSED STAINLESS STEEL

O SHAPE MAS/AMER ROUNDED CORNERS

SOFT MOTION

RAISER

MASTER 2020

NO

STAINLESS STEEL Ø 6 CM TYPE A

4

0

4

210  
0  
0  
0.0  
0  
0.0  
INDUCTION  
210  
2300  
0  
0  
175  
3700

180  
0  
0  
0.0  
0  
0.0  
INDUCTION  
180  
1850  
0  
0  
175  
175  
3000

60X60 PREMIUM WELDED

BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVECTION BAKE;DEFROSTING;FAST PREHEATING;GR  
NO  
1  
LATERALS GRIDS  
71.0  
51.0  
2 PREMIUM  
1 DEEP ENAMELED + 1 GRID TRAY

[REDACTED]

NO

NO

NO

NO

0.0

0.0

NO

NO

[REDACTED]

NO

NO

0.0

0.0

NO

[REDACTED]

NO

YES

YES

[REDACTED]

ENGLISH



## Commercial Code

MAS64I1EXC

## Life Cycle

Aesthetical line

Private Label

Type of production

Factory

Predecessor Code

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

40" Containerization

MOQ of purchase

Notes

Number of cavities

Oven program used to determine energy class

Forced convention energy consumption (kWh)

Oven typology energy label

Oven program used to determine energy class of secondary oven

Forced convention energy consumption secondary oven(kWh)

Oven typology energy label secondary oven

EEI [%]Energy efficiency index

Energy consumption in fan forced mode(electric final energy) [KWh/Cycle]

Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]

Energy consumption in fan forced mode (gas final energy)[KWh/Cycle]

EEI [%]energy efficiency index secondary oven

Energy consumption in fan forced mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[KWh/Cycle]

EEI [%]Energy efficiency index third oven

Energy consumption in fan forced mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[KWh/Cycle]

Fan-assisted oven consumption

Fan-assisted secondary oven consumption

Secondary oven grilling tray surface

Heating technology

Absorbed power [W]  
(Alternative) Absorbed power [W]  
Gas power [kW]

Minimum Cable length (in)

Alternative gas

Secondary oven max power [W]  
Secondary grill max power [W]

Height PF (in)  
Width PF (in)  
Depth PF (in)  
Depth with handle (in)  
Depth with open door (in)  
Built-in hole height (in)  
Built-in hole width (in)  
Built-in hole depth (in)

Package height (in)  
Package width (in)  
Package depth (in)  
Net weight (Lb)  
Gross weight (Lb)

Type of regulation  
Cooking control functions

MC\_05-PowerLimitation  
Cooking Zone  
Hob material  
Pan support type

Inner door  
Side panel colour  
Knob type  
Dish warmer  
Plinth

No. gas burners  
No. of radiant areas  
No. dishwarmer areas

No. of bridge induction areas

Bridge right area - power (W)

Circular cooking zone or area-diameter surface [mm] zone center-behind

Circular cooking zone or area-diameter surface [in] zone center-behind

Non-circular cooking zone or area-length [mm] zone center-behind

Non-circular cooking zone or area-length [in] zone center-behind

Non-circular cooking zone or area-width [mm] zone center-behind

Non-circular cooking zone or area-width [in] zone center-behind

Rear middle area - type

Middle rear area - dimensions

Rear middle area - power (W)

Energy consumption [Wh/Kg] zone center-behind

Energy efficiency per gas burners [%] zone center-behind

Electricity consumption center-behind

Rear middle area - power booster [W]

Rear middle area - double power booster [W]

Circular cooking zone or area-diameter surface [mm] zone center-ahead

Circular cooking zone or area-diameter surface [in] zone center-ahead

Non-circular cooking zone or area-length [mm] zone center-ahead

Non-circular cooking zone or area-length [in] zone center-ahead

Non-circular cooking zone or area-width [mm] zone center-ahead

Non-circular cooking zone or area-width [in] zone center-ahead

Middle front area - type

Middle front area - dimensions

Middle front area - power (W)

Energy consumption [Wh/Kg] zone center-ahead

Energy efficiency per gas burners [%] zone center-ahead

Electricity consumption center-ahead

Front middle area - power booster [W]

Front middle area - double power booster [W]

Main oven type/main grill

Cleaning functions 1

Turnspit/Fans

Main cavity material

Gross volume oven [cu.ft]

Net volume oven [cu.ft]

Main oven accessories

Oven gasket

## **Cleaning functions 2**

**Secondary oven light turning on**

**Type of secondary oven guides**

**Gross volume secondary oven [cu.ft]**

**Net volume secondary oven [cu.ft]**

**Secondary oven accessories**

**Oven grill tray 2**

## **Cooking modes 3**

**Grids of the third oven**

**Gross volume third oven [cu.ft]**

**Net volume third oven [cu.ft]**

**Oven grill tray 3**

**Hob flame failure device**

**Anti-tilt**

**Knob deflector**

## **Warranty certificate**

**Energy efficiency class**

**Lighting efficiency class**

**Power consumption in standby mode - Ps (W)**

**Light efficiency - LEhood (Lux/Watt)**

**Fluid dynamic efficiency - FDEhood (%)**

**Minimum air flow in normal use (m<sup>3</sup>/h)**

**Energy efficiency index - EEIhood**

**IEC extraction (m<sup>3</sup>/h)**

**Measured electric power input at best efficiency point - Wbep (W)**

**Sound power level at minimum speed available in normal use (dB(A) re 1Pw)**

**Measured air pressure at best efficiency point - Pbep (Pa)**

**Hood control**

**Hood accessories**

**Child lock**

Code

F006108

Y2 - On Management

MASTER

BERTAZZONI

CBU

Guastalla

AH0QJENANE.KB

8057971108749

BERTAZZONI UK

CE;UKCA

0

0

1

FEV.PCX

0.74

93.7

0.74

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FEV.PCX

INDUCTION

[REDACTED]

9900 W ( INDUCTION 7400W)

0.0

71"

NO

0.0

0.0

[REDACTED]

0

0

0

0

42 1/2

27 13/16

28 1/8

0.0

0.0

[REDACTED]

THERMOMETER

CHECK PREHEATING

[REDACTED]

ELECTRIC

STAINLESS STEEL

NO

[REDACTED]

SQUARED 3 GLASSES

STAINLESS STEEL

MASTER METAL WITH RING 2020

FLAP STAINLESS STEEL

NO

[REDACTED]

0

0

0



0  
0  
0  
0.0  
0  
0.0

0  
0  
0



0  
0  
0  
0.0  
0  
0.0

0  
0  
0  
0



CONVECTION ELECTRIC OVEN MULTI 9/MULTI11

1 FAN  
BLACK ENAMELED

1 EXTRACTION HANDLE  
4 SIDES

[REDACTED]

NO  
NO

NO  
NO

[REDACTED]

NO

NO

[REDACTED]

NO

YES + CHAIN

NO

[REDACTED]

NO



Colour leading code

STAINLESS STEEL

Technical code of derivation

Approval code

40" Containerization - High cube

0

MOQ of selling

0

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

No. of total electric cooking areas	4
No. halogen areas	0
MC_05-NbruciatoriWok	

Circular cooking zone or area-diameter surface [mm] zone right-behind	180
Circular cooking zone or area-diameter surface [in] zone right-behind	0
Non-circular cooking zone or area-length [mm] zone right-behind	0
Non-circular cooking zone or area-length [in] zone right-behind	0.0
Non-circular cooking zone or area-width [mm] zone right-behind	0
Non-circular cooking zone or area-width [in] zone right-behind	0.0
Rear right area - type	INDUCTION
Right rear area - dimensions	180
Right rear area - power (W)	1850
Energy consumption [Wh/Kg] zone right-behind	0
Energy efficiency per gas burners [%] zone right-behind	0
Electricity consumption right-behind	175
Rear right area - power booster [W]	3000
Rear right area - double power booster [W]	

Circular cooking zone or area-diameter surface [mm] zone right-ahead	180
Circular cooking zone or area-diameter surface [in] zone right-ahead	0
Non-circular cooking zone or area-length [mm] zone right-ahead	0
Non-circular cooking zone or area-length [in] zone right-ahead	0.0
Non-circular cooking zone or area-width [mm] zone right-ahead	0
Non-circular cooking zone or area-width [in] zone right-ahead	0.0
Front right area - type	INDUCTION
Right front area - dimensions	180
Front right area - power (W)	1850
Energy consumption [Wh/Kg] zone right-ahead	0
Energy efficiency per gas burners [%] zone right-ahead	0
Electricity consumption right-ahead	175
Front right area - power booster [W]	3000
Front right area - double power booster [W]	

Grease filtering efficiency class

Air flow at intensive/Boost setting - ( $\text{m}^3/\text{h}$ )

Increase factor

Measured air flow rate at best efficiency point -  $Q_{\text{bep}}$  ( $\text{m}^3/\text{h}$ )

Nominal power consumption of the lighting system -  $W_l$  (W)

Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)

Sound level maximum speed (dbA)

Speed

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]