

Type	Technical Code
Cookers	AXOYJENANE.00
General Information	
Stato	UnderReview
Product family	COOKERS 90X60 CM - PREMIUM
Brand	BERTAZZONI
Make or Buy Flag	Make
Type of installation	FREE STANDING
Technical code	AXOYJENANE.00
Commercial description	MAS95I1ENEC - Master FS Cookers - Induction - Black
Short Description IT	MAS95I1ENEC - Master FS Cookers - Induction - Black
Short Description EN	MAS95I1ENEC - Master FS Cookers - Induction - Black
EAN Required	YES
Commercial code	MAS95I1ENEC
Market	EUROPE;GREAT BRITAIN
Years of warranty	2
20" Containerization	0
LeadTime	0
Combined Naming	85166010
Changes notes	
Energy Label	
Energy Label Required	YES
Energy class OD	A
Natural convention energy consumpt	1,1
Main oven net capacity l	86
Required cooking time for normal lo	
Secondary oven energy class OD	
Natural convention energy consumpt	
Secondary oven net capacity l	0
Required cooking time for normal lo	
Heat Source	ELECTRIC
Energy consumption in conventional	1.1
Energy consumption in conventional	0.0
Energy consumption in conventional	0.0
Heat source secondary oven	
Energy consumption in conventional	0.0
Energy consumption in conventional	0.0
Energy consumption in conventional	0.0
Heat source third oven	
Energy consumption in conventional	0.0
Energy consumption in conventional	0.0
Energy consumption in conventional	0.0
Convention oven consumption	FES.PCX
Convention secondary oven consump	
Main oven grilling tray surface	2030
Hob energy efficiency	
Energy Label Country	UE + UK
Technical Data	

Supply voltage [V]/Supply frequency	220-240V~/380-415V3N~ 50/60Hz collaudo monofase
(Alternative) Supply voltage [V]/Supply frequency	NO
Absorbed current [A]	50A
Plug type	NO
Minimum Cable length (m)	1,8
Gas type	ELECTRIC PRODUCT
Alternative gas	NO
Gas connectors	NO
Main oven max power [W]	3500.0
Main grill max power [W]	2700.0

Dimensions & Weights

Height PF (mm)	893-913
Width PF (mm)	900
Depth PF (mm)	600
Depth with handle (mm)	658
Depth with open door (mm)	1030
Built-in hole height (mm)	
Built-in hole width (mm)	
Built-in hole depth (mm)	
Package type	FORK PALLET
Package height (mm)	1080
Package width (mm)	1006
Package depth (mm)	720
Net weight (Kg)	87.0
Gross weight (Kg)	108.0

User Interface

Type of regulation	KNOBS
Function indicator	RING

Hob characteristics

Type of hob	90X60 PREMIUM INDUCTION
Info of hob	SQUARED 5 INDUCTION ZONES DOUBLE BRIDGE
Special hob features	BOOSTER;BRIDGE;CHILD LOCK
Burner and burner cap	NO
Hob accessories	NO

Aesthetics

Fascia type	EMBOSSSED STAINLESS STEEL
Oven door glass colour	O SHAPE MAS/AMER ROUNDED CORNERS
Hinge	SOFT MOTION
Type of lid	RAISER
Handle type	MASTER 2020
Gas Tank Compartment	NO
Legs	STAINLESS STEEL Ø 6 CM TYPE A

Hob layout

No. of total cooking areas	5
No. electric plates	0
No. induction areas	5
No. Hood area	
Bridge left area - power (W)	

Rear Side

Left\$Centre\$Right

Circular cooking zone or area-diameter	
Circular cooking zone or area-diameter	
Non-circular cooking zone or area-length	200
Non-circular cooking zone or area-length	0.0
Non-circular cooking zone or area-width	210
Non-circular cooking zone or area-width	0.0
Rear left area - type	INDUCTION
Left rear area - dimensions	200x210
Rear left area - power (W)	2100
Energy consumption [Wh/Kg] zone left	
Energy efficiency per gas burners [%]	
Electricity consumption left-behind	175
Rear left area - power booster [W]	3000
Rear left area - double power booster	

Front Side**Left\$Centre\$Right**

Circular cooking zone or area-diameter	
Circular cooking zone or area-diameter	
Non-circular cooking zone or area-length	200
Non-circular cooking zone or area-length	0.0
Non-circular cooking zone or area-width	210
Non-circular cooking zone or area-width	0.0
Left front area - type	INDUCTION
Left front area - dimensions	200x210
Front left area - power (W)	1600
Energy consumption [Wh/Kg] zone left	
Energy efficiency per gas burners [%]	
Electricity consumption left-ahead	175
Total electricity consumption	175
Front left area - power booster [W]	1850
Front left area - double power booster	

Main Oven

Oven cavity	90X60 PREMIUM WELDED
Cooking modes 1	BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVECTION
Cleaning	NO
Light turning on	2
Type of main oven guides	LATERALS GRIDS
Gross volume oven	105.0
Net oven volume	79.0
Oven grids	2 PREMIUM
Oven grill tray	1 ENAMELED + 1 GRID TRAY

Secondary Oven

Secondary oven type/Secondary grill	NO
Cooking modes 2	
Secondary oven cleaning	NO
Secondary oven turnspit	NO
Matériau de la cavité du four second	NO

Gross volume secondary oven	0.0
Net volume secondary oven	0.0
Grids of the secondary oven	NO
Oven gasket 2	NO

Third Oven

Third oven type/Third Grill	NO
Type of third oven guides	NO
Gross volume third oven	0.0
Net volume third oven	0.0
Third oven accessories	NO

Safety devices

Hob ignition	NO
Cooling fan	YES
No. residual heat indicators	YES

Documentation

Booklet languages	ENGLISH
-------------------	---------

Annual energy consumption - AEChoi

Fluid dynamic efficiency class

Power consumption off mode - Po (W)

Grease filtering efficiency - GFEhood

Odor reduction Factor of (%)

Maximum air flow in normal use (Int

Average illumination of the lighting s

Max air flow (m³/h)

Output air extraction (m³/h)

Sound power level at Intensive/Boos

Fan power [W]

Type of hood

Filter type

Special features hoods

Commercial Code	Code
-----------------	------

MAS95I1ENEC	F004921
-------------	---------

Life Cycle	Y2 - On Management
------------	--------------------

Aesthetical line	MASTER
------------------	--------

Private Label	BERTAZZONI
---------------	------------

Type of production	CBU
--------------------	-----

Factory	Guastalla
---------	-----------

Predecessor Code	AXOYJEMANE.00
------------------	---------------

Short Description FR	MAS95I1ENEC - Master FS Cookers - Induction - Black
----------------------	---

Short Description US	MAS95I1ENEC - Master FS Cookers - Induction - Black
----------------------	---

Ean code	8059304886126
----------	---------------

Second commercial code	
------------------------	--

Customer	GENERICO
----------	----------

Approvals	CE;UKCA
-----------	---------

40" Containerization	0
----------------------	---

MOQ of purchase	0
-----------------	---

Notes

Number of cavities	1
--------------------	---

Oven program used to determine	FAST.PCX
--------------------------------	----------

Forced convection energy consumption	0,87
--------------------------------------	------

Oven typology energy label	BIG (65L <= VOLUME)
----------------------------	---------------------

Oven program used to determine	
--------------------------------	--

Forced convection energy consumption	
--------------------------------------	--

Oven typology energy label section	
------------------------------------	--

EEI [%]Energy efficiency index	95.6
--------------------------------	------

Energy consumption in fan forced	0.87
----------------------------------	------

Energy consumption in fan forced	0.0
----------------------------------	-----

Energy consumption in fan forced	0.0
----------------------------------	-----

EEI [%]energy efficiency index	:0.0
--------------------------------	------

Energy consumption in fan forced	0.0
----------------------------------	-----

Energy consumption in fan forced	0.0
----------------------------------	-----

Energy consumption in fan forced	0.0
----------------------------------	-----

EEI [%]Energy efficiency index	10.0
--------------------------------	------

Energy consumption in fan forced	0.0
----------------------------------	-----

Energy consumption in fan forced	0.0
----------------------------------	-----

Energy consumption in fan forced	0.0
----------------------------------	-----

Fan-assisted oven consumption	FAST.PCX
-------------------------------	----------

Fan-assisted secondary oven consumption	
---	--

Secondary oven grilling tray surface	
--------------------------------------	--

Heating technology	induction
--------------------	-----------

Absorbed power [W] 10900
(Alternative) Absorbed power [W] N.A.
Gas power [kW] 0.0

Minimum Cable length (in) 71"

Alternative gas NO

Secondary oven max power [W] 0.0
Secondary grill max power [W] 0.0

Height PF (in) 0
Width PF (in)
Depth PF (in)
Depth with handle (in)
Depth with open door (in)
Built-in hole height (in)
Built-in hole width (in)
Built-in hole depth (in)

Package height (in) 42 1/2
Package width (in) 39 5/8
Package depth (in) 28 1/8
Net weight (Lb) 0.0
Gross weight (Lb) 0.0

Type of regulation THERMOMETER
Cooking control functions CHECK PREHEATING

MC_05-PowerLimitation

Cooking Zone ELECTRIC
Hob material STAINLESS STEEL
Pan support type NO

Inner door SQUARED 3 GLASSES
Side panel colour BLACK
Knob type MASTER METAL WITH RING 2020
Dish warmer FLAP BLACK
Plinth NO

No. gas burners 0
No. of radiant areas 0
No. dishwarmer areas 0
No. of bridge induction areas
Bridge right area - power (W)

Circular cooking zone or area-di
Circular cooking zone or area-di
Non-circular cooking zone or area
Non-circular cooking zone or area 0.0
Non-circular cooking zone or area
Non-circular cooking zone or area 0.0
Rear middle area - type
Middle rear area - dimensions
Rear middle area - power (W)
Energy consumption [Wh/Kg] z
Energy efficiency per gas burner
Electricity consumption center-
Rear middle area - power boost
Rear middle area - double power

Circular cooking zone or area-di 265
Circular cooking zone or area-di
Non-circular cooking zone or area
Non-circular cooking zone or area 0.0
Non-circular cooking zone or area
Non-circular cooking zone or area 0.0
Middle front area - type INDUCTION
Middle front area - dimensions 265
Middle front area - power (W) 2300
Energy consumption [Wh/Kg] z
Energy efficiency per gas burner
Electricity consumption center- 175

Front middle area - power boost 3000
Front middle area - double power

Main oven type/main grill CONVECTION ELECTRIC OVEN MULTI 9/MULTI11

Cleaning functions 1

Turnspit/Fans 1 FAN
Main cavity material BLACK ENAMELED

Gross volume oven [cu.ft]

Net volume oven [cu.ft]
Main oven accessories 1 EXTRACTION HANDLE
Oven gasket 4 SIDES

Cleaning functions 2

Secondary oven light turning or NO
Type of secondary oven guides NO

Gross volume secondary oven [cu.ft]
Net volume secondary oven [cu.ft]
Secondary oven accessories NO
Oven grill tray 2 NO

Cooking modes 3

Grids of the third oven NO
Gross volume third oven [cu.ft]
Net volume third oven [cu.ft]
Oven grill tray 3 NO

Hob flame failure device NO
Anti-tilt YES + CHAIN
Knob deflector NO

Warranty certificate NO

Energy efficiency class
Lighting efficiency class
Power consumption in standby mode
Light efficiency - LEhood (Lux/W)
Fluid dynamic efficiency - FDEhood
Minimum air flow in normal use
Energy efficiency index - EEIhood
IEC extraction (m³/h)
Measured electric power input
Sound power level at minimum
Measured air pressure at best efficiency
Hood control
Hood accessories
Child lock



Colour leading code MATT BLACK

Technical code of derivation

Approval code
40" Containerization - High cube 0
MOQ of selling 0



[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

No. of total electric cooking areas 5

No. halogen areas 0

MC_05-NbruciatoriWok

[Redacted]

Circular cooking zone or area-diameter sur
Circular cooking zone or area-diameter sur
Non-circular cooking zone or area-length [m] 200
Non-circular cooking zone or area-length [in] 0.0
Non-circular cooking zone or area-width [m] 210
Non-circular cooking zone or area-width [in] 0.0
Rear right area - type INDUCTION
Rear right area - dimensions 200x210
Rear right area - power (W) 2100
Energy consumption [Wh/Kg] zone right-behind
Energy efficiency per gas burners [%] zone
Electricity consumption right-behind 175
Rear right area - power booster [W] 3000
Rear right area - double power booster [W]

Circular cooking zone or area-diameter sur
Circular cooking zone or area-diameter sur
Non-circular cooking zone or area-length [m] 200
Non-circular cooking zone or area-length [in] 0.0
Non-circular cooking zone or area-width [m] 210
Non-circular cooking zone or area-width [in] 0.0
Front right area - type INDUCTION
Front right area - dimensions 200x210
Front right area - power (W) 1600
Energy consumption [Wh/Kg] zone right-ahead
Energy efficiency per gas burners [%] zone
Electricity consumption right-ahead 175

Front right area - power booster [W] 1850
Front right area - double power booster [W]



Grease filtering efficiency class

Air flow at intensive/Boost setting - (m³/h)

Increase factor

Measured air flow rate at best efficiency point

Nominal power consumption of the lighting

Sound power level at maximum speed available

Sound level maximum speed (dbA)

Speed