

Type	Technical Code	Commercial Code	Code		
Cookers	AFPOJENAX4DKB	MAS116L3EXC	F004502		
General Information					
Stato	UnderReview	Life Cycle	Y2 - On Management		
Product family	COOKERS 110X60 CM TR	Aesthetical line	MASTER	Colour leading code	STAINLESS STEEL
Brand	BERTAZZONI	Private Label	BERTAZZONI		
Make or Buy Flag	Make	Type of production	CBU		
Type of installation	FREE STANDING	Factory	Guastalla		
Technical code	AFPOJENAX4DKB	Predecessor Code	ABPOJEAN4DKB	Technical code of derivation	
Commercial description	MAS116L3EXC - Master FS Cookers - Inox				
Short Description IT	MAS116L3EXC - Master F	Short Description FR	MAS116L3EXC - Master FS Cookers - Inox		
Short Description EN	MAS116L3EXC - Master F	Short Description US			
EAN Required	YES	Ean code	8059304881701		
Commercial code	MAS116L3EXC	Second commercial code			
Market	GREAT BRITAIN	Customer	GENERICO		
Years of warranty	2	Approvals	CE	Approval code	51CN4292
20" Containerization	0	40" Containerization	0	40" Containerization - High cube	0
LeadTime	0	MOQ of purchase	0	MOQ of selling	0
Combined Naming	73211110	Notes			
Changes notes					
Energy Label					
Energy Label Required	YES	Number of cavities	2		
Energy class OD	A	Oven program used to deter	FEV.PCX		
Natural convention energy consump	0.86	Forced convention energy cc	0.74		
Main oven net capacity l	58	Oven typology energy label	MEDIUM(35< = VOLUME < 65L)		
Required cooking time for normal lo					
Secondary oven energy class OD	A	Oven program used to deter	FES.PCX		
Natural convention energy consump	0.66	Forced convention energy cc			
Secondary oven net capacity l	46	Oven typology energy label :	MEDIUM(35< = VOLUME < 65L)		
Required cooking time for normal lo					
Heat Source	ELECTRIC	EEl [%]Energy efficiency ind	93.7		
Energy consumption in conventional	0.86	Energy consumption in fan fr	0.74		
Energy consumption in conventional	0.0	Energy consumption in fan fr	0.0		
Energy consumption in conventional	0.86	Energy consumption in fan fr	0.74		
Heat source secondary oven	ELECTRIC	EEl [%]energy efficiency ind	88.7		
Energy consumption in conventional	0.66	Energy consumption in fan fr	0.0		
Energy consumption in conventional	0.0	Energy consumption in fan fr	0.0		
Energy consumption in conventional	0.66	Energy consumption in fan fr	0.0		
Heat source third oven		EEl [%]Energy efficiency ind	0.0		
Energy consumption in conventional	0.0	Energy consumption in fan fr	0.0		
Energy consumption in conventional	0.0	Energy consumption in fan fr	0.0		
Energy consumption in conventional	0.0	Energy consumption in fan fr	0.0		
Convention oven consumption	FES.PCX	Fan-assisted oven consumpt	FEV.PCX		
Convention secondary oven consum	FES.PCX	Fan-assisted secondary oven			
Main oven grilling tray surface	1190	Secondary oven grilling tray	884		
Hob energy efficiency	56.3	Heating technology	GAS		
Energy Label Country	UE + UK				
Technical Data					
Supply voltage [V]/Supply frequenc	220-240V~/380-415V3N	Absorbed power [W]	6500		
(Alternative) Supply voltage [V]/Sup	NO	(Alternative) Absorbed power	N.A.		
Absorbed current [A]	29	Gas power [kW]	18.25		
Plug type	NO				
Minimum Cable length (m)	1,8	Minimum Cable length (in)	71"		
Gas type	G20/20MBAR - NATURAL GAS				
Alternative gas	G30/28-30MBAR OR G31	Alternative gas	NO		
Gas connectors	AUSTRALIA CONNECTOR;FEMALE FEMALE CONNECTOR				
Main oven max power [W]	2500.0	Secondary oven max power	1200.0		
Main grill max power [W]	2400.0	Secondary grill max power [l	1100.0		
Dimensions & Weights					
Height PF (mm)	900-915	Height PF (in)			
Width PF (mm)	1100	Width PF (in)			
Depth PF (mm)	600	Depth PF (in)			
Depth with handle (mm)	658	Depth with handle (in)			
Depth with open door (mm)	1030	Depth with open door (in)			
Built-in hole height (mm)		Built-in hole height (in)			
Built-in hole width (mm)		Built-in hole width (in)			
Built-in hole depth (mm)		Built-in hole depth (in)			
Package type	FORK PALLET				
Package height (mm)	1130	Package height (in)	44 1/2		
Package width (mm)	1206	Package width (in)	47 1/2		
Package depth (mm)	720	Package depth (in)	28 1/8		
Net weight (Kg)	146.0	Net weight (Lb)	0.0		
Gross weight (Kg)	154.5	Gross weight (Lb)	0.0		
User Interface					
Type of regulation	KNOBS	Type of regulation	THERMOMETER		
Function indicator	RING	Cooking control functions	CHECK PREHEATING		
Hob characteristics					
Type of hob	110X60 TRP O. PREMIUM MC_05-PowerLimitation				
Info of hob	SQUARED 6 GAS BURNEF	Cooking Zone	GAS		
Special hob features	NO	Hob material	STAINLESS STEEL		
Burner and burner cap	ALUMINUM + MATT BUR	Pan support type	CAST IRON HEAVY (BERTAZZONI - OLD)		
Hob accessories	NO				
Aesthetics					
Fascia type	EMBOSSED STAINLESS STEEL				
Oven door glass colour	O SHAPE MAS/AMER RO	Inner door	SQUARED 3 GLASSES		
Hinge	SOFT MOTION	Side panel colour	STAINLESS STEEL		

Type of lid	RAISER	Knob type	MASTER METAL WITH RING 2020
Handle type	MASTER 2020	Dish warmer	DRAWER STAINLESS STEEL
Gas Tank Compartment	NO	Plinth	NO
Legs	NO		

Hob layout

No. of total cooking areas	6	No. gas burners	6	No. of total electric cooking areas	0
No. electric plates	0	No. of radiant areas	0	No. halogen areas	0
No. induction areas	0	No. dishwarmer areas	0	MC_05-NbruciatoriWok	
No. Hood area		No. of bridge induction area:			
Bridge left area - power (W)		Bridge right area - power (W)			

Rear Side

Left\$Centre\$Right

Circular cooking zone or area-dia: 70		Circular cooking zone or area: 70		Circular cooking zone or area-dia: 95	
Circular cooking zone or area-dia		Circular cooking zone or area:		Circular cooking zone or area-dia	
Non-circula cooking zone or area-ler		Non-circula cooking zone or		Non-circula cooking zone or area-le	
Non-circula cooking zone or area-ler 0.0		Non-circula cooking zone or 0.0		Non-circula cooking zone or area-le 0.0	
Non-circula cooking zone or area-wi		Non-circula cooking zone or		Non-circula cooking zone or area-w	
Non-circula cooking zone or area-wi 0.0		Non-circula cooking zone or 0.0		Non-circula cooking zone or area-w 0.0	
Rear left area - type	GAS	Rear middle area - type	GAS	Rear right area - type	GAS
Left rear area - dimensions	70	Middle rear area - dimension	70	Right rear area - dimensions	95
Rear left area - power (W)	1750	Rear middle area - power (W)	1750	Right rear area - power (W)	3000
Energy consumption [Wh/Kg] zone l		Energy consumption [Wh/Kg]		Energy consumption [Wh/Kg] zone	
Energy efficiency per gas burners [%] 58		Energy efficiency per gas bur	58	Energy efficiency per gas burners [%] 58	
Electricity consumption left-behind		Electricity consumption cent		Electricity consumption right-behi	
Rear left area - power booster [W]		Rear middle area - power bo		Rear right area - power booster [W]	
Rear left area - double power boost		Rear middle area - double pc		Rear right area - double power boo	

Front Side

Left\$Centre\$Right

Circular cooking zone or area-dia: 130		Circular cooking zone or area: 70		Circular cooking zone or area-dia: 130	
Circular cooking zone or area-dia		Circular cooking zone or area:		Circular cooking zone or area-dia	
Non-circula cooking zone or area-ler		Non-circula cooking zone or		Non-circula cooking zone or area-le	
Non-circula cooking zone or area-ler 0.0		Non-circula cooking zone or 0.0		Non-circula cooking zone or area-le 0.0	
Non-circula cooking zone or area-wi		Non-circula cooking zone or		Non-circula cooking zone or area-w	
Non-circula cooking zone or area-wi 0.0		Non-circula cooking zone or 0.0		Non-circula cooking zone or area-w 0.0	
Left front area - type	GAS	Middle front area - type	GAS	Front right area - type	GAS
Left front area - dimensions	130	Middle front area - dimensio	70	Right front area - dimensions	130
Front left area - power (W)	5000	Middle front area - power (V)	1750	Front right area - power (W)	5000
Energy consumption [Wh/Kg] zone l		Energy consumption [Wh/Kg]		Energy consumption [Wh/Kg] zone	
Energy efficiency per gas burners [%] 53		Energy efficiency per gas bur	58	Energy efficiency per gas burners [%] 53	
Electricity consumption left-ahead		Electricity consumption cent		Electricity consumption right-ahead	
Total electricity consumption					
Front left area - power booster [W]		Front middle area - power b		Front right area - power booster [W]	
Front left area - double power boost		Front middle area - double p		Front right area - double power boc	

Main Oven

Oven cavity	110X60 TRP O. PREMIUM	Main oven type/main grill	CONVECTION ELECTRIC OVEN MULTI 9/MULTI11
Cooking modes 1	BAKE;BOTTOM BAKE;COI	Cleaning functions 1	
Cleaning	NO	Turnspit/Fans	1 FAN
Light turning on	1	Main cavity material	BLACK ENAMELED
Type of main oven guides	LATERALS GRIDS		
Gross volume oven	71.0	Gross volume oven [cu.ft]	
Net oven volume	51.0	Net volume oven [cu.ft]	
Oven grids	2 PREMIUM	Main oven accessories	1 EXTRACTION HANDLE
Oven grill tray	1 DEEP ENAMELED + 1 GI	Oven gasket	4 SIDES

Secondary Oven

Secondary oven type/Secondary grill	STATIC ELECTRIC OVEN		
Cooking modes 2	BAKE;BOTTOM BAKE;GRI	Cleaning functions 2	
Secondary oven cleaning	NO		
Secondary oven turnspit	NO	Secondary oven light turning 1	
Matériau de la cavité du four second	BLACK ENAMELED	Type of secondary oven guid	LATERALS GRIDS
Gross volume secondary oven	55.0	Gross volume secondary ove	
Net volume secondary oven	43.0	Net volume secondary oven	
Grids of the secondary oven	1 PREMIUM)	Secondary oven accessories	NO
Oven gasket 2	4 SIDES	Oven grill tray 2	1 DEEP ENAMELED

Third Oven

Third oven type/Third Grill	GRILL COMPARTMENT	Cooking modes 3	GRILL
Type of third oven guides	LATERAL GRIDS	Grids of the third oven	NO
Gross volume third oven	25.0	Gross volume third oven [cu	
Net volume third oven	17.0	Net volume third oven [cu.ft	
Third oven accessories	1 TELESCOPIC GUIDE	Oven grill tray 3	1 DEEP ENAMELED + 1 GRID TRAY

Safety devices

Hob ignition	WORKTOP ONE HAND	Hob flame failure device	WORKTOP
Cooling fan	YES	Anti-tilt	YES + CHAIN
No. residual heat indicators	NO	Knob deflector	NO

Documentation

Booklet languages	ENGLISH	Warranty certificate	NO	
Annual energy consumption - AEChe		Energy efficiency class		Grease filtering efficiency class
Fluid dynamic efficiency class		Lighting efficiency class		
Power consumption off mode - Po (W)		Power consumption in standby		
Grease filtering efficiency - GFEhood		Light efficiency - LEhood (Lx)		
Odor reduction Factor of (%)		Fluid dynamic efficiency - FD		
Maximum air flow in normal use (In		Minimum air flow in normal		Air flow at intensive/Boost setting -
Average illumination of the lighting :		Energy efficiency index - EEI		Increase factor
Max air flow (m ³ /h)		IEC extraction (m ³ /h)		Measured air flow rate at best effici
Output air extraction (m ³ /h)		Measured electric power inp		Nominal power consumption of the
Sound power level at Intensive/Boo:		Sound power level at minimi		Sound power level at maximum spe
Fan power [W]		Measured air pressure at be:		Sound level maximum speed (dB)
Type of hood		Hood control		Speed
Filter type		Hood accessories		
Special features hoods		Child lock		