

## Type

Cookers

## General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

20" Containerization

LeadTime

Combined Naming

Changes notes

## Energy Label

Energy Label Required

Energy class OD

Natural convention energy consumption (kWh)

Main oven net capacity l

Required cooking time for normal load (min)

Secondary oven energy class OD

Natural convention energy consumption secondary oven(kWh)

Secondary oven net capacity l

Required cooking time for normal load secondary oven(min)

Heat Source

Energy consumption in conventional mode (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode(gas final energy) [MJ/Cycle]

Energy consumption in conventional mode (gas final energy)[KWh/Cycle]

Heat source secondary oven

Energy consumption in conventional mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[KWh/Cycle]

Heat source third oven

Energy consumption in conventional mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[KWh/Cycle]

Convention oven consumption

Convention secondary oven consumption

Main oven grilling tray surface

Hob energy efficiency

Energy Label Country

## Technical Data

Supply voltage [V]/Supply frequency [Hz]  
(Alternative) Supply voltage [V]/Supply frequency [Hz]  
Absorbed current [A]  
Plug type  
Minimum Cable length (m)  
Gas type  
Alternative gas  
Gas connectors  
Main oven max power [W]  
Main grill max power [W]

#### Dimensions & Weights

Height PF (mm)  
Width PF (mm)  
Depth PF (mm)  
Depth with handle (mm)  
Depth with open door (mm)  
Built-in hole height (mm)  
Built-in hole width (mm)  
Built-in hole depth (mm)  
Package type  
Package height (mm)  
Package width (mm)  
Package depth (mm)  
Net weight (Kg)  
Gross weight (Kg)

#### User Interface

Type of regulation  
Function indicator

#### Hob characteristics

Type of hob  
Info of hob  
Special hob features  
Burner and burner cap  
Hob accessories

#### Aesthetics

Fascia type  
Oven door glass colour  
Hinge  
Type of lid  
Handle type  
Gas Tank Compartment  
Legs

#### Hob layout

No. of total cooking areas  
No. electric plates  
No. induction areas  
No. Hood area  
Bridge left area - power (W)

#### Rear Side

## Left&Centre&Right

Circular cooking zone or area-diameter surface [mm] zone left-behind  
Circular cooking zone or area-diameter surface [in] zone left-behind  
Non-circular cooking zone or area-length [mm] zone left-behind  
Non-circular cooking zone or area-length [in] zone left-behind  
Non-circular cooking zone or area-width [mm] zone left-behind  
Non-circular cooking zone or area-width [in] zone left-behind  
Rear left area - type  
Left rear area - dimensions  
Rear left area - power (W)  
Energy consumption [Wh/Kg] zone left-behind  
Energy efficiency per gas burners [%] zone left-behind  
Electricity consumption left-behind  
Rear left area - power booster [W]  
Rear left area - double power booster [W]

## Front Side

## Left&Centre&Right

Circular cooking zone or area-diameter surface [mm] zone left-ahead  
Circular cooking zone or area-diameter surface [in] zone left-ahead  
Non-circular cooking zone or area-length [mm] zone left-ahead  
Non-circular cooking zone or area-length [in] zone left-ahead  
Non-circular cooking zone or area-width [mm] zone left-ahead  
Non-circular cooking zone or area-width [in] zone left-ahead  
Left front area - type  
Left front area - dimensions  
Front left area - power (W)  
Energy consumption [Wh/Kg] zone left-ahead  
Energy efficiency per gas burners [%] zone left-ahead  
Electricity consumption left-ahead  
Total electricity consumption  
Front left area - power booster [W]  
Front left area - double power booster [W]

## Main Oven

Oven cavity

Cooking modes 1  
Cleaning  
Light turning on  
Type of main oven guides  
Gross volume oven  
Net oven volume  
Oven grids  
Oven grill tray

## Secondary Oven

Secondary oven type/Secondary grill  
Cooking modes 2  
Secondary oven cleaning  
Secondary oven turnspit  
Matériau de la cavité du four secondaire

Gross volume secondary oven

Net volume secondary oven

Grids of the secondary oven

Oven gasket 2

### Third Oven

Third oven type/Third Grill

Type of third oven guides

Gross volume third oven

Net volume third oven

Third oven accessories

### Safety devices

Hob ignition

Cooling fan

No. residual heat indicators

### Documentation

Booklet languages

Annual energy consumption - AEC<sub>hood</sub> (kWh/annum)

Fluid dynamic efficiency class

Power consumption off mode - P<sub>o</sub> (W)

Grease filtering efficiency - GFE<sub>hood</sub> (%)

Odor reduction Factor of (%)

Maximum air flow in normal use (Intensive / Boost excluded) (m<sup>3</sup>/h)

Average illumination of the lighting system on the cooking surface - E<sub>middle</sub> (Lux)

Max air flow (m<sup>3</sup>/h)

Output air extraction (m<sup>3</sup>/h)

Sound power level at Intensive/Boost Setting - (dB(A) re 1Pw)

Fan power [W]

Type of hood

Filter type

Special features hoods

Technical Code

AHS0JENAN4D00

UnderReview

COOKERS 60X60 CM - PREMIUM

BERTAZZONI

Make

FREE STANDING

AHS0JENAN4D00

MAS64L1ENEC - Master FS Cookers - Black

MAS64L1ENEC - Master FS Cookers - Black

MAS64L1ENEC - Master FS Cookers - Black

YES

MAS64L1ENEC

FRANCE;GREAT BRITAIN;ITALY

0

0

73211110

YES

A

0.86

58

0

ELECTRIC

0.86

0.0

0.86

0.0

0.0

0.0

0.0

0.0

0.0

FES.PCX

1190

56.3

UE + UK

220-240 V , 50/60 HZ

NO

11

NO

1,5

G20/20MBAR - NATURAL GAS

G30/28-30MBAR OR G31/28 - 30MBAR OR G31/37MBAR - GPL

AUSTRALIA CONNECTOR;FEMALE FEMALE CONNECTOR

2500.0

2400.0

893-913

600

600

658

1030

FORK PALLET

1080

706

720

75.3

80.0

KNOBS

RING

60X60 PREMIUM SQUARED WORKTOP

SQUARED 4 GAS BURNERS WITH LATERAL DUAL WOK

NO

ALUMINUM + MATT BURNER CAP

CAST IRON WOK ADAPTER;SIMMER RING CAST IRON

EMBOSED STAINLESS STEEL

O SHAPE MAS/AMER ROUNDED CORNERS

SOFT MOTION

RAISER

MASTER 2020

NO

STAINLESS STEEL Ø 6 CM TYPE A

4

0

0

50

0.0

0.0

GAS

50

1000

N.A.

130

0.0

0.0

GAS

130

5000

53

60X60 PREMIUM WELDED

BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVECTION BAKE;DEFROSTING;FAST PREHEATING;GR

NO

1

LATERALS GRIDS

71.0

51.0

1 PREMIUM

1 DEEP ENAMELED + 1 GRID TRAY

NO

NO

NO

NO

0.0  
0.0  
NO  
NO

NO  
NO  
0.0  
0.0  
NO

WORKTOP ONE HAND

YES  
NO

ENGLISH;FRENCH;ITALIAN



**Commercial Code**

MAS64L1ENEC

Life Cycle

Aesthetical line

Private Label

Type of production

Factory

Predecessor Code

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

40" Containerization

MOQ of purchase

Notes

Number of cavities

Oven program used to determine energy class

Forced convection energy consumption (kWh)

Oven typology energy label

Oven program used to determine energy class of secondary oven

Forced convection energy consumption secondary oven(kWh)

Oven typology energy label secondary oven

EEI [%]Energy efficiency index

Energy consumption in fan forced mode(electric final energy) [KWh/Cycle]

Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]

Energy consumption in fan forced mode (gas final energy)[KWh/Cycle]

EEI [%]energy efficiency index secondary oven

Energy consumption in fan forced mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[KWh/Cycle]

EEI [%]Energy efficiency index third oven

Energy consumption in fan forced mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[KWh/Cycle]

Fan-assisted oven consumption

Fan-assisted secondary oven consumption

Secondary oven grilling tray surface

Heating technology

**Absorbed power [W]**  
**(Alternative) Absorbed power [W]**  
**Gas power [kW]**

**Minimum Cable length (in)**

**Alternative gas**

**Secondary oven max power [W]**  
**Secondary grill max power [W]**

**Height PF (in)**  
**Width PF (in)**  
**Depth PF (in)**  
**Depth with handle (in)**  
**Depth with open door (in)**  
**Built-in hole height (in)**  
**Built-in hole width (in)**  
**Built-in hole depth (in)**

**Package height (in)**  
**Package width (in)**  
**Package depth (in)**  
**Net weight (Lb)**  
**Gross weight (Lb)**

**Type of regulation**  
**Cooking control functions**

**MC\_05-PowerLimitation**  
**Cooking Zone**  
**Hob material**  
**Pan support type**

**Inner door**  
**Side panel colour**  
**Knob type**  
**Dish warmer**  
**Plinth**

**No. gas burners**  
**No. of radiant areas**  
**No. dishwarmer areas**  
**No. of bridge induction areas**  
**Bridge right area - power (W)**

Circular cooking zone or area-diameter surface [mm] zone center-behind  
Circular cooking zone or area-diameter surface [in] zone center-behind  
Non-circular cooking zone or area-length [mm] zone center-behind  
Non-circular cooking zone or area-length [in] zone center-behind  
Non-circular cooking zone or area-width [mm] zone center-behind  
Non-circular cooking zone or area-width [in] zone center-behind  
Rear middle area - type  
Middle rear area - dimensions  
Rear middle area - power (W)  
Energy consumption [Wh/Kg] zone center-behind  
Energy efficiency per gas burners [%] zone center-behind  
Electricity consumption center-behind  
Rear middle area - power booster [W]  
Rear middle area - double power booster [W]

Circular cooking zone or area-diameter surface [mm] zone center-ahead  
Circular cooking zone or area-diameter surface [in] zone center-ahead  
Non-circular cooking zone or area-length [mm] zone center-ahead  
Non-circular cooking zone or area-length [in] zone center-ahead  
Non-circular cooking zone or area-width [mm] zone center-ahead  
Non-circular cooking zone or area-width [in] zone center-ahead  
Middle front area - type  
Middle front area - dimensions  
Middle front area - power (W)  
Energy consumption [Wh/Kg] zone center-ahead  
Energy efficiency per gas burners [%] zone center-ahead  
Electricity consumption center-ahead  
  
Front middle area - power booster [W]  
Front middle area - double power booster [W]

Main oven type/main grill

Cleaning functions 1  
Turnspit/Fans  
Main cavity material

Gross volume oven [cu.ft]  
Net volume oven [cu.ft]  
Main oven accessories  
Oven gasket

Cleaning functions 2

Secondary oven light turning on  
Type of secondary oven guides

**Gross volume secondary oven [cu.ft]**

**Net volume secondary oven [cu.ft]**

**Secondary oven accessories**

**Oven grill tray 2**

---

**Cooking modes 3**

**Grids of the third oven**

**Gross volume third oven [cu.ft]**

**Net volume third oven [cu.ft]**

**Oven grill tray 3**

---

**Hob flame failure device**

**Anti-tilt**

**Knob deflector**

---

**Warranty certificate**

**Energy efficiency class**

**Lighting efficiency class**

**Power consumption in standby mode - Ps (W)**

**Light efficiency - LEhood (Lux/Watt)**

**Fluid dynamic efficiency - FDEhood (%)**

**Minimum air flow in normal use (m<sup>3</sup>/h)**

**Energy efficiency index - EEIhood (%)**

**IEC extraction (m<sup>3</sup>/h)**

**Measured electric power input at best efficiency point - Wbep (W)**

**Sound power level at minimum speed available in normal use (dB(A) re 1Pw)**

**Measured air pressure at best efficiency point - Pbep (Pa)**

**Hood control**

**Hood accessories**

**Child lock**

Code

F004918

Y2 - On Management

MASTER

BERTAZZONI

CBU

Guastalla

AHS0JEMAX4D00

MAS64L1ENEC - Master FS Cookers - Black

MAS64L1ENEC - Master FS Cookers - Black

8059304886089

GENERIC0

CE

0

0

1

FEV.PCX

0.74

MEDIUM(35< = VOLUME < 65L)

93.7

0.74

0.0

0.74

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FEV.PCX

GAS

2500

N.A.

10.8

59"

NO

0.0

0.0

42 1/2

27 13/16

28 1/8

0.0

0.0

THERMOMETER

CHECK PREHEATING

GAS

STAINLESS STEEL

CAST IRON HEAVY (BERTAZZONI - OLD)

SQUARED 3 GLASSES

BLACK

MASTER METAL WITH RING 2020

FLAP BLACK

NO

4

0

0



0

0.0

0.0

0

0



0

0.0

0.0

0

0



CONVECTION ELECTRIC OVEN MULTI 9/MULTI11

1 FAN  
BLACK ENAMELED

1 EXTRACTION HANDLE  
4 SIDES



NO

NO

NO

NO



NO

NO



WORKTOP

YES + CHAIN

NO



NO





**Colour leading code**

BLACK

**Technical code of derivation**

**Approval code**

51AP114

**40" Containerization - High cube**

0

**MOQ of selling**

0



[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

No. of total electric cooking areas 0

No. halogen areas 0

MC\_05-NbruciatoriWok

[Redacted]

<b>Circular cooking zone or area-diameter surface [mm] zone right-behind</b>	<b>95</b>
<b>Circular cooking zone or area-diameter surface [in] zone right-behind</b>	
<b>Non-circular cooking zone or area-length [mm] zone right-behind</b>	
<b>Non-circular cooking zone or area-length [in] zone right-behind</b>	<b>0.0</b>
<b>Non-circular cooking zone or area-width [mm] zone right-behind</b>	
<b>Non-circular cooking zone or area-width [in] zone right-behind</b>	<b>0.0</b>
<b>Rear right area - type</b>	<b>GAS</b>
<b>Right rear area - dimensions</b>	<b>95</b>
<b>Right rear area - power (W)</b>	<b>3000</b>
<b>Energy consumption [Wh/Kg] zone right-behind</b>	
<b>Energy efficiency per gas burners [%] zone right-behind</b>	<b>58</b>
<b>Electricity consumption right-behind</b>	
<b>Rear right area - power booster [W]</b>	
<b>Rear right area - double power booster [W]</b>	

<b>Circular cooking zone or area-diameter surface [mm] zone right-ahead</b>	<b>70</b>
<b>Circular cooking zone or area-diameter surface [in] zone right-ahead</b>	
<b>Non-circular cooking zone or area-length [mm] zone right-ahead</b>	
<b>Non-circular cooking zone or area-length [in] zone right-ahead</b>	<b>0.0</b>
<b>Non-circular cooking zone or area-width [mm] zone right-ahead</b>	
<b>Non-circular cooking zone or area-width [in] zone right-ahead</b>	<b>0.0</b>
<b>Front right area - type</b>	<b>GAS</b>
<b>Right front area - dimensions</b>	<b>70</b>
<b>Front right area - power (W)</b>	<b>1750</b>
<b>Energy consumption [Wh/Kg] zone right-ahead</b>	
<b>Energy efficiency per gas burners [%] zone right-ahead</b>	<b>58</b>
<b>Electricity consumption right-ahead</b>	
<b>Front right area - power booster [W]</b>	
<b>Front right area - double power booster [W]</b>	



**Grease filtering efficiency class**

**Air flow at intensive/Boost setting - ( $\text{m}^3/\text{h}$ )**

**Increase factor**

**Measured air flow rate at best efficiency point -  $Q_{\text{bep}}$  ( $\text{m}^3/\text{h}$ )**

**Nominal power consumption of the lighting system -  $W_l$  (W)**

**Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)**

**Sound level maximum speed (dbA)**

**Speed**

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]