

**ENERGY**

HISENSE WD3S8043BW3

**A** **D** **A**

266 kWh/100<sup>+</sup> 33 kWh/100<sup>+</sup>

5.0 kg 8.0 kg

80 L 36 L

7:59 3:38

AB CDEFG ABCD

2019/2014

## Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

### General product parameters:

Parameter	Value	Parameter
Rated capacity (kg)	Rated capacity	Dimensions in cm
	5,0	
Energy Efficiency Index	Rated washing capacity	Energy efficiency class
	8,0	
Washing efficiency index	36,3	Rinsing effectiveness (g/kg dry textile)
	66,9	
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	1,031	Energy consumption in kWh per kg per cycle for the wash and dry cycle of the household washerdryer at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used
	1,055	
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	0,33	Water consumption in litre per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water
	36	
Maximum temperature inside the treated textile (°C)	Rated washing capacity	Weighted remaining moisture content (%)
	28	
	Half	
Spin speed (rpm)	Quarter	Spin-drying efficiency class
	27	
	25	
Eco 40-60 programme duration (h:min)	Rated washing capacity	wash and dry cycle duration (h:min)
	1400	
	Half	
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	Quarter	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity
	1400	
	1400	
Type	Rated washing capacity	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity
	3:38	
	Half	
Off-mode (W)	Quarter	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity
	2:48	
	2:03	
Delay start (W)	Free-standing	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity
	0,49	
	4,00	
Networked standby (W)	Standby mode (W)	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity
	0,49	
	4,00	

This product has been designed to release silver ions during the washing cycle

Additional information:

<http://global.hisense.com/>