

Photo (Unit & Control Panel)



|                               |                          |
|-------------------------------|--------------------------|
| <b>Market</b>                 | <b>EUROPE</b>            |
| <b>Product Manager</b>        |                          |
| <b>Product picture</b>        |                          |
| <b>Factory</b>                | Pingdu                   |
| <b>Brand</b>                  | Hisense                  |
| <b>Hisense Model</b>          | DH3S802BW3               |
| <b>Type</b>                   |                          |
| <b>SAP code</b>               | 20013100                 |
| <b>Export Model</b>           | <b>DH3S80-DVW001-000</b> |
| <b>EAN</b>                    | 6901101829627            |
| <b>RED</b>                    |                          |
| <b>Energy Level</b>           | <b>A+++</b>              |
| <b>EPREL n.</b>               |                          |
| <b>Cabinet Colour</b>         | White                    |
| <b>Door color</b>             | Black                    |
| <b>Display</b>                | LED                      |
| <b>Built in/Free standing</b> | Free Standing            |
| <b>Supply Voltage (V/Hz)</b>  | 220-240/50               |
| <b>Drying capacity (KG)</b>   | 8                        |
| <b>Drying mode</b>            | Heat pump                |
| <b>END USER COMFORT</b>       |                          |
| <b>Water box</b>              | yes                      |
| <b>Water box volume</b>       | 4.6L                     |
| <b>Buttons</b>                | touch control            |
| <b>Drum Material</b>          | <b>Stainless Steel</b>   |
| <b>Memory Backup</b>          | no                       |
| <b>Big Size Door Design</b>   | 520                      |
| <b>Porthole Diameter (mm)</b> | 390                      |
| <b>Double Door</b>            | no                       |
| <b>Programs (Hisense)</b>     |                          |
| Auto                          | yes                      |
| Remote Control                | yes                      |
| Allergy Care                  | yes                      |
| Baby Care                     | yes                      |
| Sportswear                    | yes                      |
| Delicates                     | yes                      |
| Shirts                        | yes                      |

|   |                    |
|---|--------------------|
| Bedding   | yes                |
| Cotton  | yes                |
| Time Dry  | yes                |
| Synthetics  | yes                |
| Wool  | yes                |
| Down  | yes                |
| Refresh   | yes                |
| Quick 30'   | yes                |
| Towels  | yes                |
| <b>Features</b>                                   |                    |
| <b>Number Programs</b>                            | <b>16</b>          |
| Door Swap left and right                          | yes                |
| Ion refresh                                       | no                 |
| wifi  | yes                |
| Wash-dry linkage                                  | yes                |
| Snowflake Drum                                    | no                 |
| Raindrop Drum                                     | yes                |
| Steam   | no                 |
| Drumlight   | yes                |
| Electric auxiliary heating                        | no                 |
| UV sterilization                                  | no                 |
| Child Lock  | yes                |
| Delay End   | yes                |
| Dry Target  | yes                |
| Time Dry  | yes                |
| Anti Crease                                       | yes                |
| Night Dry   | no                 |
| Gentle Dry  | yes                |
| Dry Level   | yes                |
| <b>Load Detection</b>                             | <b>no</b>          |
| <b>Drum Illumination</b>                          | <b>yes</b>         |
| Anti crease                                       | yes                |
| <b>Performance</b>                                |                    |
| <b>Energy Efficiency Class</b>                    | <b>A+++</b>        |
| Condensation efficiency grade                     | B                  |
| Condensation efficiency                           | ≥80%               |
| Noise   | 64                 |
| <b>Dimensions</b>                                 |                    |
| <b>Net Dimensions WxDxH (mm)</b>                  | <b>595×550×845</b> |
| <b>Packing Dimensions (Carton)<br/>WxDxH (mm)</b> | <b>670×640×890</b> |
| <b>Loading capacity (Shrink Film) (40HC)</b>      | <b>168</b>         |
| <b>Drum volume (L)</b>                            | <b>100L</b>        |
| <b>Bruto (kg)</b>                                 | <b>50</b>          |
| <b>Netto (kg)</b>                                 | <b>46</b>          |
| <b>Packing (Carton&amp;Shrink Film)</b>           | <b>Carton</b>      |
| <b>weight of packaging - carton (kg)</b>          | <b>1776</b>        |
| <b>weight of packaging - EPS (kg)</b>             | <b>881</b>         |
| <b>weight of packaging - foil PE (kg)</b>         | <b>13</b>          |
| <b>weight of packaging - PP (kg)</b>              |                    |

|  |                        |
|--|------------------------|
| weight of packaging - plastic (kg)   | 42                     |
| weight of packaging - wood (kg)  | 328                    |
| weight of packaging - steel (kg)   | 40                     |
| weight of packaging - paper (kg)   |                        |
| Total weight   | 3080                   |
| Rated capacity (kg)  | 8kg                    |
| Air-vented or condenser tumble drier   | condenser tumble drier |
| Energy efficiency class  | A+++                   |
| Weighted Annual Energy Consumption (kWh)   | 174                    |
| Automatic tumble drier or non-automatic tumble drier Automatic                                   | Automatic tumble drier |
| Energy consumption of the standard cotton programme at full load (kWh)                           | 1.41                   |
| Energy consumption of the standard cotton programme at partial load (kWh)                        | 0.78                   |
| Power consumption of the off-mode (W)  | 0.49                   |
| Power consumption in left-on mode (W)  | 0.59                   |
| Duration of the left-on mode (min)   | 5                      |
| Standard drying programme  | Cotton                 |
| Weighted programme time of the 'standard cotton programme at full and partial load' (min)        | 145                    |
| Programme time of the 'standard cotton programme at full load' (min)                             | 188                    |
| Programme time of the 'standard cotton programme at partial load' (min)                          | 112                    |
| Condensation efficiency class on a scale from G (least efficient) to A (most efficient)          | B                      |
| Average condensation efficiency of the standard cotton programme at full load as a percentage    | 85                     |
| Average condensation efficiency of the standard cotton programme at partial load as a percentage | 85                     |
| Weighted condensation efficiency for the 'standard cotton programme at full and partial load'    | 85                     |
| Sound power level (dB)   | 64                     |
| Built-in   | NO                     |
| Refrigerant type (冷媒)  | R290                   |