Product information sheet

Supplier's name or trade mark:	AEG	
Supplier's address:	Electrolux Appliances AB, Addington Way, Luton, Bedfordshire, LU4 9QQ, UK	
Model identifier:	LWR8516L6UD 914611703	

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity ⁽¹⁾	7.0	Dimensions in cm:	Height	85
	Rated washing capacity ⁽²⁾	11.0		Width	60
				Depth	64
Energy Efficiency Index	EEI _W (2)	46.6	Energy efficiency class	EEI _W (2)	А
	EEI _{WD} (1)	66.8		EEI _{WD} (1)	D
Washing officioney indox	I _W ⁽²⁾	1.031	Rinsing effectiveness (g/kg)	I _R ⁽²⁾	4.9
Washing efficiency index	J _W ⁽¹⁾	1.031		J _R ⁽¹⁾	4.9
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used.	Rated capacity	0.730	Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer. Actual energy consumption will depend on how the appliance is used.	Rated capacity	4.270
	Half	0.540		Half	2.138
	Quarter	0.310		Quarter	2.138
Water consumption in litres per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	Rated capacity	76	Water consumption in litre per cycle, for the wash and dry cycle of the household washer- dryer. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	Rated capacity	105
	Half	54		Half	56
	Quarter	36		Quarter	56
Maximum temperature inside the treated textile (°C) for the	Rated capacity	29	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity 2!	
washing cycle of the household washer- dryer,	Half	28			
using the eco 40-60 programme	Quarter	26		Half	24
Spin speed (rpm) ⁽²⁾	Rated washing capacity	1550	Weighted remaining moisture content (%) (2)	44.9	
	Half	1550			
	Quarter	1550			
Eco 40-60 programme duration (h:min)	Rated capacity	3:59			
	Half	2:59	Spin-drying efficiency class ⁽²⁾	A	
	Quarter	2:59			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60	'			Rated capacity	7:25
	76		wash and dry cycle duration (h:min)		

washing cycle at rated washing capacity (dB(A) re 1 pW)			Half	5:00			
Туре	free-standing	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	В				
Off-mode (W) (if applicable)	0.50	Standby mode (W) (if applicable)	0.50				
Delay start (W) (if applicable)	4.00	Networked standby (W) (if applicable)	2.00				
Minimum duration of the guar	rantee offered by the supp	olier	12 months				
This product has been designe during the washing cycle	d to release silver ions	ns NO					
Additional information	-						
Weblink to the supplier's website: https://support.electroluxgroup.eu/external/PISlink/Products/914611703							
(1) for the wash and dry cycle							

⁽¹⁾ for the wash and dry cycle (2) for the eco 40-60 programme