

PRODUCT FICHE

Hisense



Built-In Oven 741062 BI64211PX

USP :

Quadruple glazed oven door with one heat deflector (UltraCoolDoorQuadro)

If you have a toddler running around, these oven doors are completely cool to touch. Because of the advanced design with special glazing the heat stays in the oven, making it safe for you, your kids and pets.

Door hinge	Classic door hinge
Oven type	Multisystem oven BigSpace - 77 l SuperSize baking area
Touch-free Inox	✓
Maximum oven temperature	300 °C
Cooling fan	Dynamic oven cooling plus - DC+
Super Size	✓
Even Bake	This advanced technology is why your cooking is always on point. Everything you put in this oven is cooked evenly thanks to slightly rounded large cavity which together with smartly positioned special heaters enables excellent and even hot air distribution. This means crispy on the outside, juicy on the inside. Big glass door and great inside illumination enable you to check on your food anytime without opening the door and letting out hot air. Efficient and even cooking guaranteed.
Circular heater	✓
Gentle Bake	✓
Fast Preheat	With this Fast Preheat you can start your cooking earlier. The oven reaches a temperature of up to 200°C in less than 5 minutes, which is much faster than standard preheating. This is very convenient for recipes that require a preheated oven. A light and sound signal informs your when the desired temperature is reached.
Large infra heater	✓
Air Fry	Air-frying takes the guilt out of guilty-pleasure snacks in a snap. Say goodbye to deep-fried chicken wings with fries and their calories, and welcome healthier versions using less or no oil. Now you can prepare low-fat meals and more healthy food with air frying directly in your Hisense oven, without having to buy an additional kitchen appliance.
Frozen Bake Mode	This function is perfect for cooking your store-bought frozen foods and other pre-prepared meals such as croissants, lasagne, French fries, chicken nuggets and other pre-baked frozen meat cuts and vegetables. Your dinner will be ready quickly, without preheating.
Interior light	Above
Pizza Mode	Now you can enjoy your homemade pizza whenever. Maximum temperature of 300 degree and excellent heat distribution allow that pizza is baked in a very short time tasting just as delicious it would in any Italian restaurant.
Gratin	If you want your food all beautiful and crispy, we have a solution for you. Activate gratin function so the grill heater from above will deliver extremely high heat close to the surface of your food. Perfect crust is now just a touch away.
Pro Grill	✓
Oven door switch	Mechanical
Extra Durable Enamel	✓

Pyrolytic Self-Clean

Remove stubborn oven grease with minimal effort by simply activating Pyrolytic Self-clean function. Ovens heats up to 500°C, burning down grease and grime, leaving behind only some residual ashes which you can wipe off with just a damp cloth once the oven is completely cooled down. During the process the oven is automatically locked down, making the cleaning completely safe.

**Basic information :**

Product group	Built-In Oven
Brand	HISENSE
Commercial code	BI64211PX
Internal article number	741062
EAN code	3838782640476
Main colour of product	VZ065; Brushed stainless steel
Construction type	Built-in
Type of control	Mechanical
Microwave function	No
Are any hobs controls integrated?	Yes
Door Material	Glass
Energy input	Electricity
Cooking method	Multisystem
Electrical connection rating	3500 W
Current	0,0 A
Voltage	220-240 V
Frequency	50-60 Hz
Marks of conformity	CE
Length of electrical supply cord	150 cm
Plug type	Without plug, supply cord 3 x 1.5
Height of the product	595 mm
Width of the product	595 mm
Depth of the product	564 mm
Height of the packed product	660 mm
Width of the packed product	620 mm
Depth of the packed product	675 mm
Min height of installation niche	590 mm
Max height of installation niche	600 mm
Min width of installation niche	560 mm
Max width of installation niche	564 mm
Depth of installation niche	550 mm
Net weight	31,1 Kg
Gross weight	33,1 Kg
Automatic programmes	No
Type of control setting and signalling devices	BIO21 ICON LED PYRO sensor control
Color / Material front	VZ065; Brushed stainless steel
Grill power	0 W

Features :

Temperature control	N/A
Short description of the product	BO3PY6C02-5 - BI64211PX - RL_ESSL
Timer	Yes
Integrated Cleaning system	Easy to clean enamel
Grids	1
Time control	No control of the time
Time-setting Options	No delay option
Trays	1
Control panel information	N/A
Oven interior	Enamelled steel
Motorized Turn Spit	N/A
Additional equipment included	Deep baking pan - 1 Oven grid - 1
Safety device	Oven door switch
Oven lighting	Yes
Position of interior lights	N/A
Meat probe	No
Oven guides	Wire type 1x

Energy label information / Performance :

The power consumption in off-mode	1,0 W
Energy consumption per cycle conventional (2010/30/ES)	0,97 kWh/Zyklus
Energy consumption gas oven per cycle conventional (2010/30/ES)	0,0 Mj
Energy consumption per cycle forced air convection (2010/30/ES)	0,71 kWh/cycle
Usable volume of cavity (2010/30/ES)	77 l

Number of cavities - NEW (2010/30/EC)	1
Energy consumption gas oven per cycle conventional - NEW (2010/30/EC)	0,00
Energy efficiency index (2010/30/EC)	81,6
Energy efficiency class	A+
Energy consumption conventional	0,97 kWh
Noise	42 db(A)re 1 pW
Energy consumption forced air convection	0,71 kWh
Useable volume (of cavity)	77 l
Product size	Large