




 **ENERGY** 



**HISENSE** WFQP7012EVM

**A**  
**B**  
**C**  
**D**  
**E**  
**F**  
**G**

**C**

**59 kWh** / 

 **7.0 kg**  **3:28**  **42 L**

 **AB CDEFG**  **74 dB** **ABCD**

2019/2014

## Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

### General product parameters:

| Parameter  | Value          | Parameter   | Value                                    |               |
|--|----------------|---|--|---------------|
| Rated capacity (kg)  | 7,0            | Dimensions in cm  | Height                                   | 85            |
|  |                |   | Width                                    | 60            |
|  |                |   | Depth                                    | 45            |
|  | 68,0           | Energy efficiency class   | C  |               |
| Washing efficiency index   | 1,031          | Rinsing effectiveness (g/kg)  | 4,20                                     |               |
| Energy consumption in kWh per cycle, based on the eco 40–60 programme. Actual energy consumption will depend on how the appliance is used. | 0,586          | Water consumption in litre per cycle, based on the eco 40–60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water. | 42                                       |               |
| Maximum temperature inside the treated textile (°C)  | Rated capacity | 46  | Ponderirana vsebnost preostale vlage (%) | 52,3          |
|  | Half           | 34  |  |               |
|  | Quarter        | 27  |  |               |
| Spin speed (rpm)   | Rated capacity | 1200  | Spin-drying efficiency class             | B             |
|  | Half           | 1200  |  |               |
|  | Quarter        | 1200  |  |               |
| Programme duration (h:min)   | Rated capacity | 3:28  | Type                                     | Free-standing |
|  | Half           | 2:40  |  |               |
|  | Quarter        | 2:40  |  |               |
| Airborne acoustical noise emissions in the spinning phase (dB(A) re 1 pW)  | 74             | Airborne acoustical noise emission class (a) (spinning phase)   | B  |               |
| Off-mode (W)   | 0,49           | Standby mode (W)  | 0,49                                     |               |
| Delay start (W)  | 3,60           | Networked standby (W)   | -  |               |

This product has been designed to release silver ions during the washing cycle

No

### Additional information:

<http://global.hisense.com/>