

**Product Fiche compliant to commission delegated regulation (EU) No 65/2014**

|   |               |
|---|---------------|
| Brand   | HOTPOINT      |
| Model   | SI6 874 SP IX |
| EEI [%] Energy Efficiency Index - Main cavity 1)                          | 81.9          |
| EEI [%] Energy Efficiency Index - Secondary cavity 1)                     | 0             |
| Energy Efficiency Class - Main cavity 2)                                  | A+            |
| Energy Efficiency Class - Secondary cavity 2)                             |               |
| Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)      | 0.91          |
| Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3) | 0             |
| Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)        | 0.7           |
| Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)   | 0             |
| Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)       | 0             |
| Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)  | 0             |
| Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)         | 0             |
| Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)    | 0             |
| Number of cavities  | 1             |
| Heat source - Main cavity   | Electric      |
| Heat Source - Secondary cavity  |               |
| Usable volume [l] - Main cavity   | 0             |
| Usable volume [l] - Secondary cavity                                      | 0             |

- 1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.
- 2) From A+++ (low consumption) to D (high consumption).
- 3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

**Product Information compliant to commission regulation (EU) No 66/2014**

|  | Symbol            | Value         | Unit      |
|--|-------------------|---------------|-----------|
| Model identification   |                   | HOTPOINT      |           |
| Type of oven   |                   | FANFORCE<br>D |           |
| Mass of the appliance  | M                 | 36.0          | Kg        |
| Number of cavities   |                   | 1             |           |
| Heat source per cavity (electricity or gas)  |                   | Electric      |           |
| Volume per cavity - Main cavity  | V                 | 0             | l         |
| Volume per cavity - Secondary cavity   | V                 | 0             | l         |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity      | ECelectric cavity | 0.91          | kWh/cycle |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 0.00          | kWh/cycle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity                      | ECelectric cavity | 0.70          | kWh/cycle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity                 | ECelectric cavity | 0.00          | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)                            | ECgas cavity      | 0.00          | MJ/cycle  |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity                               | ECgas cavity      | 0.00          | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)                       | ECgas cavity      | 0.00          | MJ/cycle  |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity                          | ECgas cavity      | 0.00          | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)                              | ECgas cavity      | 0.00          | MJ/cycle  |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity                                 | ECgas cavity      | 0.00          | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)                         | ECgas cavity      | 0.00          | MJ/cycle  |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity                            | ECgas cavity      | 0.00          | kWh/cycle |
| Energy Efficiency Index per cavity - Main cavity   | EEIcavity         | 81.9          |           |
| Energy Efficiency Index per cavity - Secondary cavity  | EEIcavity         | 0.0           |           |

1)  $1\text{kWh/cycle} = 3,6\text{ MJ/cycle}$