

7158741900 (WTV  
7812 B0)

Basic Definitions	Marketing Code	WTV 7812 B0
Basic Definitions	Type (WM)	Freestanding
Basic Definitions	Brand Group	KOC Brand
Basic Definitions	Brand	Beko
Basic Definitions	Country	Belgium; Luxembourg; Netherlands
Basic Definitions	Pool Name (WM)	BENELUX
Basic Definitions	NPI Project Definition (WM)	BX
Basic Definitions	SAP Code	7158741900
Basic Definitions	Reference Variant Number	1496
Basic Definitions	Production Plant	TR, IST, WM Plant
Basic Definitions	EAN Category	HE
Basic Definitions	EAN Code	8690842151460
Basic Definitions	Product Status	T2
Basic Definitions	Product Group	Laundry > Washing Machine > Front Loader
Basic Definitions	Replaced Product SAP Code	
Basic Definitions	Voltage (v)	230
Basic Definitions	Frequency (Hz)	50
Basic Definitions	Plug Type	European
Basic Definitions	Manufacturer Production Code	
Basic Definitions	Old Material Number	7158741700
Basic Definitions	Customer Code	
Basic Definitions	Transfer Price Request ID	
Basic Definitions	PM User Name	AR903526
Basic Definitions	Created By	Aslı Hamutcu
Basic Definitions	Create Date	04/21/2017 11:09:00
Basic Definitions	Other Descriptions / Revision Reason	Rev1: performans değerlerinin güncellenmesi için
Basic Definitions	Other Explanations	7158741700 modelinin Benelüks versiyonudur. Rev1: 06.06.2017 Tarihinde MDM tanımında 9999.0 olarak girilmiş olan Performans ve ses değerleri gerçek değerleri ile revize edilmiştir.
Basic Definitions	Estimated Revision Effectivity Date & Plant Comment	
Basic Definitions	Inactivation Status	
Basic Definitions	Connectivity	
Characteristics	Sticked Inlay Supply	
Characteristics	Capacity (kg)	7.0

Characteristics	Capacity (cu-ft)	
Characteristics	Fascia	BX
Characteristics	Cabinet	Junior
Characteristics	Dynamic Group	Junior
Characteristics	User Interface (WM)	B7S BL
Characteristics	Led/Display Color	White
Characteristics	Number of Programs	15
Characteristics	Maximum Spin Speed (rpm)	1600
Characteristics	Panel Printing Type (WM)	Text
Characteristics	Panel Printing Languages	French+Flemish
Characteristics	Display Language Package	NA
Characteristics	Door Type	BX BD
Characteristics	Handle Type	BX
Characteristics	Energy Regulation Type	New
Characteristics	Motor Type (WM)	Brushless
Characteristics	Sticked Inlay Languages	
Characteristics	Door Technology	Pull to Open
Characteristics	Program Knob Type (WM)	NA
Characteristics	Addgarment	No
Programs	Special Case for Programs	YP18
Programs	Program-1	Cottons
Programs	Program-2	Cottons Eco
Programs	Program-3	Synthetics
Programs	Program-4	Mini/Mini14'
Programs	Program-5	Mix
Programs	Program-6	Wool/HandWash
Programs	Program-7	Delicates
Programs	Program-8	Spin+Drain
Programs	Program-9	Rinse
Programs	Program-10	Down Wear
Programs	Program-11	Outdoor/Sports (Goretex)
Programs	Program-12	DarkWash/Jeans
Programs	Program-13	Stain
Programs	Program-14	Shirts
Programs	Program-15	Hygiene+
Programs	Program-16	NA
Programs	Program-17	NA
Programs	Program-18	NA
Programs	Program-19	NA
Programs	Program-20	NA
Programs	Auxillary Function -1	Prewash
Programs	Auxillary Function -2	Fast+
Programs	Auxillary Function -3	Extra rinse
Programs	Auxillary Function -4	NA
Programs	Auxillary Function -5	NA
Programs	Aux_Func_1_3sec	Drum Clean
Programs	Aux_Func_2_3sec	Child Lock
Programs	Aux_Func_3_3sec	NA
Programs	Aux_Func_4_3sec	NA
Programs	Aux_Func_5_3sec	NA
Performance	Special Case for energy	BX BD
Performance	WELS	NA
Performance	Energy Efficiency Class (WM)	A+++

Performance	Estimated Yearly Operating Cost - when used with an electric water heater	NA
Performance	Estimated Yearly Operating Cost - when used with a natural gas water heater	NA
Performance	Integrated Modified Energy Factor - IMEF (cubic feet per kwh)	NA
Performance	Noise Level Group	Noise Level 1
Performance	Noise Levels-Washing/Spinning (dB)	49/74
Performance	Cleaning Performance	NA
Performance	Spinning Efficiency Class	A
Performance	Left-on mode duration (T_l) (min)	NA
Performance	Spin Speed Area	1600/1200/800/600 Rinse Hold
Performance	Energy Consumption (E_t) (kWh)	0.766 kilowatt-hours
Performance	Annual Energy Consumption (AE_c) (kWh)	173 kilowatt-hours
Performance	Standard Annual Energy Consumption (SAE_c) (kWh)	381 kilowatt-hours
Performance	Energy Efficiency Index (EEI)	45.5
Performance	Energy Consumption of the Standard 60°C Cotton Programme at Full Load (E_t.60) (kWh)	0.920 kilowatt-hours
Performance	Energy Consumption of the Standard 60°C Cotton Programme at Partial Load (E_t.60.1/2) (kWh)	0.650 kilowatt-hours
Performance	Energy Consumption of the Standard 40°C Cotton Programme at Partial Load (E_t.40.1/2) (kWh)	0.650 kilowatt-hours
Performance	ProgrammeTime of the Standard 60°C Cotton Programme at Full Load (T_t.60) (min)	215 minutes
Performance	Programme Time of the Standard 60°C Cotton Programme at Partial Load (T_t.60.1/2) (min)	190 minutes
Performance	Programme Time of the Standard 40°C Cotton Programme at Partial Load (T_t.40.1/2) (min)	190 minutes
Performance	Power Consumption in "left-on mode" (P_l) (W)	0.80 watts [joules/second]
Performance	Power Consumption in "off-mode" (P_o) (W)	0.40 watts [joules/second]
Performance	Water Consumption (W_t) (l)	45 liters
Performance	Annual Water Consumption (AW_c) (l)	9899 liters
Performance	Remaining Moisture (%)	44 percent
Performance	Programme Time (T_t) (min)	201 minutes
Performance	Performans standard for approval	
Performance	Safety standard for approval	
Performance	Energy (per cycle) (China)	0.000 kilowatts
Performance	Washing Performance(China)	0.000
Performance	Water (per cycle) (China)	0.000
Performance	Monthly Energy Consumption (kWh)	0.000 kilowatt-hours

Performance	Water Consumption (litres/kg)	0.000
Performance	Water Efficiency Class (WM)	NA
Performance	Consumer Criteria	NA
Performance	Flowmeter	No
Performance	Control Card Plant (WM)	B7S BL
Performance	Insulated	Yes
Performance	Specific Motor Type	Atlas 42mm
Performance	Main Wash Water Consumption (l)	0.0 liters
Performance	Rinsing Performance	0.000
Performance	Spining Efficiency Performance (%)	0.000
Performance	Integrated Water Factor - IWF (gallon per cubic feet)	NA
Performance	CO2 Emission	NA
Performance	Energy Consumption/kg (Wh/kg)	NA
Functions & Features	Water Inlet	Single (Cold10)
Functions & Features	Aquaround	No
Functions & Features	Direct Jet	No
Functions & Features	Ball system	Yes
Functions & Features	Aquasafe	Yes
Functions & Features	Aquasafe+	No
Functions & Features	Steam (WM)	No
Functions & Features	Rinse Sensor	No
Functions & Features	Load Sensor	No
Functions & Features	Emergency Water Drain Hose	Yes
Functions & Features	Water Connection Height	40-100 cm
Functions & Features	Automatic Dosing System	No
Functions & Features	Integrated Sensor	No
Functions & Features	Durable Heater	Yes
Functions & Features	Liquid Detergent Container	Yes
Functions & Features	Side Wall Type	S Type
Functions & Features	Special Top Plate Request	No
Functions & Features	Top Plate Type (WM)	B13 50
Functions & Features	Built Under Sheet	No
Functions & Features	Number of Adjustable Feet (WM)	4
Functions & Features	Door Lock Indicator	Yes
Functions & Features	Drum Material	Stainless Steel
Functions & Features	Drum Pattern	Standard
Functions & Features	Program Follower	Yes
Functions & Features	Electronic Type	Digital Display
Functions & Features	Electronic Control	Yes
Functions & Features	No Water Indicator	Yes
Functions & Features	Child Lock (WM)	Yes
Functions & Features	Time Delay	0-19h
Functions & Features	Remain Time Display (WM)	Yes
Functions & Features	Unbalanced Load Control	Yes
Functions & Features	Over Flow Safety	Yes
Functions & Features	Automatic Water Adjustment System	Yes
Functions & Features	Temperature Selection (WM)	Yes
Functions & Features	Variable Spin Selection	Yes
Functions & Features	Door Opening Angle	170
Functions & Features	Rat Mash	No
Functions & Features	Approval Number	
Functions & Features	Otto Number (WM)	

Functions & Features	Woolmark (WM)	Woolmark Apperal Care (Silver)
Functions & Features	PLU Number & Campaing Date	NA
Functions & Features	Connectivity (Laundry)	No
Functions & Features	Soil Level (WM)	No
Functions & Features	Drum Inside Light	No
Functions & Features	Mechanical Child Lock	No
Functions & Features	Air Therapy	No
Functions & Features	Ionizer (WM)	
Functions & Features	Adjustable back feet for BI	
Functions & Features	Led Spot Light	
Functions & Features	GMark Number	
Design & Color specifications	Product Color (WM)	White
Design & Color specifications	Special case for colors	No
Design & Color specifications	Front Door Color (WM)	White
Design & Color specifications	Front Door Decorative Part Color (WM)	NA
Design & Color specifications	Program Knob Ring Color (WM)	White
Design & Color specifications	Front Drawer Handle	White
Design & Color specifications	Front Drawer Handle Decorative Part	NA
Design & Color specifications	Program Knob Color (WM)	White
Design & Color specifications	Front Panel Body Color (WM)	White
Design & Color specifications	Screen Frame/Panel Inlay Color (WM)	Gray
Design & Color specifications	Time Delay Button Color (WM)	Gray
Design & Color specifications	Spin Button Color (WM)	White
Design & Color specifications	Temperature Button Color (WM)	White
Design & Color specifications	Auxiliary Function Button Color (WM)	White
Design & Color specifications	Top Inlay Color (WM)	NA
Design & Color specifications	Bottom Inlay Color (WM)	NA
Design & Color specifications	On/Off Button Color (WM)	NA
Design & Color specifications	Start/Pause Button Color (WM)	White
Design & Color specifications	Door Handle Color (WM)	White
Design & Color specifications	Top Plate Frame Color (WM)	White
Design & Color specifications	Top Plate Hardboard Color (WM)	White
Design & Color specifications	Side Wall Color (WM)	White
Design & Color specifications	Stacking Level	5
Design & Color specifications	Front Wall Color	White
Design & Color specifications	Door Handle Decorative Part (WM)	NA
Design & Color specifications	Protective Cover Color (WM)	NA
Marketing Data	Product Form	
Marketing Data	Accessory Link	
Marketing Data	Marketing Slogan	Prosmart Inverter
Marketing Data	Award 1	
Marketing Data	Award 1 Description	
Marketing Data	Award 2	
Marketing Data	Award 2 Description	
Marketing Data	Award 3	
Marketing Data	Award 3 Description	
Marketing Data	Award 1 Link	
Marketing Data	Award 2 Link	
Marketing Data	Award 3 Link	
Marketing Data	Marketing Image 1	

Marketing Data	Marketing Image 2	
Marketing Data	Marketing Image 3	
Marketing Data	Marketing Image 1 Link	
Marketing Data	Marketing Image 2 Link	
Marketing Data	Marketing Image 3 Link	
Marketing Data	Product Video Link	
Marketing Data	Warranty Badge	
Marketing Data	Highlighted	
Marketing Data	Product Description	
Marketing Data	Marketing Description-Catalogue	
Marketing Data	Review Badge	
Marketing Data	Bottom Left Sticker (WM)	
Marketing Data	Bottom Right Sticker (WM)	
Marketing Data	Kick Plate / Door Sticker (WM)	
Marketing Data	Top Left Sticker (WM)	NA
Marketing Data	Top Plate Sticker(WM)	NA
Marketing Data	Top Right Sticker (WM)	NA
Technical Details	Main Model Code	9210
Technical Details	VDE Code(WM)	921016CN
Technical Details	Connected Value (w)	2200
Technical Details	Maximum Current Intensity (a)	10
Technical Details	Cable Length (WM)	1400
Technical Details	Drum Volume	50
Technical Details	Tub Material	Polypropylen
Approval & Certificate Information	Requested Standards	CE; VDE

Approval & Certificate Information	Additional Standards	benelüks servis dökümanı eklenmelidir.
Approval & Certificate Information	Declration of Conformity	
Approval & Certificate Information	Country Specific Standards	
		6,1 - 7,0 KG, U01000100010000004 <Front Load, U0100010001>
Production Information	SAP Hierarchy	
Production Information	Product Category	Export
Production Information	Product Type	Project
Production Information	TeamCenter Projects	
Production Information	Material Type	Inhouse
Production Information	Production Format	CBU
Production Information	Annual Quantity	1000
Production Information	Requested Effectivity	First Production
Production Information	First Production Quantity	100
Production Information	Requested Production Date	01/05/2017
Production Information	Project Completion Date	
Production Information	Earliest Serial Production Date	
Production Information	Lead Time Required for SOP	
Production Information	Update for First Production	0.0 weeks
Production Information	Planned Phase-Out Date	
Production Information	Industrial Design Approval Required	Yes
Production Information	Technical Availability Date	
Production Information	Updated Technical Availability Date	
Production Information	Estimated Earliest Serial Production Date	

Production Information	Request Creation Date of Last Mass Production by PM	
Production Information	Proposed Date for Last Mass Production by PM	
Production Information	Date for Last Mass Production by PP	
Printed Documents	Energy Label (WM)	Colorful
Printed Documents	Packaging Cartoon Artwork	
Printed Documents	Special Stickers	NA
Printed Documents	Main Benefit Labels	NA
Printed Documents	Generic Labels	NA
Printed Documents	Printed Documents languages (except User Manual)	Dutch;English;French;G erman
Printed Documents	Energy Label Placement	In the Instruction Booklet polybag
Printed Documents	Made in ... On Rating Label	Made in Turkey Benelux servis dökümanı
Printed Documents	Additional Documents	
Printed Documents	Extended motor / Compressor Warranty (Web)	No
Printed Documents	Warranty Information - File	
Printed Documents	User Manual Preparation	Arçelik English; Dutch; French; German
Printed Documents	User Manual Languages (Hardcopy)	
Printed Documents	User Manual Languages (Softcopy)	
Printed Documents	User Manual - File	
Printed Documents	User Manual - File (Short)	
Printed Documents	Warranty Information	No
Printed Documents	Warranty Information - Language	No
Printed Documents	Rating Label if special Pls. Specify	
Printed Documents	Installation-Diagram	
Printed Documents	Quick Guide	
Printed Documents	Service Address List	No
Printed Documents	Service Address List File	
Printed Documents	Importer Label	0600 : Benelux
Printed Documents	ENERGY LABEL 1	
Printed Documents	ENERGY LABEL 2	
Printed Documents	ENERGY LABEL 3	
Printed Documents	ENERGY LABEL 4	
Printed Documents	BARCODE LABEL 1	
Printed Documents	RATING LABEL 1	
Printed Documents	PRODUCT FICHE 1	
Printed Documents	PRODUCT FICHE 2	
Printed Documents	PRODUCT FICHE 3	
Printed Documents	PRODUCT FICHE 4	
Printed Documents	BACK WALL 1	
Printed Documents	Audio Manual Link	
Product Photos	High 1	R73078
Product Photos	High 2	R73079
Product Photos	High 3	
Product Photos	High 4	
Product Photos	Low 1	R73080
Product Photos	Low 2	R73081
Product Photos	Low 3	

Product Photos	Low 4	
Product Photos	Low 5	
Product Photos	Low 6	
Product Photos	Low 7	
Product Photos	Low 8	
Product Photos	Product Video	
Product Photos	Photo Production Method	Retouch - Önder Alayoğlu
Product Photos	Low 1 Draft	
Product Photos	Low 2 Draft	
Product Photos	Low 3 Draft	
Product Photos	Low 4 Draft	
Product Photos	Low 5 Draft	
Product Photos	High 1 Draft	
Product Photos	High 2 Draft	
Product Photos	High 3 Draft	
Product Photos	High 4 Draft	
Product Photos	Low 6 Draft	
Logistics Data	Loading Info	
Logistics Data	Container Unloading Info	
Logistics Data	Loading Qty - GABS Wagon	0
Logistics Data	Loading Qty - 2 Axle Wagon	0
Logistics Data	Loading Qty - Camion+Romork	0
Logistics Data	Loading Qty - Swap Body	0
Logistics Data	Loading Qty - Semi Truck	0
Logistics Data	Loading Qty - Optima Truck	0
Logistics Data	Loading Qty - 20'	0
Logistics Data	Loading Qty - 45' HC	0
Logistics Data	Loading Qty - 40' HC	0
Logistics Data	Loading Qty - 40'	0
Logistics Data	MoQ	0
Packaging & Dimensions	Special Packaging/Case	No
	Packaging Cartoon Artwork Pls.	
Packaging & Dimensions	Specify If Special	
Packaging & Dimensions	Capacity (lb)	0.0 pounds
Packaging & Dimensions	Packaging Type	Shrink
Packaging & Dimensions	Depth - Packed (cm)(z)	56.0 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	65.0 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	88.0 centimeters
Packaging & Dimensions	Weight - Packed (kg)	71.000 kilograms
Packaging & Dimensions	Depth - Unpacked (cm)(z)	50.0 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	60.0 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	84.0 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	70.000 kilograms
Packaging & Dimensions	Depth - Packed (in.)(z)	22.047245
Packaging & Dimensions	Width - Packed (in.)(x)	25.590551
Packaging & Dimensions	Height - Packed (in.)(y)	34.645668
Packaging & Dimensions	Weight - Packed (lb.)	156.52821
Packaging & Dimensions	Depth - Unpacked (in.)(z)	19.68504
Packaging & Dimensions	Width - Unpacked (in.)(x)	23.622047
Packaging & Dimensions	Height - Unpacked (in.)(y)	33.070866
Packaging & Dimensions	Weight - Unpacked (lb.)	154.32358
Packaging & Dimensions	Weight of Packaging Material - Metal	0.000 grams
Packaging & Dimensions	Weight of Packaging Material - Straphor	813.000 grams



Packaging & Dimensions	Weight of Packaging Material - Plastic	140.000 grams
Packaging & Dimensions	Weight of Packaging Material - Wooden	0.000 grams
Packaging & Dimensions	Weight of Packaging Material - Carton	10.000 grams
Packaging & Dimensions	Depth - Unpacked (in fractional.)(z)	
Packaging & Dimensions	Width - Unpacked (in fractional.)(x)	
Packaging & Dimensions	Height - Unpacked (in fractional.)(y)	
Packaging & Dimensions	Depth - Packed (in fractional.)(z)	